



Department of Anthropology and Archaeology

ARCHAEOLOGY

# LABORATORY PASSPORT

A document listing the Health and Safety and Correct Laboratory Use inductions, equipment and procedure training undertaken at the Department of Anthropology and Archaeology.

Name .....

Staff /Student ID number if applicable .....

Date issued Laboratory Use Passport .....

**Tick status**

Departmental Staff member .....

Anthropology/Archaeology Student .....

Other Department Student .....

Other Department Staff member .....

Non-University of Otago researcher .....

**General laboratory Health and Safety and Correct Laboratory Use Induction's have been provided for and signed off for the following spaces.**

**Signed off by DHSO      Date**

**1N.10 Teaching Laboratory .....**

**GN.5 Cleaning Laboratory .....**

**GN.5a Drying Room .....**

**GN.1 Sorting Laboratory (rock and ceramic) .....**

**GC.13 Historical Archaeology Laboratory .....**

**GC.15 Microscopy .....**

**1C.15 Archaeozoology Laboratory.....**

**GN.4 Rock/Ceramic preparation Laboratory .....**

**GN.3 XRF Room .....**

**1C.18 Paleobotanical Laboratory .....**

**Induction training undertaken and passed for the following equipment:**

	Signatures		Date
	Inductor	Inductee	
<b>Bruker Tracer III XRF</b>	.....	.....	.....
<b>Thin Section Machine</b>	.....	.....	.....
<b>16 " Rock saw</b>	.....	.....	.....
<b>Ultrasonic bath</b>	.....	.....	.....
<b>Microtome</b>	.....	.....	.....
<b>Centrifuge</b>	.....	.....	.....
<b>Petrographic microscope Camera and software</b>	.....	.....	.....
<b>Muffle Furnace</b>	.....	.....	.....
<b>SEM</b>	.....	.....	.....
<b>3-D scanner plus software</b>	.....	.....	.....
<b>Stereo-microscope Olympus</b>	.....	.....	.....
<b>Inverted microscope Olympus</b>	.....	.....	.....
<b>Transmitted light Zeiss microscope</b>	.....	.....	.....
<b>Refelected light Zeiss microscope</b>	.....	.....	.....
<b>Carbon coater</b>	.....	.....	.....
.....	.....	.....	.....
.....	.....	.....	.....
.....	.....	.....	.....
.....	.....	.....	.....

