

# Botany Department Publications, 2009 to 1930

Botany Department Publications, 2009 to 1930	1
2009.....	3
2008.....	4
2007.....	6
2006.....	8
2005.....	10
2004.....	13
2003.....	16
2002.....	19
2001.....	22
2000.....	26
1999.....	30
1998.....	33
1997.....	36
1996.....	37
1995.....	41
1994.....	44
1993.....	47
1992.....	49
1991.....	51
1990.....	53
1989.....	55
1988.....	57
1987.....	59
1986.....	61
1985.....	62
1984.....	63
1983.....	64
1982.....	64
1981.....	65
1980.....	65
1979.....	66

1978.....	67
1977.....	68
1976.....	69
1975.....	69
1974.....	70
1973.....	71
1972.....	71
1971.....	72
1970.....	72
1969.....	73
1968.....	73
1967.....	74
1966.....	75
1965.....	75
1964.....	76
1963.....	76
1962.....	77
1961.....	78
1960.....	78
1959.....	79
1958.....	79
1957.....	79
1956.....	80
1955.....	80
1954.....	80
1953.....	81
1952.....	81
1951.....	82
1950.....	82
1948.....	82
1944.....	82
1943.....	83
1939.....	83
1938.....	83
1937.....	83
1936.....	83

1935.....	83
1934.....	83
1932.....	84
1930.....	84

## 2009

---

Boyd, P.W. & Hurd, C.L. (2009) Ocean Nutrients. Surface Ocean - lower atmosphere processes Geophysical Monograph ed. Vol. 187. (eds. C. Le Quéré & E.S. Saltzman), pp. 139-160. American Geophysical Union, Washington, DC, USA.

Conran, J.G., Bannister, J.M. & Lee, D.E. (2009) Earliest orchid macrofossils: early Miocene *Dendrobium* and *Earina* (Orchidaceae: Epidendroideae) from New Zealand. *American Journal of Botany*, 96, 466-474.

Denny, B.L. & Guy, P.L. (2009) Incidence and spread of viruses in white-clover pastures of the South Island, New Zealand. *Australasian Plant Pathology*, 38, 270-276.

Hurd, C.L., Hepburn, C.D., Currie, K.I., Raven, J.A. & Hunter, K.A. (2009) Testing the effects of ocean acidification on algal metabolism: considerations for experimental designs. *Journal of Phycology*, 45, 1236-1251.

Lee, H.J., Orlovich, D.A., Tagg, J.R. & Fawcett, J.P. (2009) Detection and specific enumeration of multi-strain probiotics in the lumen contents and mucus layers of the rat intestine after oral administration. *Probiotics and Antimicrobial Proteins*, 1, 113-120.

Lord, J.M. (2009) *Clintonia*'s unique embryology not apomixis. *International Journal of Science*, 170, 699.

Mallol, I., Harris, A.C. & Steel, J.B. (2009) *Aceria gleicheniae* (Arachnida, Acari, Eriophyinae) forming apical frond galls on *Gleichenia microphylla* (Filicales, Gleicheniaceae): a new host plant association. *Weta*, 38, 17-18.

Mark, A.F., Michel, P., Dickinson, K.J.M. & McLennan, B. (2009) The conservation (protected area) status of New Zealand's indigenous grasslands: an update. *New Zealand Journal of Botany*, 47, 53-60.

Roberts, A.E., Radford, I.J. & Orlovich, D.A. (2009) Do alterations of arbuscular mycorrhizal fungal communities change interactions between an invader *Hieracium lepidulum* and two co-occurring species? A glasshouse study. *Australasian Mycologist*, 28, 29-35.

Russell, L.K., Hurd, C.L., Nelson, W.A. & Broom, J.E. (2009) An examination of *Pachymenia* and *Aeodes* (Halymeniaceae, Rhodophyta) in New Zealand and the transfer of two species of *Aeodes* in South Africa to *Pachymenia*. *Journal of Phycology*, 45, 1389-1399.

Tanentzap, A.J., Bee, J.N., Lee, W.G., Lavers, R.B., Mills, J.A., Mark, A.F. & Coomes, D.A. (2009) The reliability of palatability estimates obtained from rumen contents analysis and a field-based index of diet selection. *Journal of Zoology*, 278, 243-248.

Thorsen, M.J., Dickinson, K.J.M. & Seddon, P.J. (2009) Seed dispersal systems in the New Zealand flora. *Perspectives in Plant Ecology, Evolution and Systematics*, 11, 285-309.

Walker, S., Cieraad, E., Monks, A., Burrows, L., Wood, J., Price, R., Rogers, G. & Lee, B. (2009) Long-term dynamics and rehabilitation of woody ecosystems in dryland South Island, New Zealand. *New Models for ecosystem dynamics and restoration* (eds. R.J. Hobbs & K.N. Suding), pp. 99-111. Island Press, Washington, DC, USA.

## 2008

---

Burritt, D.J. (2008) Efficient cryopreservation of adventitious shoots of *Begonia x erythrophylla* using encapsulation-dehydration requires pretreatment with both ABA and proline. *Plant Cell, Tissue and Organ Culture*, 95, 209-215.

Burritt, D.J. (2008) Glutathione metabolism in bryophytes under abiotic stress. *Sulfur assimilation and abiotic stress in plants* (eds. N.A. Khan, S. Singh & S. Umar), pp. 303-316. Springer-Verlag, Berlin, Germany.

Burritt, D.J. (2008) The polycyclic aromatic hydrocarbon phenanthrene causes oxidative stress and alters polyamine metabolism in the aquatic liverwort *Riccia fluitans* L. *Plant, Cell and Environment*, 31, 1416-1431.

Clayton, R.I., Wilson, D.J., Dickinson, K.J.M. & West, C.J. (2008) Response of seedling communities to mammalian pest eradication on Ulva Island, Rakiura National Park, New Zealand. *New Zealand Journal of Ecology*, 32, 103-107.

Escher, P., Peuke, A.D., Bannister, P., Fink, S., Hartung, W., Jiang, F. & Rennenberg, H. (2008) Transpiration, CO<sub>2</sub> assimilation, WUE, and stomatal aperture in leaves of *Viscum album* (L.): Effect of abscisic acid (ABA) in the xylem sap of its host (*Populus x euamericana*). *Plant Physiology and Biochemistry*, 46, 64-70.

Grab, S.W., Dickinson, K.J., Mark, A.F. & Maegli, T. (2008) Ploughing boulders on the Rock and Pillar Range, south-central New Zealand: their geomorphology and alpine plant associations. *Journal of the Royal Society of New Zealand*, 38, 51-70.

Hatier, J.-H.B. & Gould, K.S. (2008) Foliar anthocyanins as modulators of stress signals. *Journal of Theoretical Biology*, 253, 625-627.

Heesch, S., Peters, A.F., Broom, J.E. & Hurd, C. (2008) Affiliation of the parasite *Herpodiscus durvillaeae* (Phaeophyceae) with the Sphacelariales based on DNA sequence comparisons and morphological observations. *European Journal of Phycology*, 43, 283-295.

Ingraham, N.L., Mark, A.F. & Frew, R.D. (2008) Fog deposition by snow tussock grassland on the Otago uplands: response to a recent review of the evidence. *Journal of Hydrology, New Zealand*, 47, 107-122.

Kregting, L.T., Hepburn, C.D., Hurd, C.L. & Pilditch, C.A. (2008) Seasonal patterns of growth and nutrient status of the macroalga *Adamsiella chauvinii* (Rhodophyta) in soft sediment environments. *Journal of Experimental Marine Biology and Ecology*, 360, 94-102.

Kregting, L.T., Hurd, C.L., Pilditch, C.A. & Stevens, C.L. (2008) The relative importance of water motion on nitrogen uptake by the subtidal macroalga *Adamsiella chauvinii* (Rhodophyta) in winter and summer. *Journal of Phycology*, 44, 320-330.

Lord, J.M. (2008) A test for phylogenetic conservatism in plant-pollinator relationships in Australian and New Zealand alpine floras. *New Zealand Journal of Botany*, 46, 367-372.

Mark, A.F. & Dickinson, K.J.M. (2008) Maximizing water yield with indigenous non-forest vegetation: a New Zealand perspective. *Frontiers in Ecology and the Environment*, 6, 25-34.

Mark, A.F. & Dickinson, K.J.M. (2008) Non-vascular floristic richness in New Zealand. *Frontiers in Ecology and the Environment*, 6, 355-356.

Mark, A.F., Dickinson, K.J.M., Michel, P. & McLennan, B. (2008) Temperate grassland region: New Zealand. A record of the world temperate grasslands conservation initiative workshop Hohhot, China June 28 and 29 2008, 119-125.

Mark, A.F., Porter, S., Piggott, J.J., Michel, P., Maegli, T. & Dickinson, K.J.M. (2008) Altitudinal patterns of vegetation, flora, life forms, and environments in the alpine zone of the Fiord Ecological Region, New Zealand. *New Zealand Journal of Botany*, 46, 205-237.

Michel, P., Dickinson, K.J.M., Barratt, B.I.P. & Jamieson, I.G. (2008) Multi-scale habitat models for reintroduced bird populations: a case study of South Island saddlebacks on Motuara Islands. *New Zealand Journal of Ecology*, 32, 18-33.

Michel, P., Jenkins, J., Mason, N., Dickinson, K.J.M. & Jamieson, I.G. (2008) Assessing the ecological application of lasergrammetric techniques to measure fine-scale vegetation structure., *Ecological Informatics*, 309-320.

Michel, P., White, H., Dickinson, K.J.M., Barratt, B.I.P., Fitzgerald, B.M., Johns, P.M., Nunn, J., Eyles, A.C. & Andrew, I.G. (2008) Invertebrate survey of coastal habitats and podocarp forest on Ulva Island, Rakiura National Park, New Zealand. *New Zealand Journal of Zoology*, 35, 335-349.

Pirie, M.D., Humphreys, A.M., Galley, C., Barker, N.P., Verboom, G.A., Orlovich, D., Draffin, S.J., Lloyd, K., Baeza, C.M., Negritto, M., Ruiz, E., Sanchez, J.H.C., Reimer, E. & Linder, H.P. (2008) A novel supermatrix approach improves resolution of phylogenetic relationships in a comprehensive sample of danthonioid grasses. *Molecular Phylogenetics and Evolution*, 48, 1106-1119.

Russell, L.K., Hepburn, C.D., Hurd, C.L. & Stuart, M.D. (2008) The expanding range of *Undaria pinnatifida* in southern New Zealand: distribution, dispersal mechanisms and the invasion of wave-exposed environments. *Biological Invasions*, 10, 103-115.

Scott, M.B., Dickinson, K.J.M., Barratt, B.I.P. & Sinclair, B.J. (2008) Temperature and moisture trends in non-sorted earth hummocks and stripes on the Old Man Range, New Zealand: Implications for mechanisms of maintenance. *Permafrost and Periglacial Processes*, 19, 305-314.

## 2007

---

Amey, J., Lord, J.M. & de Lange, P. (2007) First record of a vascular plant from the Bounty Islands: *Lepidium oleraceum* (nau, Cook's scurvy grass) (Brassicaceae). *New Zealand Journal of Botany*, 45, 87-90.

Atkinson, T.J., Miller, A.N., Huhndorf, S.M. & Orlovich, D.A. (2007) Unusual new *Chaetosphaeria* species from New Zealand: intrafamilial diversity and elucidations of the *Chaetosphaeriaceae* - *Lasiosphaeriaceae* relationship (Sordariomycetes, Ascomycotina). *New Zealand Journal of Botany*, 45, 685-706.

Bannister, P. (2007) A touch of frost? Cold hardiness of plants in the Southern Hemisphere. *New Zealand Journal of Botany*, 45, 1-33.

Cornelisen, C.D., Wing, S.R., Clark, K.L., Bowman, M.H., Frew, R.D. & Hurd, C.L. (2007) Patterns in the  $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$  signature of *Ulva pertusa*: Interaction between physical gradients and nutrient source pools. *Limnology and Oceanography*, 52, 820-832.

Dean, P. & Hurd, C.L. (2007) Seasonal growth, erosion rates, and nitrogen and photosynthetic ecophysiology of *Undaria pinnatifida* (Heterokontophyta) in southern New Zealand. *Journal of Phycology*, 43, 1138-1148.

- Dickinson, K.J.M., Kelly, D., Mark, A.F., Wells, G. & Clayton, R. (2007) What limits a rare alpine plant species? Comparative demography of three endemic species of *Myosotis* (Boraginaceae). *Austral Ecology*, 32, 155-168.
- Garland, M.J., Bannister, J.M., Lee, D.E. & White, J.D.L. (2007) A coniferous tree stump of late Early Jurassic age from the Ferrar Basalt, Coombs Hills, southern Victoria Land, Antarctica. *New Zealand Journal of Geology and Geophysics*, 50, 263-269.
- Hall, I.R. & Perley, C. (2007) Ectomycorrhizas, forestry practices and edible ectomycorrhizal mushrooms. Proceedings of the 2007 Annual conference of the Korean Society of Mycology, Chonnam National University, Gwangju, Korea. 4 May 2007, 35-45.
- Harris, A.C., Bannister, J.M. & Lee, D.E. (2007) Fossil scale insects (Hemiptera, Coccoidea, Diaspididae) in life position on an angiosperm leaf from an Early Miocene lake deposit, Otago, New Zealand. *Journal of the Royal Society of New Zealand*, 37, 1-13.
- Hatier, J.-H.B. & Gould, K.S. (2007) Black coloration in leaves of *Ophiopogon planiscapus* 'Nigrescens'. Leaf optics, chromaticity, and internal light gradients. *Functional Plant Biology*, 34, 130-138.
- Lawrence Lodge, R.H.E., Anderson, B.J., de Groot, A., Bill, A., McQueen, A.A.M., Steel, J.B., Mistral, M., Mason, N.W.H. & Wilson, J.B. (2007) Spatial autocorrelation in plant communities: vegetation texture versus species composition. *Ecography*, 30, 801-811.
- Lee, D.E., Bannister, J.M. & Lindqvist, J.K. (2007) Late Oligocene-Early Miocene leaf macrofossils confirm a long history of *Agathis* in New Zealand. *New Zealand Journal of Botany*, 45, 565-578.
- Lev-Yadun, S. & Gould, K.S. (2007) What do red and yellow autumn leaves signal? *The Botanical Review*, 73, 279-289.
- Lloyd, K.M., Hunter, A.M., Orlovich, D.A., Draffin, S.J., Stewart, A.V. & Lee, W.G. (2007) Phylogeny and biogeography of endemic *Festuca* (Poaceae) from New Zealand based on nuclear (ITS) and chloroplast (trnL-trnF) nucleotide sequences. *Aliso*, 23, 406-419.
- Lord, J.M. & Norton, D.A. (2007) Scale and the spatial concept of fragmentation. *Environmental Planning* (eds. J.C.J.M. van den Bergh, K. Button & P. Nijkamp), pp. 532-537. Edward Elgar Publishing Limited, Cheltenham, UK.
- Lucas, E.J., Harris, S.A., Mazine, F.F., Belsham, S.R., Lughadha, E.M.N., Telford, A., Gasson, P.E. & Chase, M.W. (2007) Suprageneric phylogenetics of Myrteae, the generically richest tribe in Myrtaceae (Myrtales). *Taxon*, 56, 1105-1128.

Mason, N.W.H., Wilson, J.B. & Steel, J.B. (2007) Are alternative stable states more likely in high stress environments? Logic and available evidence do not support Didham et al. 2005. *Oikos*, 116, 353-357.

Monks, A., O'Connell, D.M., Lee, W.G., Bannister, J.M. & Dickinson, K.J.M. (2007) Benefits associated with the domatia mediated tritrophic mutualism in the shrub *Coprosma lucida*. *Oikos*, 116, 873-881.

Radford, I.J., Dickinson, K.J.M. & Lord, J.M. (2007) Functional and performance comparisons of invasive *Hieracium lepidulum* and co-occurring species in New Zealand. *Austral Ecology*, 32, 338-354.

Richard, L.E., Peake, B.M., Rusak, S.A., Cooper, W.J. & Burritt, D.J. (2007) Production and decomposition dynamics of hydrogen peroxide in freshwater. *Environmental Chemistry*, 4, 49-54.

Schaefer, H.M. & Gould, K.S. (2007) Modelling the evolution of leaf colouration with binary assumptions is barking up the wrong tree. *Journal of Theoretical Biology*, 249, 638-639.

Ullmann, I., Bannister, J.M. & Bannister, P. (2007) The *Placopsis trachyderma* - *Raoulia* - community, a special type of biological soil crusts in the braided rivers of southern New Zealand. *Flora*, 202, 687-694.

Wilson, J.B. (2007) Priorities in statistics, the sensitive feet of elephants, and don't transform data. *Folia Geobotanica*, 42, 161-167.

Wilson, J.B. (2007) Trait-divergence assembly rules have been demonstrated: Limiting similarity lives! A reply to Grime. *Journal of Vegetation Science*, 18, 451-452.

Wilson, J.B., Steel, J.B. & Steel, S.-L.K. (2007) Do plants ever compete for space? *Folia Geobotanica*, 42, 431-436.

## 2006

---

Allen, R.B., Duncan, R.P. & Lee, W.G. (2006) Updated perspective on biological invasions in New Zealand. *Biological Invasions in New Zealand [Ecological Studies 186]* (eds. R.B. Allen & W.G. Lee), pp. 435-451. Springer-Verlag, Berlin, Germany.

Bannister, P. & Lord, J.M. (2006) Comparative winter frost resistance of plant species from southern Africa, Australia, New Zealand, and South America grown in a common environment (Dunedin, New Zealand). *New Zealand Journal of Botany*, 44, 109-119.



Bellingham, P.J. & Lee, W.G. (2006) Distinguishing natural processes from impacts of invasive mammalian herbivores. *Biological invasions in New Zealand [Ecological studies 186]* (eds. R.B. Allen & W.G. Lee), pp. 323-336. Springer-Verlag, Berlin, Germany.

Craine, J.M., Lee, W.G. & Walker, S. (2006) The context of plant invasions in New Zealand: evolutionary history and novel niches. *Biological invasions in New Zealand [Ecological studies 186]* (eds. R.B. Allen & W.G. Lee), pp. 167-177. Springer-Verlag, Berlin, Germany.

Gould, K.S. & Lister, C. (2006) Flavonoid functions in plants. *Flavonoids : Chemistry, biochemistry and applications* (eds. O.M. Andersen & K.R. Markham), pp. 397-441. CRC Press, Taylor and Francis, Boca Raton, FL, USA.

Gould, K.S., Thodey, K., Philpott, M. & Ferguson, L.R. (2006) Antioxidant activities of extracts from traditional Maori food plants. *New Zealand Journal of Botany*, 44, 1-4.

Guy, P.L. (2006) New Zealand grasslands revisited: identification of Cocksfoot mild mosaic virus. *Australasian Plant Pathology*, 35, 461-464.

Hall, I.R. (2006) Edible ectomycorrhizal mushrooms and their cultivation. *Systemic innovation for microbial biotechnology* (ed. Korea Society for Microbiology and Biotechnology), pp. 247-252., Busan, Korea.

Harder, D.L., Hurd, C.L. & Speck, T. (2006) Comparison of mechanical properties of four large, wave-exposed seaweed. *American Journal of Botany*, 93, 1426-1432.

Harder, D.L., Stevens, C.L., Speck, T. & Hurd, C.L. (2006) The role of blade buoyancy and reconfiguration in the mechanical adaptation of the southern bullkelp *Durvillaea*. *Ecoogy and biomechanics* (eds. A. Herrel, T. Speck & N.P. Rowe), pp. 61-84. Taylor and Francis, Boca Raton, FL, USA.

Harland, T., Spronken-Smith, R.A., Dickinson, K.J.M. & Pickering, N. (2006) Out of the ordinary: recapturing the liberal traditions of a university education through field courses. *Teaching in Higher Education*, 11, 93-106.

Hepburn, C.D., Hurd, C.L. & Frew, R.D. (2006) Colony structure and seasonal differences in light and nitrogen modify the impact of sessile epifauna on the giant kelp *Macrocystis pyrifera* (L.) C. Agardh. *Hydrobiologia*, 560, 373-384.

Kissling, W.D., Lord, J.M. & Schnittler, M. (2006) Agamosperous seed production of the invasive tussock grass *Nardus stricta* L. (Poaceae) in New Zealand - evidence from pollination experiments. *Flora*, 201, 144-151.

Kregting, L.T. & Gibbs, M.T. (2006) Salinity controls the upper depth limit of black corals in Doubtful Sound, New Zealand. *New Zealand Journal of Marine and Freshwater Research*, 40, 43-52.

Leduc, D., Probert, P.K., Frew, R.D. & Hurd, C.L. (2006) Macroinvertebrate diet in intertidal seagrass and sandflat communities: a study using C, N, and S stable isotopes. *New Zealand Journal of Marine and Freshwater Research*, 40, 615-629.

Lee, W.G., Allen, R.B. & Tompkins, D.M. (2006) Paradise lost - the last major colonization. *Biological invasions in New Zealand [Ecological Studies 186]* (eds. R.B. Allen & W.G. Lee), pp. 1-13. Springer-Verlag, Berlin, Germany.

Lord, J.M. & Westoby, M. (2006) Accessory costs of seed production. *Oecologia*, 150, 310-317.

Mark, A.F., Dickinson, K.J.M., Maegli, T. & Halloy, S.R.P. (2006) Two GLORIA long-term alpine monitoring sites established in New Zealand as part of a global network. *Journal of the Royal Society of New Zealand*, 36, 111-128.

Mason, N.W.H. & Wilson, J.B. (2006) Mechanisms of species coexistence in a lawn community: mutual corroboration between two independent assembly rules. *Community Ecology*, 7, 109-116.

Miller, S.m, Wing, S.R. & Hurd, C.L. (2006) Photoacclimation of *Ecklonia radiata* (Laminariales, Heterokontophyta) in Doubtful Sound, Fiordland, Southern New Zealand. *Phycologia*, 45, 44-52.

Murray, T.J., Dickinson, K.J.M. & Barratt, B.I.P. (2006) Associations between weevils (Coleoptera: Curculionidea) and plants, and conservation values in two tussock grasslands, Otago, New Zealand. *Biodiversity and Conservation*, 15, 123-137.

Pearson, M.N., Clover, G.R.G., Guy, P.L., Fletcher, J.D. & Beever, R.E. (2006) A review of the plant virus, viroid and mollicute records for New Zealand. *Australasian Plant Pathology*, 35, 217-252.

Radford, I.J., Dickinson, K.J.M. & Lord, J.M. (2006) Nutrient stress and performance of invasive *Hieracium lepidulum* and co-occurring species in New Zealand. *Basic and Applied Ecology*, 7, 320-333.

Steel, S.-L.K., Steel, J.B. & Wilson, J.B. (2006) *Lunularia cruciata* (L.) Dum.: A new hepatic record for Botswana. *Botswana Notes and Records*, 36, 146-147.

Wendehenne, D., Gould, K., Lamotte, O., Vandelle, E., Lecourieux, D., Courtois, C., Barnavon, L., Bentejac, M. & Pugin, A. (2006) No Signaling functions in the biotic and abiotic stress responses. *Cell Biology and Instrumentation: UV Radiation, Nitric Oxide and Cell Death in Plants* (eds. Y. Blume, D.J. Durzan & P. Smertenko), pp. 190-198. IOS Press, Amsterdam, Netherlands.

## 2005

---

Armstrong, T.T., Fitzjohn, R.G., Newstrom, L.E., Wilton, A.D. & Lee, W.G. (2005) Transgene escape: what potential for crop-wild hybridization? *Molecular Ecology*, 14, 2111-2132.

- Bannister, J.M., Lee, D.E. & Raine, J.I. (2005) Morphology and palaeoenvironmental context of *Foulednia staminosa*, a fossil flower with associated pollen from the Early Miocene of Otago, New Zealand. *New Zealand Journal of Botany*, 43, 515-525.
- Bannister, P. (2005) Frost resistance of the New Zealand narrow-leaved snow tussock grass, *Chionchloa rigida*. *New Zealand Journal of Botany*, 43, 425-430.
- Bannister, P., Maegli, T., Dickinson, K.J.M., Halloy, S.R.P., Knight, A., Lord, J.M., Mark, A.F. & Spencer, K.L. (2005) Will loss of snow cover during climatic warming expose New Zealand alpine plants to increased frost damage? *Oecologia*, 144, 245-256.
- Craine, J.M., Lee, W.G., Bond, W.J., Williams, R.J. & Johnson, L.C. (2005) Environmental constraints on a global relationship among leaf and root traits of grasses. *Ecology*, 86, 12-19.
- Downs, T.M. & Radford, I.J. (2005) Arbuscular mycorrhizal fungal colonisation of *Hieracium lepidulum* roots in experimental and field soil inoculated media. *New Zealand Journal of Botany*, 43, 843-850.
- Hall, I.R., Zambonelli, A. & Wang, Y. (2005) The cultivation of mycorrhizal mushrooms - success and failure. *Acta Edulis Fungi*, 12, 45-60.
- Harper, G.A., Dickinson, K.J.M. & Seddon, P.J. (2005) Habitat use by three rat species (*Rattus* spp.) on Stewart Island/Rakiura, New Zealand. *New Zealand Journal of Ecology*, 29, 251-260.
- Hepburn, C.D. & Hurd, C.L. (2005) Conditional mutualism between the giant kelp *Macrocystis pyrifera* and colonial epifauna. *Marine Ecology Progress Series*, 302, 37-48.
- Hunter, D.C. & Burritt, D.J. (2005) Light quality influences the polyamine content of lettuce (*Lactuca sativa* L.) cotyledon explants during shoot production in vitro. *Plant Growth Regulation*, 45, 53-61.
- Kissling, W.D., Schnittler, M., Seddon, P.J., Dickinson, K.J. & Lord, J.M. (2005) Invasion ecology of the alien tussock grass *Nardus stricta* (Poaceae) at Lake Pukaki, Canterbury, New Zealand. *New Zealand Journal of Botany*, 43, 601-612.
- Lucas, E.J., Belsham, S.R., Lughadha, E.M.N., Orlovich, D.A., Sakuragui, C.M., Chase, M.W. & Wilson, P.G. (2005) Phylogenetic patterns in the fleshy-fruited Myrtaceae - preliminary molecular evidence. *Plant Systematics and Evolution*, 251, 35-51.

Mark, A.F. & McLennan, B. (2005) The conservation status of New Zealand's indigenous grasslands. *New Zealand Journal of Botany*, 43, 245-270.

Mark, A.F. & Wilson, J.B. (2005) Tempo and mode of vegetation dynamics over 50 years in a New Zealand alpine cushion/tussock community. *Journal of Vegetation Science*, 16, 227-236.

Mason, N., WH, Mouillot, D., Lee, W.G. & Wilson, J.B. (2005) Functional richness, functional evenness and functional divergence: the primary components of functional diversity. *Oikos*, 111, 112-118.

Mouillot, D., Mason, N.W.H., Dumay, O. & Wilson, J.B. (2005) Functional regularity: a neglected aspect of functional diversity. *Oecologia*, 142, 353-359.

Mouillot, D., Stubbs, W., Faure, M., Dumay, O., Tomasini, J.A., Wilson, J.B. & Chi, T.D. (2005) Niche overlap estimates based on quantitative functional traits: a new family of non-parametric indices. *Oecologia*, 145, 345-353.

Onipchenko, V., Mark, A.F. & Wells, G. (2005) Floristic richness of three perhumid New Zealand alpine plant communities in comparison with other regions. *Austral Ecology*, 30, 518-525.

Russell, L.K., Evans, S.J., Smith, L., Bevers, C.M., Luxford, A.P., Stubbs, W.J. & Wilson, B.J. (2005) Distribution/abundance relations in a New Zealand grassland landscape. *New Zealand Journal of Ecology*, 29, 61-68.

Smith, A.M., McGourty, C.R., Kregting, L. & Elliot, A. (2005) Subtidal *Galeolaria hystrix* (Polychaeta: Serpulidae) reefs in Paterson Inlet, Stewart Island, New Zealand. *New Zealand Journal of Marine and Freshwater Research*, 39, 1297-1304.

Walker, S., Wilson, J.B. & Lee, W.G. (2005) Does fluctuating resource availability increase invasibility? Evidence from field experiments in New Zealand short tussock grassland. *Biological Invasions*, 7, 195-211.

Webster, D.E., Beck, D.L., Rabenstein, F., Forster, R.L.S. & Guy, P.L. (2005) An improved polyclonal antiserum for detecting Ryegrass mosaic rymovirus. *Archives of Virology*, 150, 1921-1926.

Wright, I.J., Reich, P.B., Cornelissen, J.H.C., Falster, D.S., Garnier, E., Hikosaka, K., Lamont, B.B., Lee, W., Oleksyn, J., Osada, N., Poorter, H., Villar, R., Warton, D.I. & Westoby, M. (2005) Assessing the generality of global leaf trait relationships. *New Phytologist*, 166, 485-496.

Wright, I.J., Reich, P.B., Cornelissen, J.H.C., Falster, D.S., Groom, P.K., Hiosaka, K., Lee, W., Lusk, C.H., Niinemets, Ü., Oleksyn, J., Osada, N., Poorter, H., Warton, D.I. & Westoby, M. (2005) Modulation of leaf economic traits and trait relationships by climate. *Global Ecology and Biogeography*, 14, 411-421.

Zambonelli, A., Iotti, M., Zinoni, F., Dallavalle, E. & Hall, I.R. (2005) Effect of mulching on *Tuber uncinatum* ectomycorrhizas in an experimental truffière. *New Zealand Journal of Crop and Horticultural Science*, 33, 65-73.

## 2004

---

Ackerman, J.D., Stevens, C.L. & Hurd, C.L. (2004) Special issue: biophysical factors affecting the growth and survival of aquatic organisms. *Journal of Marine Systems*, 49, 1-228.

Bagley, S.J. & Orlovich, D.A. (2004) Genet size and distribution of *Amanita muscaria* in a suburban park, Dunedin, New Zealand. *New Zealand Journal of Botany*, 42, 939-947.

Bannister, P., Bannister, J.M. & Blanchon, D.J. (2004) Distribution, habitat, and relation to climatic factors of the lichen genus *Ramalina*. *New Zealand Journal of Botany*, 42, 121-138.

Bellingham, P.J., Duncan, R.P., Lee, W.G. & Buxton, P. (2004) Seedling growth rate and survival do not predict invasiveness in naturalized woody plants in New Zealand. *Oikos*, 106, 308-316.

Blanchon, D.J. & Bannister, J. (2004) *Ramalina pollinaria* (Westr.) Ach. in New Zealand. *Australasian Lichenology*, 55, 18-20.

Bond, W.J., Dickinson, K.J.M. & Mark, A.F. (2004) What limits the spread of fire-dependent vegetation? Evidence from geographic variation of serotiny in a New Zealand shrub. *Global Ecology and Biogeography*, 13, 115-127.

Bond, W.J., Lee, W.G. & Craine, J.M. (2004) Plant structural defences against browsing birds: a legacy of New Zealand's extinct moas. *Oikos*, 104, 500-508.

Chiarucci, A., Alongi, C. & Wilson, J.B. (2004) Competitive exclusion and the No-Interaction model operate simultaneously in microcosm plant communities. *Journal of Vegetation Science*, 15, 789-796.

Cooke, R.R.M., Hurd, C.L., Lord, J.M., Peake, B.M., Raven, J.A. & Rees, T.A.V. (2004) Iron and zinc content of *Hormosira banksii* in New Zealand. *New Zealand Journal of Marine and Freshwater Research*, 38, 73-85.

Dixon, P., Hilton, M. & Bannister, P. (2004) *Desmoschoenus spiralis* displacement by *Ammophila arenaria*: the role of drought. *New Zealand Journal of Ecology*, 28, 207-213.

Grabherr, G. & Mark, A. (2004) Neuseeländische Alpen. Gebirge der Erde (ed. C. A. Burga, F. Klötzli & G. Grabher), pp. 220-231. Ulmer, Stuttgart, Germany.

Harder, D.L., Speck, O., Hurd, C.L. & Speck, T. (2004) Reconfiguration as a prerequisite for survival in highly unstable flow-dominated habitats. *Journal of Plant Growth Regulation*, 23, 98-107.

Hunter, A.M., Orlovich, D.A., Lloyd, K.M., Lee, W.G. & Murphy, D.J. (2004) The generic position of *Austrofestuca littoralis* and the reinstatement of *Hookerochloa* and *Festucella* (Poaceae) based on evidence from nuclear (ITS) and chloroplast (trnL-trnF) DNA sequences. *New Zealand Journal of Botany*, 42, 253-262.

Hunter, D.C. & Burritt, D.J. (2004) Light quality influences adventitious shoot production from cotyledon explants of lettuce (*Lactuca sativa* L.). *In Vitro Cellular and Developmental Biology - Plant*, 40, 215-220.

Hurd, C.L., Nelson, W.A. & Neill, K.F. (2004) History, current status and future of marine macroalgal research in New Zealand: Taxonomy, ecology, physiology and human uses. *Phycological Research*, 52, 80-106.

Kissling, W.D., Schnittler, M., Seddon, P.J., Dickinson, K.J.M. & Lord, J.M. (2004) Ecology and distribution of *Nardus stricta* L. (Poaceae) - an alien invader into New Zealand. *New Zealand Natural Sciences*, 29, 1-12.

Lord, J.M. (2004) Frugivore gape size and the evolution of fruit size and shape in southern hemisphere floras. *Austral Ecology*, 29, 430-436.

Lyttle, D.J. & Guy, P.L. (2004) First record of Geminiviruses in New Zealand: Abutilon mosaic virus and Honeysuckle yellow vein virus. *Australasian Plant Pathology*, 33, 321-322.

Mark, A.F. & Dickinson, K.J.M. (2004) South Island High Country in Transition: Issues, Options and Initial Outcomes with the Tenure Review Process. *Glimpses of a Gaian world* (eds. G. Kearsley & B. Fitzharris), pp. 285-308. School of Social Science, University of Otago, Dunedin, NZ.

Marx, R., Lee, D.E., Lloyd, K.M. & Lee, W.G. (2004) Phytolith morphology and biogenic silica concentrations and abundance in leaves of *Chionochloa* (Danthonieae) and *Festuca* (Poeae) in New Zealand. *New Zealand Journal of Botany*, 42, 677-691.

Matsui, T., Wilson, J.B. & West, C.J. (2004) Can *Podocarpus totara* and *P. hallii* be distinguished by bark thickness?: A study on the southern coast of Southland/Otago, New Zealand. *New Zealand Journal of Botany*, 42, 313-320.

Ohlemueller, R., Bannister, P., Dickinson, K.J.M., Walker, S., Anderson, B.J. & Wilson, J.B. (2004) Correlates of vascular plant species richness in fragmented indigenous forests: assessing the role of local and regional factors. *Community Ecology*, 5, 45-54.

Orlovich, D.A. & Cairney, J.W.G. (2004) Ectomycorrhizal fungi in New Zealand: current perspectives and future directions. *New Zealand Journal of Botany*, 42, 721-738.

Phillips, J.C. & Hurd, C.L. (2004) Kinetics of nitrate, ammonium, and urea uptake by four intertidal seaweeds from New Zealand. *Journal of Phycology*, 40, 534-547.

Radford, I.J., Cousens, R.D. & Michael, P.W. (2004) Morphological and genetic variation in the *Senecio pinnatifolius* complex: are variants worthy of taxonomic recognition? *Australian Systematic Botany*, 17, 29-48.

Roxburgh, S.H., Shea, K. & Wilson, J.B. (2004) The intermediate disturbance hypothesis: patch dynamics and mechanisms of species coexistence. *Ecology*, 85, 359-371.

Steel, J.B., Wilson, J.B., Anderson, B.J., Lodge, R.H.E. & Tangney, R.S. (2004) Are bryophyte communities different from higher-plant communities? Abundance relations. *Oikos*, 104, 479-486.

Stevens, C.L., Hurd, C.L. & Smith, M.J. (2004) An idealized model of interaction between fronds of the large seaweed *Durvillaea antarctica*. *Journal of Marine Systems*, 49, 145-156.

Stubbs, W.J. & Wilson, J.B. (2004) Evidence for limiting similarity in a sand dune community. *Journal of Ecology*, 92, 557-567.

Walker, S., Lee, W.G. & Rogers, G.M. (2004) Pre-settlement woody vegetation of Central Otago, New Zealand. *New Zealand Journal of Botany*, 42, 613-646.

Walker, S., Lee, W.G. & Rogers, G.M. (2004) The woody vegetation of Central Otago, New Zealand. *New Zealand Journal of Botany*, 42, 589-612.

Wilson, J.B., Agnew, A.D.Q. & Sykes, M.T. (2004) Ecology or mythology? Are Whittaker's "gradient analysis" curves reliable evidence of continuity in vegetation? *Preslia, Praha*, 76, 245-253.

Wright, I.J., Reich, P.B., Westoby, M., Ackerly, D.D., Baruch, Z., Bongers, F., Cavender-Bares, J., Chapin, T., Cornelissen, J., Diemer, M., Flexas, J., Garnier, E., Groom, P.K., Gullas, J., Hikosaka, K., Lamont, B.B., Lee, T., Lee, W., Lusk, C., Midgley, J.J., Navas, M.-L., Nilnemetts, U., Oleksyn, J., Osada, N., Poorter, H., Poot, P., Prior,

L., Pyankov, V.I., Roumet, C., Thomas, S.C., Tjoelker, M.G., Veneklaas, E.J. & Villar, R. (2004) The worldwide leaf economics spectrum. *Nature*, 428, 821-827.

Yun, W. & Hall, I.R. (2004) Edible ectomycorrhizal mushrooms: challenges and achievements. *Canadian Journal of Botany*, 82, 1063-1073.

## 2003

---

Bannister, P. (2003) Rainforest trees and temperature change. *New Phytologist*, 157, 1-7.

Wilson, J.B. (2003) The deductive method in community ecology. *Oikos*, 101, 216-218.

Belsham, S.R. & Orlovich, D.A. (2003) Development of the hypanthium and androecium in South American Myrtoideae (Myrtaceae). *New Zealand Journal of Botany*, 41, 161-169.

Li, Z. & Burritt, D.J. (2003) Changes in endogenous polyamines during the formation of somatic embryos from isogenic lines of *Dactylis glomerata* L. with different regenerative capacities. *Plant Growth Regulation*, 40, 65-74.

Burritt, D.J. & Leung, D.W.M. (2003) Adventitious shoot regeneration from *Begonia x erythrophylla* petiole sections is developmentally sensitive to light quality. *Physiologia Plantarum*, 118, 289-298.

Burritt, D.J. & Mackenzie, S. (2003) Antioxidant metabolism during acclimation of *Begonia x erythrophylla* to high light levels. *Annals of Botany*, 91, 783-794.

Derraik, J.G.B., Dickinson, K.J.M. & Closs, G.P. (2003) Invertebrate diversity on *Olearia bullata* and *Coprosma propinqua* in a modified native shrubland, Otago, New Zealand. *New Zealand Journal of Ecology*, 27, 55-60.

Lloyd, K.M., Lee, W.G., Fenner, M. & Loughnan, A.E. (2003) Vegetation change after artificial disturbance in an alpine *Chionochloa pallens* grassland in New Zealand. *New Zealand Journal of Ecology*, 27, 31-36.

Steel, J.B. & Wilson, J.B. (2003) Which is the phyte in epiphyte? *Folia Geobotanica*, 38, 97-99.

Barratt, B.I.P., Derraik, J.G.B., Rufaut, C.G., Goodman, A.J. & Dickinson, K.J.M. (2003) Morphospecies as a substitute for Coleoptera species identification, and the value of experience in improving accuracy. *Journal of the Royal Society of New Zealand*, 33, 583-590.

Bannister, J.M. & Blanchon, D.J. (2003) The lichen genus *Ramalina* Ach. (Ramalinaceae on the outlying islands of the New Zealand geographic area. *Lichenologist*, 35, 137-146.



Stowe, C.J., Kissling, W.D., Ohlemuller, R. & Wilson, J.B. (2003) Are ecotone properties scale-dependent? A test from a *Nothofagus* treeline in southern New Zealand. *Community Ecology*, 4, 35-42.

Halloy, S.R.P. & Mark, A.F. (2003) Climate-change effects on alpine plant biodiversity: A New Zealand perspective on quantifying the threat. *Arctic, Antarctic, and Alpine Research*, 35, 248-254.

Mason, N.W.H., MacGillivray, K., Steel, J.B. & Wilson, J.B. (2003) An index of functional diversity. *Journal of Vegetation Science*, 14, 571-578.

Markey, A.S. & de Lange, P.J. (2003) A new species of *Coprosma* Sect. *Acerosae* (Rubiaceae) endemic to the South and Stewart Islands of New Zealand. *New Zealand Journal of Botany*, 41, 459-473.

Poulter, R., Harvey, L. & Burritt, D.J. (2003) Qualitative resistance to powdery mildew in hybrid sweet peas. *Euphytica*, 133, 349-358.

Bannister, P. (2003) Are frost hardiness ratings useful predictors of frost damage in the field? A test using damage records from the severe frost in South Otago and Southland, New Zealand, July 1996. *New Zealand Journal of Botany*, 41, 555-569.

Watkins, A.J. & Wilson, J.B. (2003) Local texture convergence: a new approach to seeking assembly rules. *Oikos*, 102, 525-532.

Hall, I.R., Wang, Y. & Amicucci, A. (2003) Cultivation of edible ectomycorrhizal mushrooms. *Trends in Biotechnology*, 21, 433-438.

Hall, I.R., Stephenson, S.L., Buchanan, P.K., Wang, Y. & Cole, A.L.J. (eds.) (2003) Edible and poisonous mushrooms of the world. New Zealand Institute for Crop & Food Research Limited, Christchurch, NZ.

Craine, J.M. & Lee, W.G. (2003) Covariation in leaf and root traits for native and non-native grasses along an altitudinal gradient in New Zealand. *Oecologia*, 134, 471-478.

Walker, S., Lee, W.G. & Rogers, G.M. (2003) The woody vegetation of Central Otago, New Zealand: its present and past distribution and future restoration needs [Science for Conservation 226], Department of Conservation, Wellington.

Mark, A., Dickinson, K. & Patrick, B. (2003) Indigenous grassland protection in New Zealand. *Frontiers in Ecology and the Environment*, 1, 290-291.

Belsham, S.R. & Orlovich, D.A. (2003) Development of the hypanthium and androecium in *Acmena smithii* and *Syzygium australe* (*Acmena* alliance, Myrtaceae). *Australian Systematic Botany*, 16, 621-628.

Li, Z. & Burritt, D.J. (2003) The influence of Cocksfoot mottle virus on antioxidant metabolism in the leaves of *Dactylis glomerata* L. *Physiological and Molecular Plant Pathology*, 62, 285-295.

Walker, S., Wilson, J.B., Steel, J.B., Rapson, G.L., Smith, B., King, W.McG. & Cottam, Y.H. (2003) Properties of ecotones: evidence from five ecotones objectively determined from a coastal vegetation gradient. *Journal of Vegetation Science*, 14, 579-590.

Lloyd, K.M., Wilson, J.B. & Lee, W.G. (2003) Correlates of geographic range size in New Zealand *Chionochloa* (Poaceae) species. *Journal of Biogeography*, 30, 1751-1761.

Mark, A.F. & Dickinson, K.J.M. (2003) Temporal responses over 30 years to removal of grazing from a mid-altitude snow tussock grassland reserve, Lammerlaw Ecological Region, New Zealand. *New Zealand Journal of Botany*, 41, 655-668.

Murray, T.J., Barratt, B.I.P. & Dickinson, K.J.M.D. (2003) Comparison of the weevil fauna (Coleoptera: Curculionoidea) in two tussock grassland sites in Otago, New Zealand. *Journal of the Royal Society of New Zealand*, 33, 703-714.

Hunter, D.C. & Burritt, D.J. (2003) Light quality: A tool to manipulate plant growth and development in vitro. *Recent Research Developments in Plant Biology*, 3, 1-14.

Radford, I.J. (2003) Demography, fecundity and natural enemy dynamics of rubber vine (*Cryptostegia grandiflora*) in riparian and upland sites of north Queensland. *Plant Protection Quarterly*, 18, 138-142.

Phillips, J.C. & Hurd, C.L. (2003) Nitrogen ecophysiology of intertidal seaweeds from New Zealand: N uptake, storage and utilisation in relation to shore position and season. *Marine Ecology Progress Series*, 264, 31-48.

Hurd, C. (2003) Bull kelp. *The living reef* (eds. N. Andrew & M. Francis), pp. 56-63. Craig Potton Publishing, Nelson, NZ.

Barratt, B.I.P., Ferguson, C.M., Logan, R.A.S., Murray, T.J. & Dickinson, K.J.M. (2003) Impact of burning on Coleoptera, particularly Curculionoidea, in New Zealand native tussock grassland. *Records of the South Australia Museum Monograph Series*, 7, 171-178.

Darby, J., Fordyce, R.E., Mark, A., Probert, K. & Townsend, C. (eds.) (2003) The natural history of southern New Zealand. University of Otago Press, Dunedin, NZ.

Wilson, D.J., Lee, W.G., Webster, R.A. & Allen, R.B. (2003) Effects of possums and rats on seedling establishment at two forest sites in New Zealand. *New Zealand Journal of Ecology*, 27, 147-155.

Stevens, C.L., Hurd, C.L. & Isachsen, P.E. (2003) Modelling of diffusion boundary-layers in subtidal macroalgal canopies: The response to waves and currents. *Aquatic Sciences*, 65, 81-91.

Kriticos, D.J., Brown, J.R., Maywald, G.F., Radford, I.D., Nicholas, D.M., Sutherst, R.W. & Adkins, S.W. (2003) SPAnDX: a process-based population dynamics model to explore management and climate change impacts on an invasive alien plant, *Acacia nilotica*. *Ecological Modelling*, 163, 187-208.

Lee, W.G. (2003) Conserving native plants for the 22nd century - overview and summing up. *Canterbury Botanical Society Journal*, 37, 136-141.

Walker, S., Lee, B. & Rogers, G. (2003) Restoring indigenous biodiversity in the eastern South Island rainshadow zone. *Canterbury Botanical Society Journal*, 37, 48-62.

Wernberg, T., Coleman, M., Fairhead, A., Miller, S. & Thomsen, M. (2003) Morphology of *Ecklonia radiata* (Phaeophyta: Laminariales) along its geographic distribution in south-western Australia and Australasia. *Marine Biology*, 143, 47-55.

Bannister, J.M., Lee, D.E. & Orlovich, D.A. (2003) Late Eocene epiphyllous fungi from Pikopiko, Southland, New Zealand. *Geological Society of New Zealand Miscellaneous Publication 116A*, 8.

Steel, J.B. & Wilson, J.B. (2003) 'Hypochoeris'/'Hypochaeris': New Zealand usage is wrong and the rest of the world is right. *Botanical Society of Otago Newsletter*, 37, 5-7.

Walker, S., Wilson, J.B. & Lee, W.G. (2003) Recovery of short tussock and woody species guilds in ungrazed *Festuca novae-zelandiae* short tussock grassland with fertiliser or irrigation. *New Zealand Journal of Ecology*, 27, 179-189.

## 2002

---

Bannister, P., Strong, G.L. & Andrew, I. (2002) Differential accumulation of nutrient elements in some New Zealand mistletoes and their hosts. *Functional Plant Biology*, 29, 1309-1318.

Belsham, S.R. & Orlovich, D.A. (2002) Development of the hypanthium and androecium in New Zealand Myrtoideae (Myrtaceae). *New Zealand Journal of Botany*, 40, 687-695.

Burritt, D.J., Larkindale, J. & Hurd, C.L. (2002) Antioxidant metabolism in the intertidal red seaweed *Stictosiphonia arbuscula* following desiccation. *Planta*, 215, 829-838.

Chiarucci, A., Mistral, M., Bonini, I., Anderson, B.J. & Wilson, J.B. (2002) Canopy occupancy: How much of the space in plant communities is filled? *Folia Geobotanica*, 37, 333-338.

Clarke, S.F., Guy, P.L., Burritt, D.J. & Jameson, P.E. (2002) Changes in the activities of antioxidant enzymes in response to virus infection and hormone treatment. *Physiologia Plantarum*, 114, 157-164.

Darrow, H.E., Bannister, P., Burritt, D.J. & Jameson, P.E. (2002) Are juvenile forms of New Zealand heteroblastic trees more resistant to water loss than their mature counterparts? *New Zealand Journal of Botany*, 40, 313-325.

Derraik, J.G.B., Closs, G.P., Dickinson, K.J.M., Barratt, B.I.P. & Sirvid, P.J. (2002) Invertebrate species richness and density in relation to size of the New Zealand shrub *Olearia bullata*. *Journal of the Royal Society of New Zealand*, 32, 571-585.

Derraik, J.G.B., Closs, G.P., Dickinson, K.J.M., Sirvid, P., Barratt, B.I.P. & Patrick, B.H. (2002) Arthropod morphospecies versus taxonomic species: a case study with Araneae, Coleoptera, and Lepidoptera. *Conservation Biology*, 16, 1015-1023.

Dickinson, K.J.M., Chague-Goff, C., Mark, A.F. & Cullen, L. (2002) Ecological processes and trophic status of two low-alpine patterned mires, south-central South Island, New Zealand. *Austral Ecology*, 27, 369-384.

Galloway, D.J. & Hafellner, J. (2002) Additional lichen records from New Zealand 37. *Candelariella subdeflexa* (Nyl.) Lettau. *Australasian Lichenology*, 51, 33-35.

Galloway, D.J. (2002) Additional lichen records from New Zealand 38. *Clypeococcum grossum*. *Australasian Lichenology*, 51, 36-39.

Galloway, D.J. (2002) *Cladia retipora*. *Botanical Society of Otago Newsletter*, 32, 4-9.

Galloway, D.J. (2002) Notes on high-alpine species of Lecanora from schist underhangs in southern New Zealand, and a new name for *L. parmelinoides*. *Australasian Lichenology*, 51, 20-32.

- Grove, P.B., Mark, A.F. & Dickinson, K.J.M. (2002) Vegetation monitoring of recently protected tussock grasslands in the southern South Island, New Zealand. *Journal of the Royal Society of New Zealand*, 32, 379-414.
- Guy, P.L. & Davis, L.T. (2002) Variation in the incidence of Barley yellow dwarf virus and in the ability of *Neotyphodium* endophytes to deter feeding by aphids (*Rhopalosiphum padi*) on Australasian tall fescue. *Australasian Plant Pathology*, 31, 307-308.
- Guy, P.L. & Rowe, B.A. (2002) Increased incidence of endophyte (*Neotyphodium lolii* infected perennial ryegrass) observed in Tasmanian pastures. *Tasmanian Naturalist*, 124, 35-37.
- Hunter, D.C. & Burritt, D.J. (2002) Improved adventitious shoot production from cotyledon explants of lettuce (*Lactuca sativa* L.). *Scientia Horticulturae*, 95, 269-276.
- Lloyd, K.M., Lee, W.G. & Wilson, J.B. (2002) Competitive abilities of rare and common plants: comparisons using *Acaena* (Rosaceae) and *Chionochloa* (Poaceae) from New Zealand. *Conservation Biology*, 16, 975-985.
- Longstaff, B.J., Kildea, T., Runcie, J.W., Cheshire, A., Dennison, W.C., Hurd, C.L., Kana, T., Raven, J.A. & Larkum, A.W.D. (2002) An in situ study of photosynthetic oxygen exchange and electron transport rate in the marine macroalga *Ulva lactuca* (Chlorophyta). *Photosynthesis Research*, 74, 281-293.
- Lord, J.M., Markey, A.S. & Marshall, J. (2002) Have frugivores influenced the evolution of fruit traits in New Zealand. Seed dispersal and frugivory: ecology, evolution and conservation (eds. D.J. Levey, W.R. Silva & M. Galetti), pp. 55-68. CAB International, Wallingford, UK.
- Mason, N.W.H., MacGillivray, K., Steel, J.B. & Wilson, J.B. (2002) Do plant modules describe community structure better than biomass? A comparison of three abundance measures. *Journal of Vegetation Science*, 13, 185-190.
- Matsui, T., Dougherty, N.J., Loughnan, A.E., Swaney, J.K., Laurence, B.L., Lloyd, K.M. & Wilson, J.B. (2002) Local texture convergence within three communities in Fiordland, New Zealand. *New Zealand Journal of Ecology*, 26, 15-22.
- Mouillot, D. & Wilson, J.B. (2002) Can we tell how a community was constructed? A comparison of five evenness indices for their ability to identify theoretical models of community construction. *Theoretical Population Biology*, 61, 141-151.
- Orlovich, D.A. & Oliver, A.-M.B. (2002) The taxonomic identity of *Gymnopilus rubrocastaneus* recently described from New Zealand. *New Zealand Journal of Botany*, 40, 481-487.

Payton, I.J., Fenner, M. & Lee, W.G. (2002) Keystone species: the concept and its relevance for conservation management in New Zealand. DOC Science Publishing, Wellington, NZ.

Rees, B.J., Zuccarello, G.C. & Orlovich, D.A. (2002) Relationships between Australian and Northern Hemisphere *Gymnopilus* Species II. A preliminary phylogeny of species of *Gymnopilus* and related genera based on internal transcribed spacer (ITS) region of ribosomal DNA. *Mycotaxon*, 84, 93-110.

Schauber, E.M., Kelly, D., Turchin, P., Simon, C., Lee, W.G., Allen, R.B., Payton, I.J., Wilson, P.R., Cowan, P.E. & Brockie, R.E. (2002) Masting by eighteen New Zealand plant species: the role of temperature as a synchronizing cue. *Ecology*, 83, 1214-1225.

Smith, B. & Wilson, J.B. (2002) Community convergence: ecological and evolutionary. *Folia Geobotanica*, 37, 171-183.

Steven, C.L., Hurd, C.L. & Smith, M.J. (2002) Field measurement of the dynamics of the bull kelp *Durvillaea antarctica* (Chamisso) Heriot. *Journal of Experimental Marine Biology and Ecology*, 269, 147-171.

Strong, G.L. & Bannister, P. (2002) Water relations of temperate mistletoes on various hosts. *Functional Plant Biology*, 29, 89-96.

Summerfield, T.C., Galloway, D.J. & Eaton-Rye, J.J. (2002) Species of *Cyanolichens* from *Pseudocyphellaria* with indistinguishable ITS sequences have different photobionts. *New Phytologist*, 155, 121-129.

Thimm, J.C., Burritt, D.J., Sims, I.M., Newman, R.H., Ducker, W.A. & Melton, L.D. (2002) Celery *Apium graveolens* parenchyma cell walls: cell walls with minimal xyloglucan. *Physiologia Plantarum*, 116, 164-171.

Walker, S. & Lee, W.G. (2002) Alluvial grasslands of Canterbury and Marlborough, eastern South Island, New Zealand: vegetation patterns and long-term change. *Journal of the Royal Society of New Zealand*, 32, 113-147.

Walker, S. & Wilson, J.B. (2002) Tests for nonequilibrium, instability, and stabilizing processes in semiarid plant communities. *Ecology*, 83, 809-822.

Wilson, J.B. (2002) The 'emergent property' of Anand and Li is a mathematical artefact. Emergent properties do not exist. *Community Ecology*, 3, 247-248.

## 2001

---

Allen, R.B. & Lee, W.G. (2001) Woody weed dispersal by birds, wind and explosive dehiscence in New Zealand. *New Zealand Plant Protection*, 54, 61-66.

Bannister, P. & Neuner, G. (2001) Frost resistance and the distribution of conifers. *Conifer Cold Hardiness* (eds. F.J. Bigras & S.J. Colombo), pp. 3-21. Kluwer Academic Publishers, The Netherlands.

Bannister, P. & Polwart, A. (2001) The frost resistance of ericoid heath plants in the British Isles in relation to their biogeography. *Journal of Biogeography*, 28, 589-596.

Bannister, P. & Strong, G.L. (2001) Carbon and nitrogen isotope ratios, nitrogen content and heterotrophy in New Zealand mistletoes. *Oecologia*, 126, 10-20.

Bannister, P. & Strong, G.L. (2001) The distribution and population structure of the temperate mistletoe *Ileostylus micranthus* in the Northern Cemetery, Dunedin, New Zealand. *New Zealand Journal of Botany*, 39, 225-233.

Campbell, A.W. & Guy, P.L. (2001) Cocksfoot mottle virus spreads to the South Island of New Zealand. *Australasian Plant Pathology*, 30, 217-220.

Campbell, A.W., Campbell, P.J., Griffin, W.B., Burritt, D.J. & Conner, A.J. (2001) Prediction of sample size to maintain genetic variation in doubled-haploid populations following marker selection. *Theoretical and Applied Genetics*, 103, 1028-1036.

Campbell, A.W., Griffin, W.B., Burritt, D.J. & Conner, A.J. (2001) The importance of light intensity for pollen tube growth and embryo survival in wheat x maize crosses. *Annals of Botany*, 87, 517-522.

Chiarucci, A., De Dominicis, V. & Wilson, J.B. (2001) Structure and floristic diversity in permanent monitoring plots in forest ecosystems of Tuscany. *Forest Ecology and Management*, 141, 201-210.

Darrow, H.E., Bannister, P., Burritt, D.J. & Jameson, P.E. (2001) The frost resistance of juvenile and adult forms of some heteroblastic New Zealand plants. *New Zealand Journal of Botany*, 39, 355-363.

Davis, L.T. & Guy, P.L. (2001) Introduced plant viruses and the invasion of a native grass flora. *Biological Invasions*, 3, 89-95.

Derraik, J.G.B., Barratt, B.I.P., Sirvid, P., Macfarlane, R.P., Patrick, B.H., Early, J., Eyeles, A.C., Johns, P.M., Fraser, P.M., Barker, G.M., Henderson, R., Dale, P.J., Harvey, M.S., Fenwick, G., McLellan, I.D., Dickinson, K.J.M. & Closs, G. (2001) Invertebrate survey of a modified native shrubland, Brookdale Covenant, Rock and Pillar Range, Otago, New Zealand. *New Zealand Journal of Zoology*, 28, 273-290.

Fenner, M. & Lee, W.G. (2001) Lack of pre-dispersal seed predators in introduced Asteraceae in New Zealand. *New Zealand Journal of Ecology*, 25, 95-99.

Galloway, D.J. (2001) Additional lichen records from New Zealand 36 *Placopsis lambii* Hertel & V. Wirth. *Australasian Lichenology*, 49, 21-27.

Galloway, D.J. (2001) *Dendroscocaulon*. *Flora of Australia*, 58A, 38-39.

Galloway, D.J. (2001) *Peltigerales*. *Flora of Australia Vol. 58A*. (ed. P.M. McCarthy), pp. 37-103. CSIRO Publishing, Collingwood, Victoria, Australia.

Galloway, D.J. (2001) *Placopsis elixii*, a new lichen from New Zealand, with notes on some other species of *Placopsis* (NYL) Linds. (*Agyriaceae: ascomycota*) in New Zealand. *Bibliotheca Lichenologica*, 78, 49-62.

Galloway, D.J. (2001) *Sticta*. *Flora of Australia*, 58A, 78-87.

Galloway, D.J., Kantvilas, G. & Elix, J.A. (2001) *Pseudocyphellaria*. *Flora of Australia*, 58A, 28-35.

Hall, I.R. & Wang, Y. (2001) A comparison of productive and non-productive cultivated *Tuber melanosporum* truffle beds in New Zealand. *Science et culture de la truffe et des autres champignons hypogés comestibles.*, Actes du V Congrès International. Paris, Fédération Française des trufficulteurs., 444-445.

Harrison, P.J. & Hurd, C.L. (2001) Nutrient physiology of seaweeds: application of concepts to aquaculture. *Cahia de Biologie Marine*, 42, 71-82.

Hofstede, R.G.M., Dickinson, K.J.M. & Mark, A.F. (2001) Distribution, abundance and biomass of epiphyte-lichenoid communities in a New Zealand lowland *Nothofagus-podocarp* temperate rain forest: tropical comparisons. *Journal of Biogeography*, 28, 1033-1049.

Lee, D.E., Lee, W.G. & Mortimer, N. (2001) Where and why have all the flowers gone? Depletion and turnover in the New Zealand Cenozoic angiosperm flora in relation to palaeogeography and climate. *Australian Journal of Botany*, 49, 341-356.

Lee, W.G. & Jamieson, I.G. (2001) Introduction. The takahe: fifty years of conservation management and research (eds. W.G. Lee & I.G. Jamieson), pp. 11-17. University of Otago Press, Dunedin, NZ.

Lee, W.G. & Jamieson, I.G. (eds.) (2001) The takahe: fifty years of conservation management and research. University of Otago Press, Dunedin, NZ.



Lee, W.G. (2001) Fifty years of research and management of takahe: what have we learnt? The Takahe: fifty years of conservation management and research (eds. W.G. Lee & I.G. Jamieson), pp. 49-60. University of Otago Press, Dunedin, NZ.

Lee, W.G. (2001) Introduced plants, negative effects of. Encyclopedia of Biodiversity Vol. 3. (ed. S.A. Levin), pp. 501-515. Academic Press, San Diego, CA, USA.

Lee, W.G., Macmillan, B.H., Partridge, T.R., Lister, R. & Lloyd, K.M. (2001) Fruit features in relation to the ecology and distribution of *Acaena* (Rosaceae) species in New Zealand. *New Zealand Journal of Ecology*, 25, 17-27.

Lefevre, C.K. & Hall, I.R. (2001) The status of truffle cultivation: a global perspective. *Acta Horticulturae*, 556, 513-520.

Lord, J.M. & Marshall, J. (2001) Correlations between growth form, habitat, and fruit colour in the New Zealand flora, with reference to frugivory by lizards. *New Zealand Journal of Botany*, 39, 567-576.

Mark, A.F. & Dickinson, K.J.M. (2001) *Deschampsia cespitosa* subalpine tussockland on the Green Lake landslide, Hunter Mountains, Fiord Ecological Region, New Zealand. *New Zealand Journal of Botany*, 39, 577-585.

Mark, A.F. (2001) Symposium: managing protected natural areas for conservation, ecotourism, and indigenous people. *Journal of the Royal Society of New Zealand*, 31, 811-812.

Mark, A.F., Dickinson, K.J.M., Allen, J., Smith, R. & West, C.J. (2001) Vegetation patterns, plant distribution and life forms across the alpine zone in southern Tierra del Fuego, Argentina. *Austral Ecology*, 26, 423-440.

Mark, A.F., Turner, K.S. & West, C.J. (2001) Integrating nature conservation with hydro-electric development: conflict resolution with Lakes Manapouri and Te Anau, Fiordland National Park, New Zealand. *Lake and Reservoir Management*, 17, 1-16.

Mouillot, D., Culioli, J.-M., Wilson, J.B., Frodello, J.-P., Mouillot, F., Lepretre, A. & Marchand, B. (2001) Number, length, are or biomass: Can there be intermediates? *Ecoscience*, 8, 264-267.

Sinclair, B.J., Lord, J.M. & Thompson, C.M. (2001) Microhabitat selection and seasonality of alpine invertebrates. *Pedobiologia*, 45, 107-120.

Smith, J., Burritt, D. & Bannister, P. (2001) Ultraviolet-B radiation leads to a reduction in free polyamines in *Phaseolus vulgaris* L. *Plant Growth Regulation*, 35, 289-294.

Stevens, C.L., Hurd, C.L. & Smith, M.J. (2001) Water motion relative to subtidal kelp fronds. *Limnology and Oceanography*, 46, 668-678.

Strong, G.L., Bannister, P. & Burritt, D.J. (2001) New Zealand mistletoes have equal or lower capacities for electron transport than their hosts. *New Zealand Journal of Botany*, 39, 171-174.

Walker, S., Steel, J.B., Rapson, G.L., Roxburgh, S.H., King, W.McG., Watkins, A.J., Myers, T.E., Keogh, J.A., McQueen, A.M.M. & Wilson, J.B. (2001) A *Chionochloa*/Sphagnum/Cushion Valley Bog in East Otago, New Zealand. *New Zealand Journal of Ecology*, 25, 39-52.

Wilson, J.B. & Anderson, B.J. (2001) Species-pool relations: like a wooden light bulb? *Folia Geobotanica*, 36, 35-44.

Wilson, J.B. & Chiarucci, A. (2001) Self-similarity and phantoms: A response to Hill. *Journal of Vegetation Science*, 12, 299.

Wilson, J.B. & Roxburgh, S.H. (2001) Intrinsic guild structure: determination from competition experiments. *Oikos*, 92, 189-192.

Wilson, J.B. & Smith, B. (2001) Methods for testing for texture convergence using abundance data: a randomisation test and a method for comparing the shape of distributions. *Community Ecology*, 2, 57-66.

## 2000

---

Andrew, I., Burritt, D.J. & Bannister, P. (2000) The storage of *Griselinia littoralis* seeds: a study of physiological deterioration in a recalcitrant seed. *Seed Symposium: current research on seeds in New Zealand*, 12, 113.

Bannister, P. (2000) Positive Discrimination. *New Zealand Journal of Ecology*, 24, 108.

Campbell, A.W., Griffin, W.B., Burritt, D.J. & Conner, A.J. (2000) Production of wheat doubled haploids via wide crosses in New Zealand wheat. *New Zealand Journal of Crop and Horticultural Science*, 28, 185-194.

Campbell, J.D., Lee, D.E. & Lee, W.G. (2000) A woody shrub from the Miocene Nevis Oil Shale, Otago, New Zealand - a possible fossil divaricate? *Journal of the Royal Society of New Zealand*, 30, 147-153.

Clark, V.R. & Guy, P.L. (2000) Five viruses in *Narcissus* spp. from New Zealand. *Australasian Plant Pathology*, 29, 227-229.

Clarke, S.F., Burritt, D.J., Jameson, P.E. & Guy, P.L. (2000) Effects of plant hormones on white clover mosaic potyvirus double-stranded RNA. *Plant Pathology*, 49, 428-434.

- Clarke, S.F., Guy, P.L., Jameson, P.E., Schmierer, D. & Burritt, D.J. (2000) Influence of white clover mosaic potyvirus infection on the endogenous levels of jasmonic acid and related compounds in *Phaseolus vulgaris* L. seedlings. *Journal of Plant Physiology*, 156, 433-437.
- Forrest, B.M., Brown, S.N., Taylor, M.D., Hurd, C.L. & Hay, C.H. (2000) The role of natural dispersal mechanisms in the spread of *Undaria pinnatifida* (Laminariales, Phaeophyceae). *Phycologia*, 39, 547-553.
- Galloway, D.J. (2000) Contributions to a history of New Zealand lichenology. 3: The French. *Australasian Lichenology*, 46, 28-35.
- Galloway, D.J. (2000) The lichen genus *Peltigera* (Peltigerales: Ascomycota) in New Zealand. *Tuhinga*, 11, 1-45.
- Garnock-Jones, P.J., Bayly, M.J., Lee, W.G. & Rance, B.D. (2000) *Hebe arganthera* (Scrophulariaceae), a new species from calcareous outcrops in Fiordland, New Zealand. *New Zealand Journal of Botany*, 38, 379-388.
- Hall, I.R. & Yun, W. (2000) Edible mushrooms as secondary crops in forests. *Quarterly Journal of Forestry*, 94, 299-304.
- Halloy, S.R.P., Mark, A.F. & Dickinson, K.J.M. (2000) Management of New Zealand's terrestrial biodiversity as a complex adaptive system. *Applied complexity; from neural nets to managed landscapes* 1st ed. (eds. S. Halloy & T. Williams), p. 410 pp. New Zealand Institute for Crop & Food Research, Christchurch, NZ.
- Harder, D.L., Hurd, C. & Speck, T. (2000) Biomechanics of sympatric macroalgae in the surf zone of New Zealand and Helgoland, Germany. *Proceedings of the 3rd Plant Biomechanics Conference Freiburg - Badenweiler August 27th to September 2nd 2000* 1st ed. Vol. 1. (eds. H.-C. Spatz & T. Speck), pp. 287-294. Georg Thieme Stuttgart, Germany.
- Harder, D.L., Hurd, C.L. & Speck, T. (2000) Getting a grip on soft materials like seaweed stipes: reconsidering standard test methods. *BIONA-report*, 14, 158-164.
- Hurd, C.L. (2000) Water motion, marine macroalgal physiology, and production. *Journal of Phycology*, 36, 453-472.
- Hurd, C.L., Durante, K.M. & Harrison, P.J. (2000) Influence of bryozoan colonization on the physiology of the kelp *Macrocystis integrifolia* (Laminariales, Phaeophyta) from nitrogen-rich and -poor sites in Barkley Sound, British Columbia, Canada. *Phycologia*, 39, 435-440.

Ingraham, N.L. & Mark, A.F. (2000) Isotopic assessment of the hydrologic importance of fog deposition on tall snow tussock grass on southern New Zealand uplands. *Austral Ecology*, 25, 402-408.

Kelly, B.J. & Brown, M.T. (2000) Variations in the alginate content and composition of *Durvillaea antarctica* and *D. willana* from southern New Zealand. *Journal of Applied Phycology*, 12, 317-324.

Lee, W.G., Fenner, M., Loughnan, A. & Lloyd, K.M. (2000) Long-term effects of defoliation: incomplete recovery of a New Zealand alpine tussock grass, *Chionochloa pallens*, after 20 years. *Journal of Applied Ecology*, 37, 348-355.

Lloyd, K.M., McQueen, A.A.M., Lee, B.J., Wilson, R.C.B., Walker, S. & Wilson, J.B. (2000) Evidence on ecotone concepts from switch, environmental and anthropogenic ecotones. *Journal of Vegetation Science*, 11, 903-910.

Lord, J.M., Wilson, J.B., Steel, J.B. & Anderson, B.J. (2000) Community reassembly: a test using limestone grassland in New Zealand. *Ecology Letters*, 3, 213-218.

Mark, A.F. (2000) Integrating conservation with hydro-electric development of Lakes Manapouri and Te Anau, New Zealand: an exercise in complexity. *Applied complexity. From neural nets to managed landscapes 1st ed.* (eds. S. Halloy & T. Williams), p. 410. New Zealand Institute for Crop and Food Research Ltd, New Zealand, Christchurch, NZ.

Mark, A.F., Dickinson, K.J.M. & Hofstede, R.G.M. (2000) Alpine vegetation, plant distribution, life forms, and environments in a perhumid New Zealand region: Oceanic and tropical high mountain affinities. *Arctic, Antarctic, and Alpine Research*, 32, 240-254.

McQueen, A.A.M. & Wilson, J.B. (2000) Vegetation and environment of a New Zealand raised bog. *Journal of Vegetation Science*, 11, 547-554.

Mistral, M., Buck, O., Meier-Behrmann, D.C., Burnett, D.A., Barnfield, T.E., Scott, A.J., Anderson, B.J. & Wilson, J.B. (2000) Direct measurement of spatial autocorrelation at the community level in four plant communities. *Journal of Vegetation Science*, 11, 911-916.

Moore, S.H. & Bannister, P. (2000) Aspects of the germination of some New Zealand Ericaceae. *Seed Symposium: current research on seeds in New Zealand*, 12, 83-90.

Ohlemueller, R. & Wilson, J.B. (2000) Vascular plant species richness along latitudinal and altitudinal gradients: a contribution from New Zealand temperate rainforests. *Ecology Letters*, 3, 262-266.

Rogers, G., Hewitt, A. & Wilson, J.B. (2000) Ecosystem-based conservation strategy for Central Otago's saline patches. *Science for Conservation*, 166.

Roxburgh, S.H. & Wilson, J.B. (2000) Stability and coexistence in a lawn community: mathematical prediction of stability using a community matrix with parameters derived from competition experiments. *Oikos*, 88, 395-408.

Roxburgh, S.H. & Wilson, J.B. (2000) Stability and coexistence in a lawn community: experimental assessment of the stability of the actual community. *Oikos*, 88, 409-423.

Silvertown, J. & Wilson, J.B. (2000) Spatial interactions among grassland plant populations. The geometry of ecological interactions: simplifying spatial complexity (eds. U. Dieckmann, R. Law & J.A.J. Metz), pp. 28-47. University of Cambridge Press, Cambridge, UK.

Smith, J.L., Burritt, D.J. & Bannister, P. (2000) Shoot dry weight, chlorophyll and UV-B-absorbing compounds as indicators of a plant's sensitivity to UV-B radiation. *Annals of Botany*, 86, 1057-1063.

Strong, G.L., Bannister, P. & Burritt, D. (2000) Are mistletoes shade plants? CO<sub>2</sub> assimilation and chlorophyll fluorescence of temperate mistletoes and their hosts. *Annals of Botany*, 85, 511-519.

Thimm, J.C., Burritt, D.J., Ducker, W.A. & Melton, L.D. (2000) Celery (*Apium graveolens* L.) parenchyma cell walls examined by atomic force microscopy: effect of dehydration on cellulose microfibrils. *Planta*, 212, 25-32.

Walker, S. & Lee, W.G. (2000) Alluvial grasslands in south-eastern New Zealand: vegetation patterns, long-term and post-pastoral change. *Journal of the Royal Society of New Zealand*, 30, 72-103.

Williams, P.A., Karl, B.J., Bannister, P. & Lee, W.G. (2000) Small mammals as potential seed dispersers in New Zealand. *Austral Ecology*, 25, 523-532.

Wilson, J.B. & Chiarucci, A. (2000) Do plant communities exist? Evidence from scaling-up local species-area relations to the regional level. *Journal of Vegetation Science*, 11, 773-775.

Wilson, J.B. & Lee, W.G. (2000) C-S-R triangle theory: community-level predictions, tests, evaluation of criticisms, and relation to other theories. *Oikos*, 91, 77-96.

Wilson, J.B., Steel, J.B., Dodd, M.E., Anderson, B.J., Ullmann, I. & Bannister, P. (2000) A test of community reassembly using the exotic communities of New Zealand roadsides in comparison to British roadsides. *Journal of Ecology*, 88, 757-764.

Wilson, J.B., Steel, J.B., Newman, J.E. & King, W.McG. (2000) Quantitative aspects of community structure examined in a semi-arid grassland. *Journal of Ecology*, 88, 749-756.

Zambonelli, A., Iotti, M., Rossi, I. & Hall, I. (2000) Interactions between *Tuber borchii* and other ectomycorrhizal fungi in a field plantation. *Mycological Research*, 104, 698-702.

## 1999

---

Avidsson, L. & Galloway, D.J. (1999) A bibliography of Gunnar Degelius (1903-1993). *Symbolae Botanicae Upsalienses*, 32, 165-179.

Bannister, P., King, W.M. & Strong, G.L. (1999) Aspects of the water relations of *Ileostylus micranthus* (Hook.f.) Tieghem, a New Zealand mistletoe. *Annals of Botany*, 84, 79-86.

Campbell, A.W., Campbell, P.J., Griffin, D.J., Burritt, D.J. & Conner, A.J. (1999) A model for the integration of marker assisted selection and doubled haploid technology in a wheat breeding programme. *Proceedings of the Ninth Assembly Wheat Breeding Society of Australia*, 129-131.

Campbell, A.W., Griffin, W.B., Burritt, D.J. & Conner, A.J. (1999) The effect of light intensity on pollen tube growth and embryo survival in wheat x maize crosses. *Proceedings of the Ninth Assembly Wheat Breeding Society of Australia*, 184-1186.

Chiarucci, A., Wilson, J.B., Anderson, B.J. & De Dominicis, V. (1999) Cover versus biomass as an estimate of species abundance: does it make a difference to the conclusions? *Journal of Vegetation Science*, 10, 35-42.

Clarke, S.F., McKenzie, M.J., Burritt, D.J., Guy, P.L. & Jameson, P.E. (1999) Influence of white clover mosaic potyvirus infection on the endogenous cytokinin content of bean. *Plant Physiology*, 120, 547-552.

Dickinson, K.J.M. & Mark, A.F. (1999) Interpreting ecological patterns in an intact estuary, South-west New Zealand World Heritage Area. *Journal of Biogeography*, 26, 913-932.

Ewel, J.J., O'Dowd, D.J., Bergelson, J., Daehler, C.C., D'Antonio, C.M., Gomez, L.D., Gordon, D.R., Hobbs, R.J., Holt, A., Hopper, K.R., Hughes, C.E., LaHart, M., Leakey, R.R.B., Lee, W.G., Loope, L.L., Lorence, D.H., Louda, S.M., Lugo, A.E., McEvoy, P.B., Richardson, D.M. & Vitousek, P.M. (1999) Deliberate introductions of species: research needs. *BioScience*, 49, 619-630.

Fyfe, J., Israel, S.A., Chong, A., Ismail, N., Hurd, C.L. & Probert, K. (1999) Mapping marine habitats in Otago, southern New Zealand. *Geocarta International*, 14, 15-26.

- Galloway, D.J. (1999) Contributions to a history of New Zealand lichenology 2. "A diligent and persevering zeal ...", Archibald Menzies (1754-1842). *Australasian Lichenology*, 45, 28-35.
- Galloway, D.J. (1999) Notes on the lichen genus *Leptogium* (Collemales, Ascomycota) in New Zealand. *Nova Hedwigia*, 69, 317-355.
- Galloway, D.J., Knight, A., Johnson, P.N. & Hayward, B.W. (1999) Additional lichen records from New Zealand 30. *Polycoccum galligenum* new to New Zealand and the Southern Hemisphere. *Australasian Lichenology*, 45, 8-9.
- Grubb, P.J., Kollmann, J. & Lee, W.G. (1999) A garden experiment on susceptibility to rabbit-grazing sapling growth rates, and age at first reproduction for eleven European woody species. *Plant Biology*, 1, 226-234.
- Heads, M. (1999) Vicariance biogeography and terrane tectonics in the South Pacific: analysis of the genus *Abrotanella* (Compositae). *Biological Journal of the Linnean Society*, 67, 391-432.
- Heesch, S. & Peters, A.F. (1999) Scanning electron microscopy observation of host entry by two brown algae endophytic in *Laminaria saccharina*. *Phycological Research*, 47, 1-5.
- Hodgkinson, W.M., Brown, M.T. & Hurd, C.L. (1999) Spatial and temporal variations in the copper and zinc concentrations of two green seaweeds from Otago Harbour, New Zealand. *Marine Environmental Research*, 47, 175-184.
- Johnstone, P.D., Wilson, J.B. & Bremner, A.G. (1999) Change in *Hieracium* populations in eastern Otago over the period 1982-1992. *New Zealand Journal of Ecology*, 23, 31-38.
- Kendrick, G.A., Lavery, P.S. & Phillips, J.C. (1999) Influence of *Ecklonia radiata* kelp canopy on structure of macroalgal assemblages in Marmion Lagoon, Western Australia. *Hydrobiologia*, 398/399, 275-283.
- Lee, W.G., Loughnan, A., Lloyd, K. & Fenner, M. (1999) Long-term (20 years) effect of artificial defoliation of mid-ribbed snow tussock, *Chionochloa pallens*, in the Murchison Mountains, Fiordland, New Zealand (Science for Conservation edn). Department of Conservation, Wellington, NZ.
- Lee, W.G., Williams, P. & Cameron, E. (1999) Plant invasions in urban environments: the key to limiting new weeds in New Zealand. *Managing Urban Weeds and Pests* (eds D.M. Suckling & P.S. Stevens), pp. 43-58. New Zealand Plant Protection Society, Lincoln, NZ.
- Lord, J.M. & Kelly, D. (1999) Seed production in *Festuca novae-zelandiae*: the effect of altitude and pre-dispersal predation. *New Zealand Journal of Botany*, 37, 503-509.

Lord, J.M. (1999) Does competition from introduced grasses affect *Festuca novae-zelandiae* tussock growth and survival? *New Zealand Natural Sciences*, 24, 21-25.

Lord, J.M. (1999) Fleshy-fruitedness in the New Zealand flora. *Journal of Biogeography*, 26, 1249-1253.

Mackenzie, A.M., Webster, D.E., Gibbs, M.J., Thomas, B.J. & Gibbs, A.J. (1999) Australian isolates of ryegrass mosaic rymovirus and their relationships. *Archives of Virology*, 144, 309-316.

Mark, A.F. (1999) Guardians of the Lakes. *The Cyclopedia of Otago and Southland* (ed. P. Sorrell), pp. 1153-1155. Dunedin City Council, Dunedin.

Mark, A.F. (1999) The Botany of Otago and Southland. *The Cyclopedia of Otago and Southland* (ed. P. Sorrell), pp. 1004-1007. Dunedin City Council, Dunedin.

Moore, R.J., Watts, J.T.F., Hood, J.A.A. & Burritt, D.J. (1999) Intra-oral temperature variation over 24 hours. *European Journal of Orthodontics*, 21, 249-261.

Neuner-Plattner, I., Grabher, T., Hall, I.R., Stoffer, G., Griffin, F. & Haselwandter, K. (1999) A comparison of immunological assays for the identification of *Tuber* spp. and other edible ectomycorrhizal fungi. *Mycological Research*, 103, 403-412.

Perry, N.B., Benn, M.H., Brennan, N.J., Burgess, E.J., Ellis, G., Galloway, D.J., Lorimer, S.D. & Tangney, R.S. (1999) Antimicrobial, antiviral and cytotoxic activity of New Zealand lichens. *Lichenologist*, 31, 627-636.

Stuart, M.D., Hurd, C.L. & Brown, M.T. (1999) Effects of seasonal growth rate on morphological variation of *Undaria pinnatifida* (Alariaceae, Phaeophyceae). *Hydrobiologia*, 398/399, 191-199.

Thomas, K.R., Munro, C.L., Graeme, C.B., Steel, J.B. & Wilson, J.B. (1999) Application and evaluation of Dale's non-parametric method for detecting community structure through zonation. *Oikos*, 84, 261-265.

Walker, S., Wilson, J.B. & Mark, A.F. (1999) Seasonal changes in semi-arid vegetation of Central Otago. *New Zealand Journal of Botany*, 37, 479-493.

Webster, D.E., Guy, P.L., Beck, D.L. & Forster, R.L.S. (1999) Distribution and diversity of New Zealand isolates of ryegrass mosaic virus. *Archives of Virology*, 144, 2059-2064.

Wilson, J.B. & Gitay, H. (1999) Alternative classifications in the intrinsic guild structure of a New Zealand tussock grassland. *Oikos*, 86, 566-572.



Wilson, J.B. & Sykes, M.T. (1999) Is zonation on coastal sand dunes determined primarily by sand burial or by salt spray? A test in New Zealand dunes. *Ecology Letters*, 2, 233-236.

Wilson, J.B. (1999) Assembly rules in plant communities. *Ecological Assembly Rules - Perspectives, advances, retreats* (eds. E. Weiher & P. Keddy), pp. 130-164. Cambridge University Press, UK.

Wilson, J.B. (1999) Guilds, functional types and ecological groups. *Oikos*, 86, 507-522.

Wilson, J.B., Steel, J.B., King, W.McG. & Gitay, H. (1999) The effect of spatial scale on evenness. *Journal of Vegetation Science*, 10, 463-468.

## 1998

---

Campbell, A.W., Griffin, W.B., Conner, A.J., Rowarth, J.S. & Burritt, D.J. (1998) The effects of temperature and light intensity on embryo numbers in wheat doubled haploid production through wheat x maize crosses. *Annals of Botany*, 82, 29-33.

Clarke, S.F., Burritt, D.J., Jameson, P.E. & Guy, P.L. (1998) Influence of plant hormones on virus replication and pathogenesis-related proteins in *Phaseolus vulgaris* L. infected with white clover mosaic potexvirus. *Physiological and Molecular Plant Pathology*, 53, 195-207.

Crisp, P.N., Dickinson, K.J.M. & Gibbs, G.W. (1998) Does native invertebrate diversity reflect native plant diversity? A case study from New Zealand and implications for conservation. *Biological Conservation*, 83, 209-220.

Dickinson, K.J.M. (1998) Communicating globally significant conservation problems: Bolivia as a case study. *Ecology for everyone: communicating ecology to scientists, the public and the politicians* (eds. R.T. Wills & R.J. Hobbs), pp. 65-72. Surrey Beatty & Sons, Chipping Norton, NSW, Australia.

Dickinson, K.J.M., Mark, A.F., Barratt, B.I.P. & Patrick, B.H. (1998) Rapid ecological survey, inventory and implementation: A case study from Waikaia Ecological Region, New Zealand. *Journal of the Royal Society of New Zealand*, 28, 83-156.

Drobner, U., Bibby, J., Smith, B. & Wilson, J.B. (1998) The relation between community biomass and evenness: what does community theory predict, and can these predictions be tested? *Oikos*, 82, 295-302.

Emmerson, L.M. & Collings, G.J. (1998) Macroalgal recruitment in artificially disturbed areas: interactive effects of temporal and spatial scale. *Marine Freshwater Research*, 49, 541-546.

- Galloway, D. & Lumbsch, H.T. (1998) Additional lichen records from New Zealand 26. *Diploschistes muscorum* (Scop.) R. Sant. ssp. *muscorum*. *Australasian Lichenology*, 42, 4-5.
- Galloway, D.J. & Quilhot, W. (1998) Checklist of Chilean lichen-forming and lichenicolous fungi. *Gayana Botanica*, 55, 111-185.
- Galloway, D.J. (1998) Banks Peninsula lichens: Raoul's legacy. *Etienne Raoul and Canterbury Botany 1840-1996* (ed. C.J. Burrows), pp. 59-64. Canterbury Botanical Society and Manuka Press, Christchurch, NZ.
- Galloway, D.J. (1998) Contributions to a history of New Zealand lichenology 1. Cook's botanists. *Australasian Lichenology*, 43, 20-27.
- Galloway, D.J. (1998) Edvard Vainio and the family Lobariaceae, with special reference to the taxonomic history of *Sticta*. *Recollecting Edvard August Vainio* (eds. M.P. Marcelli & T. Ahti), pp. 61-84. CETESB, Sao Paulo, Brazil.
- Galloway, D.J. (1998) Joseph Hooker, Charles Knight, and the Commissioning of New Zealand's First Popular Flora: Hooker's Handbook of the New Zealand Flora (1864-1867). *Tuhinga*, 10, 31-62.
- Galloway, D.J. (1998) Studies on the lichen genus *Sticta* (Schreber) Ach.: V. Australian species. *Tropical Bryology*, 15, 117-160.
- Galloway, D.J. (1998) The lichen genus *Solorina* Ach. (Peltigeraceae, lichenized Ascomycotina) in New Zealand. *Cryptogamie, Bryologie, Lichenologie*, 19, 19-28.
- Galloway, D.J. (1998) The lichens of Chile: present knowledge and future prospects. *Lichenology in Latin America: history, current knowledge and applications* (eds. M.P. Marcelli & M.R.D. Seaward), pp. 87-100. CETESB, Sao Paulo, Brazil.
- Galloway, D.J., Sheard, J.W. & Elix, J.A. (1998) Additional lichen records from New Zealand 28. *Buellia papillata* (Sommerf.) Tuck. *Australasian Lichenology*, 43, 6-8.
- Guy, P.L., Webster, D.E., Davis, L. & Forster, R.L.S. (1998) Pests of non-indigenous organisms: hidden costs of introduction. *Trends in Ecology and Evolution*, 13, 111.
- Hall, I.R. & Wang, Y. (1998) Methods for cultivating edible ectomycorrhizal mushrooms. *Mycorrhiza manual* (ed. A. Varma), pp. 99-114. Springer Verlag, Berlin, Germany.

- Hall, I.R., Lyon, A.J.E., Wang, Y. & Sinclair, L. (1998) Ectomycorrhizal fungi with edible fruiting bodies. 2. *Boletus edulis*. *Economic Botany*, 52, 44-56.
- Hall, I.R., Zambonelli, A. & Primavera, F. (1998) Ectomycorrhizal fungi with edible fruiting bodies. 3. *Tuber magnatum*, Tuberales. *Economic Botany*, 52, 192-200.
- Heads, M. (1998) Biodiversity in the New Zealand divaricating tree daisies: *Olearia* sect. nov. (Compositae). *Botanical Journal of the Linnean Society*, 127, 239-285.
- Lee, W.G. (1998) The vegetation of New Zealand - functional, spatial, and temporal gaps. *Ecosystems, Entomology & Plants* [Royal Society of New Zealand Miscellaneous Series 48] (ed. R. Lynch), pp. 91-101. Royal Society of New Zealand, Wellington, NZ.
- Lord, J. (1998) Effect of flowering on vegetative growth and further reproduction in *Festuca novae-zelandiae*. *New Zealand Journal of Ecology*, 22, 25-31.
- Mark, A.F. (1998) Te Waahipounamu: South-west New Zealand World Heritage Area. Ecological research and conservation history. *Journal of the Royal Society of New Zealand*, 28, 657-684.
- McKenzie, M.J., Mett, V., Reynolds, P.H.S. & Jameson, P.E. (1998) Controlled cytokinin production in transgenic tobacco using a copper-inducible promoter. *Plant Physiology*, 116, 969-977.
- McKone, M.J., Kelly, D. & Lee, W.G. (1998) Effect of climate change on mast-seeding species: frequency of mass flowering and escape from specialist insect seed predators. *Global Change Biology*, 4, 591-596.
- Seung-Hwa, B., Perry, N.B., Weavers, R.T. & Tangney, R.S. (1998) Geranyl phenyl ethers from the New Zealand liverwort *Trichocolea hatcheri*. *Journal of Natural Products*, 61, 126-129.
- Stanley, R.J., Dickinson, K.J.M. & Mark, A.F. (1998) Demography of a rare endemic *Myosotis*: boom and bust in the high-alpine zone of southern New Zealand. *Arctic and Alpine Research*, 30, 227-240.
- Tangney, R.S. (1998) The architecture of the Lemnophyllaceae (Musci). *Journal of the Hattori Botanical Laboratory*, 84, 37-47.
- Ullmann, I., Bannister, P. & Wilson, J.B. (1998) Lateral differentiation and the role of exotic species in roadside vegetation in southern New Zealand. *Flora*, 149-164.
- Wilson, J.B., Gitay, H., Steel, J.B. & King, W.McG. (1998) Relative abundance distributions in plant communities: effects of species richness and of spatial scale. *Journal of Vegetation Science*, 9, 213-220.

Ahmad, M., Fautrier, A.G., Burritt, D.J. & McNeil, D.L. (1997) Genetic diversity and relationships in *Lens* species and their F1 interspecific hybrids as determined by SDS-PAGE. *New Zealand Journal of Crop and Horticulture Science*, 25, 99-108.

Ahmad, M., Fautrier, A.G., McNeil, D.L., Hill, G.D. & Burritt, D.J. (1997) In vitro propagation of *Lens* species and their F1 interspecific hybrids. *Plant Cell, Tissue and Organ Culture*, 47, 169-176.

Allen, R.B., McIntosh, P.D. & Wilson, J.B. (1997) The distribution of plants in relation to pH and salinity on inland saline/alkaline soils in Central Otago, New Zealand. *New Zealand Journal of Botany*, 35, 517-523.

Bannister, P. & Strong, G. (1997) Stomatal densities and frost resistances of some New Zealand Mistletoes. *New Zealand Botanical Society Newsletter*, 50, 11-13.

Brown, M.T., Nyman, M.A., Keogh, J.A. & Chin, N.K.M. (1997) Seasonal growth of the giant kept *Macrocystis pyrifera* in New Zealand. *Marine Biology*, 129, 417-424.

Burritt, D.J. (1997) Stress tolerance and antioxidants. UV radiation and its effects: an update, pp. 75-76. *The Royal Society of New Zealand*, Wellington, NZ.

Fenner, M., Lee, W.G. & Wilson, J.B. (1997) A comparative study of the distribution of genus size in twenty angiosperm floras. *Biological Journal of the Linnean Society*, 62, 225-237.

Galloway, D.J., Din, L.B. & Latiff, A. (1997) An additional bibliography of Malaysian lichenology. *Malaysian Applied Biology*, 26, 93-99.

Heads, M.J. (1997) Regional patterns of biodiversity in New Zealand: one degree grid analysis of plant and animal distributions. *Journal of the Royal Society of New Zealand*, 27, 337-354.

Hurd, C.L. & Stevens, C.L. (1997) Flow visualization around single- and multiple-bladed seaweeds with various morphologies. *Journal of Phycology*, 33, 360-367.

Hurd, C.L., Stevens, C.L., Laval, B.E., Lawrence, G.A. & Harrison, P.J. (1997) Visualization of seawater flow around morphologically distinct forms of the giant kelp *Macrocystis integrifolia* from wave-sheltered and exposed sites. *Limnology and Oceanography*, 42, 156-163.

Lee, W.G., Bannister, P., Wilson, J.B. & Mark, A.F. (1997) Element uptake in an ultramafic flora, Red Mountain, New Zealand. Proceedings of the Second International Conference on Serpentine Ecology, Noumea, July 31-August 5, 1995, 179-186.

Lord, J., Egan, J., Clifford, T., Jurado, E., Leishman, M., Williams, D. & Westoby, M. (1997) Larger seeds in tropical floras: consistent patterns independent of growth form and dispersal mode. *Journal of Biogeography*, 24, 205-211.

Mark, A.F. & Dickinson, K.J.M. (1997) New Zealand alpine ecosystems. *Ecosystems of the World 3 : Polar and Alpine Tundra* (ed. F.E. Wielgolaski), pp. 311-345. Elsevier, Amsterdam, Netherlands.

Mitchell, A.D., Frodin, D.G. & Heads, M.J. (1997) Reinstatement of *Raukaua*, a genus of the Araliaceae centred in New Zealand. *New Zealand Journal of Botany*, 35, 309-315.

Neuner, G. & Bannister, P. (1997) Ice formation and foliar frost resistance in attached and excised shoots from seedlings and adult trees of *Nothofagus menziesii*. *New Zealand Journal of Botany*, 35, 221-227.

Phillips, J.C., Kendrick, G.A. & Lavery, P.S. (1997) A test of a functional group approach to detecting shifts in macroalgal communities along a disturbance gradient. *Marine Ecology Progress Series*, 153, 125-138.

Stevens, C.L. & Hurd, C.L. (1997) Boundary-layers around bladed aquatic macrophytes. *Hydrobiologia*, 346, 119-128.

Tangney, R.S. & Fife, A.J. (1997) The occurrence of *Ptychomnion densifolium* in New Zealand. *Journal of Bryology*, 19, 821-827.

Tangney, R.S. (1997) A generic revision of the Lembophyllaceae. *Journal of the Hattori Botanical Laboratory*, 81, 123-153.

Tangney, R.S. (1997) A taxonomic revision of the Genus *Camptochaete* Reichdt., Lembophyllaceae (Musci). *The Journal of the Hattori Botanical Laboratory*, 81, 53-121.

Walker, S. (1997) Models of vegetation dynamics in semi-arid vegetation: application to lowland Central Otago, New Zealand. *New Zealand Journal of Ecology*, 21, 129-140.

Wilson, J.B. (1997) An evolutionary perspective on the 'death hormone' hypothesis in plants. *Physiologica Plantarum*, 99, 511-516.

1996

---

- Bannister, P. (1996) A rediscovered site for *Erica erigena* R. Ross (Ericaceae) on Achill Island, County May (v.c. H27), Ireland. *Watsonia*, 21, 99-101.
- Bannister, P. (1996) The frost resistance of heaths and heathers. *Yearbook Heather Society*, 1966, 39-42.
- Bannister, P., Bibby, T. & Jameson, P.E. (1996) An investigation of recalcitrance in seeds of three native New Zealand tree species. *New Zealand Journal of Botany*, 34, 583-590.
- Burritt, D.J. & Leung, D.W.M. (1996) Organogenesis in cultured petiole explants of *Begonia* × *erythrophyllai*: the timing and specificity of the inductive stimuli. *Journal of Experimental Botany*, 47, 557-567.
- Campbell, A.W., Griffin, W.B., Conner, A.J., Rowarth, J.S. & Burritt, D.J. (1996) A system for wheat-maize doubled haploid production in New Zealand wheats. *Proceedings of the Eighth Assembly of Wheat Breeding Society of Australia*, 1996, 90-92.
- Dickinson, K.J.M. & Mark, A.F. (1996) Research as a basis for protected natural area management in New Zealand. *Mountains of East Asia and the Pacific* (eds. M.M. Ralston, K.F.D. Hughey & K.F. O'Connor), pp. 35-40. Centre for Mountain Studies, Lincoln, NZ.
- Gitay, H., Wilson, J.B. & Lee, W.G. (1996) Species redundancy: a redundant concept? *Journal of Ecology*, 84, 121-124.
- Grubb, P., Lee, W.G., Kollmann, J. & Wilson, J.B. (1996) Interaction of irradiance and soil nutrient supply on growth of seedlings of ten European tall-shrub species and *Fagus sylvatica*. *Journal of Ecology*, 84, 827-840.
- Guy, P.L. & Forster, R.L.S. (1996) Viruses of New Zealand Pasture grasses and legumes. *Pasture and forage crop pathology* (eds. S. Chakraborty, K.T. Leath, R.A. Skipp & G.A. Pederson), pp. 289-302. American Society of Agronomy & the Crop Science Society of America, Madison, WI, USA.
- Guy, P.L. & Gibbs, A.J. (1996) Turnip yellow mosaic tymovirus. *Viruses of plants* (eds. A. Brunt, K. Crabtree, M. Dallwitz, A. Gibbs & L. Watson), pp. 1344-1347. CAB International, Wallingford, UK.
- Guy, P.L. & Gould, D.M. (1996) *Aculodes mckenziei* (Acari: Eriophyidae) newly recorded in New Zealand and its association with other eriophyids in South Island pastures. *New Zealand Entomologist*, 19, 61-64.
- Guy, P.L. (1996) Cardamine latent virus. *Viruses of plants* (eds. A. Brunt, K. Crabtree, M. Dallwitz, A. Gibbs & L. Watson), pp. 293-294. CAB International, Wallingford, UK.

Guy, P.L. (1996) Poinsettia mosaic (?) tymovirus. *Viruses of Plants descriptions and lists from the VIDE Database* (eds. A. Brunt, K. Crabtree, M. Dallwitz, A. Gibbs & L. Watson), pp. 994-995. CAB International, Wallingford, UK.

Guy, P.L. (1996) Ryegrass alphacryptovirus. *Viruses of plants* (eds. A. Brunt, K. Crabtree, M. Dallwitz, A. Gibbs & L. Watson), p. 1115. CAB International, Wallingford, UK.

Guy, P.L. (1996) White clover mosaic potexvirus. *Viruses of Plants* (eds. A. Brunt, K. Crabtree, M. Dallwitz, A. Gibbs & L. Watson), pp. 1398-1401. CAB International, Wallingford, UK.

Hall, I. & Yun, W. (1996) Potential for growing specialty mushrooms in the southern hemisphere. *Proceedings of the 23rd AMGA Conference Tasmania 1996*, 36-47.

Halloy, S.R.P. & Mark, A.F. (1996) Comparative leaf morphology spectra of plant communities in New Zealand, the Andes and the European Alps. *Journal of the Royal Society of New Zealand*, 26, 41-78.

Heads, M.J. (1996) Biogeography, taxonomy and evolution in the Pacific genus *Coprosma* (Rubiaceae). *Candollea*, 51, 381-405.

Hill, R.L., Gourlay, A.H., Lee, W.G. & Wilson, J.B. (1996) Dispersal of seeds under isolated gorse plants and the impact of seed-feeding insects. *Proceedings of the 49th New Zealand Plant Protection Conference*, 114-118.

Hurd, C.L., Harrison, P.J. & Druehl, L.D. (1996) Effect of seawater velocity on inorganic nitrogen uptake by morphologically distinct forms of *Macrocystis integrifolia* from wave-sheltered and exposed sites. *Marine Biology*, 126, 205-214.

Lorimer, S.D., Barns, G., Evans, A.C., Foster, L.M., Hay, C.B.H., Perry, N.B. & Tangney, R.S. (1996) Cytotoxicity and antimicrobial activity of plants from New Zealand's subantarctic islands. *Phytomedicine*, 2, 327-333.

Mink, G.I. & Guy, P.L. (1996) Peanut stunt cucumovirus. *Viruses of plants Descriptions and lists from the VIDE Database* (eds. A. Brunt, K. Crabtree, M. Dallwitz, A. Gibbs & L. Watson), pp. 926-927. CAB International, Wallingford, UK.

Percy, A.E., O'Brien, I.E.W., Jameson, P.E., Melton, L.D., MacRae, E.A. & Redgwell, R.J. (1996) Xyloglucan endotransglycosylase activity during fruit development and ripening of apple and kiwifruit. *Physiologia Plantarum*, 96, 43-50.

Perry, N.B., Burgess, E.J. & Tangney, R.S. (1996) Cytotoxic 8,9-Secokaurane Diterpenes from a New Zealand liverwort, *Lepidolaena taylorii*. *Tetrahedron Letters*, 37, 9387-9390.

- Rose, R.J., Bannister, P. & Chapman, S.B. (1996) *Erica ciliaris* L. *Journal of Ecology*, 84, 617-628.
- Smales, T.E., Ferguson, C.M. & Guy, P.L. (1996) Pasture and lucerne pests as virus vectors. *Proceedings of the 49th New Zealand Plant Protection Conference*, 275-279.
- Smales, T.E., Ferguson, C.M., Guy, P.L. & Shand, J.A. (1996) A survey of ryegrass mosaic virus and endophyte in Otago and Southland. *Proceedings of the 49th New Zealand Plant Protection Conference*, 220-224.
- Smith, B. & Wilson, J.B. (1996) A consumer's guide to evenness indices. *Oikos*, 76, 70-82.
- Tangney, R.S. (1996) *Lembophyllaceae* (Musci) in the tropics. *Anales del Instituto de Biología de la Universidad Nacional Autónoma de México, Serie Botánica*, 67, 15-25.
- Webster, D.E., Forster, R.L.S., Sinclair, L. & Guy, P.L. (1996) Distribution of ryegrass mosaic virus in New Zealand perennial ryegrass pastures as determined by ELISA and RT-PCR. *New Zealand Journal of Agricultural Research*, 39, 405-412.
- Westoby, M., Leishman, M. & Lord, J. (1996) Comparative ecology of seed size and dispersal. *Philosophical Transactions of the Royal Society*, 351, 1309-1318.
- Wijkstra, G.S. & Guy, P.L. (1996) *Trifolium ambiguum* is not resistant to alfalfa mosaic virus. *Australasian Plant Pathology*, 25, 213.
- Wilson, J.B. (1996) The myth of constant predator: prey ratios. *Oecologia*, 106, 272-276.
- Wilson, J.B., Allen, R.B. & Hewitt, A.E. (1996) A test of the humped-back theory of species richness in New Zealand native forest. *New Zealand Journal of Ecology*, 20, 173-177.
- Wilson, J.B., Crawley, M.J., Dodd, M.E. & Silvertown, J. (1996) Evidence for constraint on species coexistence in vegetation of the Park Grass experiment. *Vegetatio*, 124, 183-190.
- Wilson, J.B., King, W.McG., Sykes, M.T. & Partridge, T.R. (1996) Vegetation zonation as related to the salt tolerance of species of brackish riverbanks. *Canadian Journal of Botany*, 74, 1079-1085.
- Wilson, J.B., Lines, C.E.M. & Silvertown, J. (1996) Grassland community structure under different razing regimes, with a method for examining species association when local richness is constrained. *Folia Geobotanica et Phytotaxonomica*, 31, 197-206.



Wilson, J.B., Ullmann, I. & Bannister, P. (1996) Do species assemblages ever recur? *Journal of Ecology*, 84, 471-474.

Wilson, J.B., Wells, T.C.E., Trueman, I.C., Jones, G., Atkinson, M.D., Crawley, M.J., Dodds, M.E. & Silvertown, J. (1996) Are there assembly rules for plant species abundance? An investigation in relation to soil resources and successional trends. *Journal of Ecology*, 84, 527-538.

Wilson, J.B., Wells, T.C.E., Trueman, I.C., Jones, G., Atkinson, M.D., Crawley, M.J., Dodd, M.E. & Silvertown, J. (1996) Are there assembly rules for plant species abundance? An investigation in relation to soil resources and successional trends. *Journal of Ecology*, 84, 527-738.

## 1995

---

Ahmad, M., Fautrier, A.G., McNeil, D.L., Burritt, D.J. & Hill, G.D. (1995) Attempts to overcome postfertilization barrier in interspecific crosses of the genus *Lens*. *Plant Breeding*, 114, 558-560.

Allen, R.B., Wilson, J.B. & Mason, C.R. (1995) Vegetation change following exclusion of grazing animals in depleted grassland, Central Otago, New Zealand. *Journal of Vegetation Science*, 6, 615-626.

Bannister, P., Colhoun, C.M. & Jameson, P.E. (1995) The winter hardening and foliar frost resistance of some New Zealand species of *Pittosporum*. *New Zealand Journal of Botany*, 33, 409-414.

Chapman, H.M. & Bannister, B. (1995) Vegetative production and performance of *Calluna vulgaris* in New Zealand, with particular reference to Tongariro National Park. *New Zealand Journal of Ecology*, 18, 109-121.

Chapman, H.M. & Bannister, P. (1995) Flowering, shoot extension, and reproductive performance of heather, *Calluna vulgaris* (L.) Hull, in Tongariro National Park, New Zealand. *New Zealand Journal of Botany*, 33, 111-119.

Clemens, J., Jameson, P.E., Bannister, P. & Pharis, R.P. (1995) Gibberellins and bud break, vegetative shoot growth and flowering in *Metrosideros collina* cv. Tahiti. *Plant Growth Regulation*, 16, 161-171.

Day, J.S., Jameson, P.E. & Gould, K.S. (1995) Cytokinins associated with metamorphic vegetative growth in *Elaeocarpus hookerianus*. *Australian Journal of Plant Physiology*, 22, 67-73.

Drobner, U., Steel, J.B., Smith, B. & Wilson, J.B. (1995) The sand dune vegetation of Chrystalls Beach, southern New Zealand, with particular reference to the cushion community. *New Zealand Journal of Ecology*, 19, 143-151.

Dwyer, P.J., Bannister, P. & Jameson, P.E. (1995) Effects of three plant growth regulators on growth, morphology, water relations, and frost resistance in lemonwood (*Pittosporum eugenioides* A.Cunn). *New Zealand Journal of Botany*, 33, 415-424.

Eason, J.R., Jameson, P.E. & Bannister, P. (1995) Virulence assessment of *Rhodococcus fascians* strains on pea cultivars. *Plant Pathology*, 44, 141-147.

Frazer, A.W.J. & Brown, M.T. (1995) Growth of the conchocelis phase of *Porphyra columbina* (Bangiales, Rhodophyta) at different temperatures and levels of light, nitrogen and phosphorus. *Phycological Research*, 43, 249-253.

Gitay, H. & Wilson, J.B. (1995) Post-fire changes in community structure of tall tussock grasslands: a test of alternative models of succession. *Journal of Ecology*, 83, 775-782.

Hurd, C.L., Berges, J.A., Osborne, J. & Harrison, P.J. (1995) An in vitro nitrate reductase assay for marine macroalgae: optimization and characterization of the enzyme for *Fucus gardneri* (Phaeophyta). *Journal of Phycology*, 31, 835-843.

Lord, J.M., Westoby, M. & Leishman, M. (1995) Seed size and phylogeny in six temperate floras: constraints, niche conservatism and adaptation. *American Naturalist*, 146, 349-364.

Mark, A.F. (1995) Environmental synergism through collaboration between engineers and ecologists. *Transactions of the IPENZ annual conference*, 22, 20-26.

Mark, A.F., Johnson, P.N., Dickinson, K.J.M. & McGlone, M.S. (1995) Southern hemisphere patterned mires, with emphasis on southern New Zealand. *Journal of the Royal Society of New Zealand*, 25, 23-54.

McGlone, M.S., Mark, A.F. & Bell, D. (1995) Late Pleistocene and Holocene vegetation history, Central Otago, South Island, New Zealand. *Journal of the Royal Society of New Zealand*, 25, 1-22.

Neuner, G. & Bannister, P. (1995) Frost resistance and susceptibility to ice formation during natural hardening in relation to leaf anatomy in three evergreen tree species from New Zealand. *Tree Physiology*, 15, 371-377.

Rath, A.C., Guy, P.L. & Webb, W.R. (1995) *Metarhizium* spore surface antigens are correlated with pathogenicity. *Mycological Research*, 100, 57-62.

Smales, T.E., Ferguson, C.M. & Guy, P.L. (1995) Invertebrate pests of pasture as potential plant virus vectors. *Proceedings of the 48th New Zealand Plant Protection Conference*, 194-198.

- Smith, B., Mark, A.F. & Wilson, J.B. (1995) A functional analysis of New Zealand alpine vegetation: variation in canopy roughness and functional diversity in response to an experimental wind barrier. *Functional Ecology*, 9, 904-912.
- Ullman, I., Bannister, P. & Wilson, J.B. (1995) The vegetation of roadside verges with respect to environmental gradients in southern New Zealand. *Journal of Vegetation Science*, 6, 131-142.
- Walker, S., Mark, A.F. & Wilson, J.B. (1995) The vegetation of Flat Top Hill: an area of semi-arid grassland/shrubland in Central Otago, New Zealand. *New Zealand Journal of Ecology*, 19, 175-194.
- Watkins, A.J. (1995) A biogeographic database for seed plants of Fiji: a preliminary communication. *South Pacific Journal of Natural Science*, 14, 75-96.
- Westoby, M., Leishman, M. & Lord, J. (1995) Further remarks on phylogenetic correction. *Journal of Ecology*, 83, 727-734.
- Westoby, M., Leishman, M. & Lord, J. (1995) Issues of interpretation after relating comparative datasets to phylogeny. *Journal of Ecology*, 83, 892-893.
- Westoby, M., Leishman, M.R. & Lord, J.M. (1995) On misinterpreting the "phylogenetic correction". *Journal of Ecology*, 83, 531-534.
- Wilson, J.B. & Gitay, H. (1995) Community structure and assembly rules in a dune slack: variance in richness, guild proportionality, biomass constancy and dominance/diversity relations. *Vegetatio*, 116, 93-106.
- Wilson, J.B. & Gitay, H. (1995) Limitations to species coexistence: evidence for competition from field observations, using a patch model. *Journal of Vegetation Science*, 6, 369-376.
- Wilson, J.B. & King, W.McG. (1995) Human-mediated vegetation switches as processes in landscape ecology. *Landscape Ecology*, 10, 191-196.
- Wilson, J.B. & Rapson, G.L. (1995) The genetics of naturalization: a comparison of morphological variation within and between populations of *Agrostis capillaris* L. as an exotic in New Zealand and as a native in Britain. *New Zealand Journal of Ecology*, 19, 195-202.
- Wilson, J.B. & Whittaker, R.J. (1995) Assembly rules demonstrated in a saltmarsh community. *Journal of Ecology*, 83, 801-807.

Wilson, J.B. (1995) Fox and Brown's 'random data sets' are not random. *Oikos*, 74, 543-544.

Wilson, J.B. (1995) Hypothesis testing, intrinsic guilds and assembly rules. *Folia Geobotanica et Phytotaxonomica*, 30, 535-536.

Wilson, J.B. (1995) Null models for assembly rules: the Jack Horner effect is more insidious than the Narcissus effect. *Oikos*, 72, 139-144.

Wilson, J.B. (1995) Testing for community structure a Bayesian approach. *Folia Geobotanica*, 30, 461-469.

Wilson, J.B. (1995) Variance in species richness, niche limitation, and vindication of patch models. *Oikos*, 73, 277-279.

Wilson, J.B., Allen, R.B. & Lee, W.G. (1995) An assembly rule in the ground and herbaceous strata of a New Zealand rain forest. *Functional Ecology*, 9, 61-64.

Wilson, J.B., Steel, J.B., Newman, J.E. & Tangney, R.S. (1995) Are bryophyte communities different? *Journal of Bryology*, 18, 689-705.

Wilson, J.B., Sykes, M.T. & Peet, R.K. (1995) Time and space in the community structure of a species-rich limestone grassland. *Journal of Vegetation Science*, 6, 729-740.

## 1994

---

Allen, R., Dickinson, K., Espie, P., Floate, M., Hewitt, A., Lee, B., Mark, A., Mason, C., McIntosh, P., Meurk, C., Nordmeyer, A., O'Connor, K., Scott, D. & Tate, K. (1994) Review of South Island high country land management issues. *New Zealand Journal of Ecology*, 18, 69-81.

Bannister, P. (1994) Guest editorial: Upon this blasted heath. *New Zealand Journal of Ecology*, 18, 83-86.

Burritt, D.J., Fautrier, A.G. & Field, R.J. (1994) Regenerative ability of bulky explants of hexaploid and octoploid Triticale (X Triticosecale sp. Wittm). *Proceedings of the 7th International Congress of the Society for the Advancement of Breeding Researches in Asia and Oceania*, 547-556.

Chapman, H.M. & Bannister, P. (1994) Vegetative production and performance of *Calluna vulgaris* (L.) Hull in New Zealand, with particular reference to Tongariro National Park. *New Zealand Journal of Ecology*, 18, 110-121.

Clarke, S.F., Jameson, P.E. & Downs, C. (1994) The influence of 6-benzylaminopurine on post-harvest senescence of floral tissues of broccoli (*Brassica oleracea* var. *Italica*). *Plant Growth Regulation*, 14, 21-27.

- Dickinson, K.J.M. & Mark, A.F. (1994) Forest-wetland vegetation patterns associated with a Holocene dune-slack sequence, Haast Ecological District, south western New Zealand. *Journal of Biogeography*, 21, 259-281.
- Eason, J., Bannister. (1994) Virulence assessment of *Rodococcus fascians* strains on pea cultivars. *Plant Pathology*, 44, 141-147.
- Heads, M. (1994) A biogeographic review of *Parahebe* (Scrophulariaceae). *Botanical Journal of the Linnean Society*, 115, 65-89.
- Heads, M.J. (1994) Biodiversity and biogeography in New Zealand *Ourisia* (Scrophulariaceae). *Candollea*, 49, 23-36.
- Heads, M.J. (1994) Biogeographic studies in New Zealand Scrophulariaceae: tribes *Rhinantheae*, *Calceolarieae* and *Gratioleae*. *Candollea*, 49, 55-80.
- Heads, M.J. (1994) Biogeography and biodiversity in New Zealand *Pimelea* (Thymelaeaceae). *Candollea*, 49, 37-53.
- Heads, M.J. (1994) Biogeography and evolution in the *Hebe* complex (Scrophulariaceae): *Leonohebe* and *Chionohebe*. *Candollea*, 49, 81-119.
- Heads, M.J. (1994) Morphology, architecture and taxonomy in the *Hebe* complex (Scrophulariaceae). *Bulletin du Museum d'Histoire Naturelle*, 16, 4, 163-191.
- Hurd, C.L., Durante, K.M., Chia, F.S. & Harrison, P.J. (1994) Effect of bryozoan colonization on inorganic nitrogen acquisition by the kelps *Agarum fimbriatum* and *Macrocystis integrifolia*. *Marine Biology*, 121, 167-173.
- Jameson, P.E. (1994) Cytokinin metabolism and compartmentation. *Cytokinins chemistry, activity and function* (eds. D.W.S. Mok & M.C. Mok), pp. 113-128. CRC Press, Boca Raton, FL, US.
- Keogh, J.A. and B.P. (1994) Seed structure and germination in *Discaria toumatou* (Rhamnaceae). *Weed Research*, 34, 481-490.
- Mark, A.F. (1994) Effects of burning and grazing on sustainable utilisation of upland snow tussock (*Chionochloa* spp.) rangelands for pastoralism in South Island, New Zealand. *Australian Journal of Botany*, 42, 149-161.

Mark, A.F. (1994) Flora, vegetation and ecosystems. The New Zealand Environment: A guide for environmental impact assessors Vol. 6. (eds. R.K. Morgan & P.A. Memon), pp. 39-43. Environmental Policy and Management Research Centre, University of Otago, Dunedin, NZ.

Mark, A.F. (1994) Patterned ground activity in a southern New Zealand high-alpine cushionfield. *Arctic and Alpine Research*, 26, 270-280.

McKenzie, M.J., Jameson, P.E. & Poulter, R.T.M. (1994) Cloning an ipt gene from *Agrobacterium tumefaciens*: characterisation of cytokinins in derivative transgenic plant tissue. *Plant Growth Regulation*, 14, 217-228.

Meurk, C.D., Foggo, M.N. & Wilson, J.B. (1994) The vegetation of subantarctic Campbell Island. *New Zealand Journal of Ecology*, 18, 123-168.

Moore, S., Bannister, P. & Jameson, P.E. (1994) The effects of low temperatures on seed germination of some New Zealand species of *Pittosporum*. *New Zealand Journal of Botany*, 32, 483-485.

Roxburgh, S.H., Wilson, J.B., Gitay, H. & King, W.McG. (1994) Dune slack vegetation in southern New Zealand. *New Zealand Journal of Ecology*, 18, 51-64.

Silvertown, J. & Wilson, J.B. (1994) Community structure in a desert perennial community. *Ecology*, 75, 409-417.

Smith, B., Moore, S.H., Grove, P.B., Harris, N.S., Mann, S. & Wilson, J.B. (1994) Vegetation texture as an approach to community structure: community-level convergence in a New Zealand temperate rainforest. *New Zealand Journal of Ecology*, 18, 41-50.

Stuart, M.D. & Brown, M.T. (1994) Growth and diet of cultivated black-footed abalone *Haliotis iris* (Martyn). *Aquaculture*, 127, 329-337.

Watkins, A.J. & Wilson, J.B. (1994) Plant community structure, and its relation to the vertical complexity of communities: dominance/diversity and spatial rank consistency. *Oikos*, 70, 91-98.

Wilson, J.B. & Lee, W.G. (1994) Niche overlap of congeners: a test using plant altitudinal distribution. *Oikos*, 69, 469-475.

Wilson, J.B. & Roxburgh, S.H. (1994) A demonstration of guild-based assembly rules for a plant community, and determination of intrinsic guilds. *Oikos*, 69, 267-276.

Wilson, J.B. & Watkins, A.J. (1994) Guilds and assembly rules in lawn communities. *Journal of Vegetation Science*, 5, 591-600.

Wilson, J.B. (1994) The 'Intermediate disturbance hypothesis' of species coexistence is based on patch dynamics. *New Zealand Journal of Ecology*, 18, 176-181.

Wilson, J.B. (1994) Who makes the assembly rules? *Journal of Vegetation Science*, 5, 275-278.

Wilson, J.B., Agnew, A.D.Q. & Partridge, T.R. (1994) Carr texture in Britain and New Zealand: community convergence compared with a null model. *Journal of Vegetation Science*, 5, 109-116.

Wilson, J.B., Peet, R.K. & Sykes, M.T. (1994) What constitutes evidence of community structure? A reply to van der Maarel, Noest & Palmer. *Journal of Vegetation Science*, 6, 753-758.

## 1993

---

Agnew, A.D.Q., Rapson, G.L., Sykes, M.T. & Wilson, J.B. (1993) The functional ecology of *Empodisma minus* (Hook. f.) Johnson & Cutler in New Zealand ombrotrophic mires. *New Phytologist*, 124, 703-710.

Agnew, A.D.Q., Wilson, J.B. & Sykes, M.T. (1993) A vegetation switch as the cause of a forest/mire ecotone in New Zealand. *Journal of Vegetation Science*, 4, 273-278.

Bycroft, C.M., Nicolaou, N., Smith, B. & Wilson, J.B. (1993) Community structure (niche limitation and guild proportionality) in relation to the effect of spatial scale, in a *Nothofagus* forest sampled with a circular transect. *New Zealand Journal of Ecology*, 17, 95-101.

Dickinson, K.J.M., Mark, A.F. & Dawkins, B. (1993) Ecology of lianoid/epiphytic communities in coastal podocarp rain forest, Haast Ecological District, New Zealand. *Journal of Biogeography*, 20, 687-705.

Guy, P.L. & Johnstone, G.R. (1993) Incidence of barley yellow dwarf viruses in four pasture species. *Pests of pastures: Weed, invertebrate and disease pests of Australian Sheep pastures* (ed. E.S. Delfosse), pp. 214-218. CSIRO Information Services, Melbourne, Australia.

Guy, P.L. (1993) Barley yellow dwarf viruses in Japanese pasture grasses and lack of correlation with the presence of fungal endophytes. *Plant Pathology*, 42, 1-5.

Guy, P.L. (1993) Enzyme-linked immunosorbent assays (ELISA) to detect perennial ryegrass endophyte and spore surface antigens of *Metarhizium anisopliaea*, a potential biological control agent. *Pests of pastures: weed,*

invertebrate and disease pests of Australian sheep pastures (ed. E.S. Delfosse), pp. 321-325. CSIRO Information Services, Melbourne, Australia.

Guy, P.L. (1993) First record of ryegrass mosaic virus and its mite vector *Abacarus hystrix* (Nal.) in New Zealand. *New Zealand Journal of Agricultural Research*, 36, 377-379.

Heads, M. (1993) Biogeography and biodiversity in *Hebe*, a South Pacific genus of Scrophulariaceae. *Candollea*, 48, 19-60.

Jameson, P.E. (1993) Plant hormones in the algae. *Progress in Phycological Research* Vol. 9. (eds. F.E. Round & D.J. Chapman), pp. 240-279. Biopress, Bristol, UK.

Keogh, J.A. & Bannister, P. (1993) Transoceanic dispersal in the amphiantarctic genus *Discaria*: an evaluation. *New Zealand Journal of Botany*, 31, 427-430.

Lorimer, S.D., Perry, N.B. & Tangney, R.S. (1993) An antifungal bibenzyl from the New Zealand liverwort, *Plagiochila stephensoniana*. Bioactivity-directed isolation, synthesis, and analysis. *Journal of Natural Products*, 56, 1444-1450.

Mark, A. (1993) Ecological degradation. *New Zealand Journal of Ecology*, 17, 1-4.

Mark, A.F. (1993) Effects of burning and grazing on stability of upland snow tussock (*Chionochloa* spp.) rangeland in South Island, New Zealand. *Proceedings of the XVII International Grassland Congress* Vol. Sessions 27-51, pp. 1792-1796. New Zealand Grassland Association; Tropical Grasslands Society of Australia; New Zealand Society of Animal Production; Australian Society of Animal Production - Queensland Branch; New Zealand Institute of Agricultural Science.

Martin, M., Jameson, P.E., Mark, A.F., Yeung, E.C. & Pharis, R.P. (1993) Early panicle development in *Chionochloa macra* plants induced to flower by 2,2, dimethyl gibberellin A4 or long days. *New Zealand Journal of Botany*, 31, 193-201.

Nyman, M.A., Brown, M.T., Neushul, M., Harger, B.W.W. & Keogh, J.A. (1993) Mass distribution in the fronds of *Macrocystis pyrifera* from New Zealand and California. *Hydrobiologia*, 260/261, 57-65.

Ridley, G.S. (1993) *Limacella macrospora* Stevenson and *L. wheroparaonea*, a new species, from New Zealand (Fungi, Agaricales, Amanitaceae). *Australian Systematic Botany*, 6, 155-159.



Roxburgh, S.H., Watkins, A.J. & Wilson, J.B. (1993) Lawns have vertical stratification. *Journal of Vegetation Science*, 4, 699-704.

Wilson, J.B. (1993) Macronutrient (NPK) toxicity and interactions in the grass, *Festuca ovina*. *Journal of Plant Nutrition*, 16, 1151-1159.

Wilson, J.B. (1993) Would we recognise a broken-stick community if we found one? *Oikos*, 67, 181-183.

Wilson, J.B., Watkins, A.J., Rapson, G.L. & Bannister, P. (1993) New Zealand machair vegetation. *Journal of Vegetation Science*, 4, 655-660.

## 1992

---

Allen, R.B. & Wilson, J.B. (1992) Fruit and seed production in *Berberis darwinii* Hook., a shrub recently naturalised in New Zealand. *New Zealand Journal of Botany*, 30, 45-55.

Bannister, P. & Woodman, R.F. (1992) The influence of tolerance indices and growth on metal tolerance of pasture legumes and serpentine plants. The vegetation of ultramafic (serpentine) soils: Proceedings of the First International Conference on Serpentine Ecology, pp. 353-366. Intercept, Andover, UK.

Calder, J.A., Wilson, J.B., Mark, A.F. & Ward, G. (1992) Fire, succession and reserve management in a New Zealand snow tussock grassland. *Biological Conservation*, 62, 35-45.

Dickinson, K.J.M., Mark, A.F. & Lee, W.G. (1992) Long-term monitoring of non-forest communities for biological conservation. *New Zealand Journal of Botany*, 30, 163-179.

Eason, J.R. & Jameson, P.E. (1992) *Corynebacterium fascians*: Cytokinin production is positively correlated with virulence. *Progress in Plant Growth Regulation* (eds. C.M. Karssen, L.C. van Loon & D. Vreugdenhil), pp. 511-516. Kluwer Academic Publishers, Dordrecht, Netherlands.

Gitay, H., Lee, W.G., Allen, R.B. & Wilson, J.B. (1992) Recovery of *Chionochloa rigida* tussocks from fires in South Island, New Zealand. *Journal of Environmental Management*, 35, 249-259.

Guy, P.L., Toriyama, S. & Fujii, S. (1992) Occurrence of a picorna-like virus in planthopper species and its transmission in *Laodelphax striatellus*. *Journal of Invertebrate Pathology*, 59, 161-164.

Heads, M.J. (1992) Taxonomic notes on the *Hebe* complex (Scrophulariaceae) in the New Zealand mountains. *Candollea*, 47, 583-595.

Keogh, J.A. & Bannister, P. (1992) A method for inducing rapid germination in seed of *Discaria toumatou* Raoul. *New Zealand Journal of Botany*, 30, 113-116.

Mark, A.F. (1992) Indigenous grasslands of New Zealand. *Ecosystems of the World Vol. 8B. Natural Grasslands - eastern hemisphere* (ed. A.F. Mark), pp. 361-410. Elsevier, Amsterdam, Netherlands.

Mark, A.F. (1992) Managing Lakes Manapouri and Te Anau for conservation and hydro-electric generation: a case study in conflict resolution to integrate conservation with development. *Perspectives on the history of sciences in Otago - a series of public lectures*, pp. 30-72. University of Otago Division of Sciences, Dunedin, NZ.

McKee, J.W.A., Kavalieris, L., Brasch, D.J., Brown, M.T. & Melton, L.D. (1992) Alginate content and composition of *Macrocystis pyrifera* from New Zealand. *Journal of Applied Phycology*, 4, 357-369.

Rapson, G.L. & Wilson, J.B. (1992) Genecology of *Agrostis capillaris* L. (Poaceae) - an invader into New Zealand. 1. Floral phenology. *New Zealand Journal of Botany*, 30, 1-11.

Rapson, G.L. & Wilson, J.B. (1992) Genecology of *Agrostis capillaris* L. (Poaceae) - an invader into New Zealand. 2. Responses to light, soil fertility, and water availability. *New Zealand Journal of Botany*, 30, 13-24.

Talbot, J.M., Mark, A.F. & Wilson, J.B. (1992) Vegetation-environment relations in snowbanks on the Rock and Pillar Range, Central Otago, New Zealand. *New Zealand Journal of Botany*, 30, 271-301.

Watkins, A.J. & Wilson, J.B. (1992) Fine-scale community structure of lawns. *Journal of Ecology*, 80, 15-24.

Wilson, J.B. & Agnew, A.D.Q. (1992) Positive-feedback switches in plant communities. *Advances in Ecological Research*, 23, 263-336.

Wilson, J.B. & Roxburgh, S.H. (1992) Application of community matrix theory to plant competition data. *Oikos*, 65, 343-348.

Wilson, J.B. (1992) Comparison of biogeographic models: clarification v. obfuscation. *Global Ecology and Biogeography*, 2, 177-178.

Wilson, J.B., Gitay, H., Roxburgh, S.H., King, W.McG. & Tangney, R.S. (1992) Egler's concept of 'Initial floristic composition' in succession - ecologists citing it don't agree what it means. *Oikos*, 64, 591-593.

Wilson, J.B., James, R.E., Newman, J.E. & Myers, T.E. (1992) Rock pool algae: species composition determined by chance? *Oecologia*, 91, 150-152.

Wilson, J.B., Rapson, G.L., Sykes, M.T., Watkins, A.J. & Williams, P.A. (1992) Distributions and climatic correlations of some exotic species along roadsides in South Island, New Zealand. *Journal of Biogeography*, 19, 183-194.

Wilson, J.B., Roxburgh, S.H. & Watkins, A.J. (1992) Limitation to plant species coexistence at a point: a study in a New Zealand lawn. *Journal of Vegetation Science*, 3, 711-714.

## 1991

---

Aitken, K.A., Melton, L.D. & Brown, M.T. (1991) Seasonal protein variation in the New Zealand seaweeds *Porphyra columbina* Mont. and *Porphyra subtumens* J. Ag. *Japanese Journal of Phycology*, 39, 307-317.

Allen, R.B. & Wilson, J.B. (1991) A method for determining indigenous vegetation from simple environmental factors, and its use for vegetation restoration. *Biological Conservation*, 56, 265-280.

Allen, R.B., Lee, W.G. & Mark, A.F. (1991) A preliminary assessment of the effects of management on mouse-ear hawkweed (*Hieracium pilosella*) establishment in narrow-leaved snow tussock (*Chionochloa rigida*) grassland, Lammermoor Range, East Otago. *New Zealand Ecological Society Occasional Publication*, 2, 45-47.

Bannister, P. & Bridgman, J. (1991) Responses of seeds of three species of *Pseudopanax* to low temperature stratification, removal of fruit flesh, and application of gibberellic acid. *New Zealand Journal of Botany*, 29, 213-216.

Bannister, P. & Jameson, P.E. (1991) Germination physiology of seeds from New Zealand native plants. *Seed Symposium 1991*, 9-15.

Bremner, G. (1991) Insect damage to grasses oversown into tussock grassland in Central Otago, New Zealand. *New Zealand Journal of Agricultural Research*, 34, 305-309.

Chin, N.K.M., Brown, M.T. & Heads, M.J. (1991) The biogeography of *Lessoniaceae*, with special reference to *Macrocystis* C. Agardh (Phaeophyta: Laminariales). *Hydrobiologia*, 215, 1-11.

de Nys, R., Jameson, P.E. & Brown, M.T. (1991) The influence of cytokinins on the growth of *Macrocystis pyrifera*. *Botanica Marina*, 34, 465-467.

Gitay, H. & Wilson, J.B. (1991) *Chionochloa rigida* tussocks thirteen years after spring and autumn fire, Flagstaff New Zealand. *New Zealand Journal of Botany*, 29, 459-462.

Gitay, H., Roxburgh, S.H. & Wilson, J.B. (1991) Species-area relations in a New Zealand tussock grassland, with implications for nature reserve design and for community structure. *Journal of Vegetation Science*, 2, 113-118.

Harris, N.S. & Mark, A.F. (1991) Hawkweeds in Otago - distribution, ecology, management. *New Zealand Ecological Society Occasional Publication*, 2, 32-34.

Holmes, M.A., Brown, M.T., Loutit, M.W. & Ryan, K. (1991) The involvement of epiphytic bacteria in zinc concentration by the red alga *Gracilaria sordida*. *Marine Environmental Research*, 31, 55-67.

Lee, W.G., Clout, M.N., Robertson, H.A. & Wilson, J.B. (1991) Avian dispersers and fleshy fruits in New Zealand. *Acta Congressus Internationalis Ornithologici*, 20, 1617-1623.

Lee, W.G., Grubb, P.J. & Wilson, J.B. (1991) Patterns of resource allocation in fleshy fruits of nine European tall-shrub species. *Oikos*, 61, 307-315.

Lee, W.G., Ward, C.M. & Wilson, J.B. (1991) Comparison of altitudinal sequences of vegetation on granite and metasedimentary rocks in the Preservation Ecological District, southern Fiordland, New Zealand. *Journal of the Royal Society of New Zealand*, 21, 261-276.

Lee, W.G., Wilson, J.B., Meurk, C.D. & Kennedy, P.C. (1991) Invasion of the subantarctic Auckland Islands, New Zealand, by the asterad tree *Olearia lyallii* and its interaction with a resident myrtaceous tree *Metrosideros umbellata*. *Journal of Biogeography*, 18, 493-508.

Mark, A.F. (1991) Requirements for urgent research into hawkweed (*Hieracium* spp.). *New Zealand Ecological Society Occasional Publication*, 2, 91-92.

Mark, A.F. (1991) Temporal changes in the indigenous vegetation pattern of Otago, eastwards from the lakes district. *New Zealand Ecological Society Occasional Publication*, 2, 82-84.

Mark, A.F., Baylis, G.T.S. & Dickinson, K.J.M. (1991) Monitoring the impacts of deer on vegetation condition of Secretary Island, Fiordland National Park, New Zealand: a clear case for deer control and ecological restoration. *Journal of the Royal Society of New Zealand*, 21, 43-54.

Ridley, G.S. (1991) The New Zealand species of *Amanita* (Fungi: Agaricales). *Australian Systematic Botany*, 4, 325-354.

Robertson, A.W., Mark, A.F. & Wilson, J.B. (1991) Ecology of a coastal lagoon to dune forest sequence, south Westland, New Zealand. *New Zealand Journal of Botany*, 29, 17-30.

Sanderson, K.J. & Jameson, P.E. (1991) Uptake, translocation and metabolism of dihydrozeatin applied to the surface of leaves of whole plants. Proceedings of the 18th annual meeting Plant Growth Regulator Society of America, pp. 23-30. Plant Growth Regulator Society of America, Lake Alfred, FL, USA.

Sykes, M.T. & Wilson, J.B. (1991) Vegetation of a coastal sand dune system in southern New Zealand. *Journal of Vegetation Science*, 2, 531-538.

Sykes, M.T., Wilson, J.B., Lee, W.G. & Allen, R.B. (1991) A remnant New Zealand carr. *Journal of Vegetation Science*, 2, 209-216.

Ullmann, I. & Bannister, P. (1991) Zur Vergesellschaftung von *Atriplex rosea* L. *Tuexenia*, 11, 67-72.

Wilson, J.B. (1991) A comparison of biogeographic models: migration, vicariance and panbiogeography. *Global Ecology and Biogeography*, 1, 84-87.

Wilson, J.B. (1991) Does vegetation science exist? *Journal of Vegetation Science*, 2, 289-290.

Wilson, J.B. (1991) Methods for fitting dominance/diversity curves. *Journal of Vegetation Science*, 2, 35-46.

Wilson, J.B., Ronghua, Y., Mark, A.F. & Agnew, A.D.Q. (1991) A test of the low marginal variance (LMV) theory, in *Leptospermum scoparium* (Myrtaceae). *Evolution*, 45, 780-784.

## 1990

---

Bannister, P. (1990) Frost resistance of leaves of some plants growing in Dunedin, New Zealand, in winter 1987 and late autumn 1989. *New Zealand Journal of Botany*, 28, 359-362.

Bannister, P. (1990) Seed germination in *Gaultheria antipoda*, *G. depressa*, and *Pernettya macrostigma*. *New Zealand Journal of Botany*, 28, 357-358.

Bremner, G. (1990) A Berlese funnel for the rapid extraction of grassland surface macro-arthropods. *New Zealand Entomologist*, 13, 76-80.

Brown, M.T. & Hall, I.R. (1990) Metal tolerance in fungi. Heavy metal tolerance in plants: evolutionary aspects (ed. A.J. Shaw), pp. 95-104. CRC Press, Boca Raton, FL, USA.

Brown, M.T., Frazer, A.W.J., Brasch, D.J. & Melton, L.D. (1990) Growth and reproduction of *Porphyra columbina* Mont. (Bangiales, Rhodophyceae) from southern New Zealand. *Journal of Applied Phycology*, 2, 35-44.

Chapman, H.M. & Bannister, P. (1990) The spread of heather, *Calluna vulgaris* (L.) Hull, into indigenous plant communities of Tongariro National Park. *New Zealand Journal of Ecology*, 14, 7-16.

de Nys, R., Jameson, P.E., Chin, N., Brown, M.T. & Sanderson, K.J. (1990) The cytokinins as endogenous growth regulators in *Macrocystis pyrifera* (L.) C. Ag. (Phaeophyceae). *Botanica Marina*, 33, 467-475.

Heads, M.J. (1990) A revision of the genera *Kelleria* and *Drapetes* (Thymelaeaceae). *Australian Systematic Botany*, 3, 595-652.

Holdsworth, D.K. & Mark, A.F. (1990) Water and nutrient input:output budgets: effects of plant cover at seven sites in upland snow tussock grasslands of Eastern and Central Otago, New Zealand. *Journal of the Royal Society of New Zealand*, 20, 1-24.

Horrell, B.A., Jameson, P.E. & Bannister, P. (1990) Growth regulation and phase change in some New Zealand heteroblastic plants. *New Zealand Journal of Botany*, 28, 187-193.

Horrell, B.A., Jameson, P.E. & Bannister, P. (1990) Responses of ivy (*Hedera helix* L.) to combinations of gibberellic acid, paclobutrazol and abscisic acid. *Plant Growth Regulation*, 9, 107-117.

Jameson, P.E., Morris, R.O., Laloue, M. & Morris, J.W. (1990) A rapid technique for assessing the cytokinin biosynthetic capacity of micro-organisms. *Physiology and Biochemistry of Cytokinins in Plants* (eds. M. Kamínek, D.W.S. Mok & E. Zazimalová), pp. 473-475. SPB Academic Publishing. International Symposium on Physiology and Biochemistry of cytokinins in Plants, The Hague, Netherlands.

King, W.McG., Wilson, J.B. & Sykes, M.T. (1990) A vegetation zonation from saltmarsh to riverbank in New Zealand. *Journal of Vegetation Science*, 1, 411-418.

Lough, T.J. & Jameson, P.E. (1990) Comparative effects of four naturally-occurring cytokinins in the *Amaranthus* bioassay. *Journal of Plant Physiology*, 136, 638-640.

Mark, A.F. & McSweeney, G.D. (1990) Patterns of impoverishment in natural communities: case history studies in forest ecosystems - New Zealand. *The Earth in Transition - patterns and processes of biotic impoverishment* (ed. G.M. Woodwell), pp. 151-176. Cambridge University Press, New York, NY, USA.

Mark, A.F. (1990) Ecological and nature conservation values: the case for a conservation park. *Southern Landscapes* (eds. B. Fitzharris & G. Kearsley), pp. 233-273. Department of Geography, University of Otago, Dunedin, NZ.

Nyman, M.A., Brown, M.T., Neushul, M. & Keogh, J.A. (1990) *Macrocystis pyrifera* in New Zealand: testing two mathematical models for whole plant growth. *Journal of Applied Phycology*, 2, 249-257.

Sykes, M.T. & Wilson, J.B. (1990) An experimental investigation into the response of New Zealand sand dune species to different depths of burial by sand. *Acta Botanica Neerlandica*, 39, 171-181.

Sykes, M.T. & Wilson, J.B. (1990) Dark tolerance in plants of dunes. *Functional Ecology*, 4, 799-805.

Tangney, R.S., Wilson, J.B. & Mark, A.F. (1990) Bryophyte island biogeography: a study in Lake Manapouri, New Zealand. *Oikos*, 59, 21-26.

Wilson, J.B. & Allen, R.B. (1990) Deterministic versus individualistic community structure: a test from invasion by *Nothofagus menziesii* in southern New Zealand. *Journal of Vegetation Science*, 1, 467-474.

Wilson, J.B. (1990) Mechanisms of species coexistence: twelve explanations for Hutchinson's 'Paradox of the plankton': evidence from New Zealand plant communities. *New Zealand Journal of Ecology*, 13, 17-42.

Wilson, J.B., Daker, M.G. & Savidge, J.P. (1990) A phenetic comparison of some *Fumaria* spp. (Fumariaceae). *Plant Systematics and Evolution*, 172, 51-63.

Wilson, J.B., Lee, W.G. & Mark, A.F. (1990) Species diversity in relation to ultramafic substrate and to altitude in southwestern New Zealand. *Vegetatio*, 86, 15-20.

Wilson, J.B., Partridge, T.R. & Sykes, M.T. (1990) The use of the Cole/Hurlbert C8 association coefficient in inverse ecological classification. *Journal of Vegetation Science*, 1, 367-374.

## 1989

---

Bannister, P. & Fagan, B. (1989) The frost resistance of fronds of *Blechnum penna-marina* in relation to season, altitude, and short-term hardening and dehardening. *New Zealand Journal of Botany*, 27, 471-476.

Bannister, P. & Lee, W.G. (1989) The frost resistance of fruits and leaves of some *Coprosma* species in relation to altitude and habitat. *New Zealand Journal of Botany*, 27, 477-479.

Bannister, P. (1989) Letters to the Editor: Patterns in *Chionochloa* grasslands. *New Zealand Journal of Botany*, 27, 489.

Bannister, P. (1989) Nitrogen concentration and mimicry in some New Zealand mistletoes. *Oecologia*, 79, 128-132.

- Bee, M.W., Wilson, J.B. & Mark, A.F. (1989) Stratification in a New Zealand rain forest. *Vegetatio*, 79, 33-39.
- Brasch, D.J., Brown, M.T., McKee, J.A. & Melton, L.D. (1989) Alginates from New Zealand Brown seaweeds. Proceedings annual conference the Institute of Professional Engineers of New Zealand, 2, 195-204.
- Bremner, A.G., Barratt, B.I.P., Butcher, C.F. & Patterson, G.B. (1989) The effects of mammalian predation on invertebrate behaviour in South West Fiordland. *New Zealand Entomologist*, 12, 72-75.
- Brown, M.T., Melton, L.D. & Brasch, D.J. (1989) Why farm seaweeds? Proceedings of AQUANZ '88, New Zealand Fisheries Occasional Publication 4, 65-67.
- Dickinson, K.J.M. & Mark, A.F. (1989) Tussock grassland reserve design: some practical considerations. Management of New Zealand's Natural Estate Vol. 1 [New Zealand Ecological Society Occasional Publication No. 1] (ed. D.A. Norton), pp. 26-30. New Zealand Ecological Society, Christchurch, NZ.
- Friedlander, S.F., Melton, L.D. & Brown, M.T. (1989) Ascorbic acid in the New Zealand seaweeds *Porphyra columbina* Mont. and *Porphyra subtumens* J. Ag. (Rhodophyceae). *Japanese Journal of Phycology*, 37, 295-301.
- Horrell, B.A., Jameson, P.E. & Bannister, P. (1989) Growth promotion of ivy (*Hedera helix* L.) by paclobutrazol. *Plant Growth Regulation*, 8, 309-314.
- Horrell, B.A., Jameson, P.E. & Bannister, P. (1989) Response of juvenile *Pseudopanax crassifolius* to gibberellic acid and paclobutrazol. *New Zealand Journal of Botany*, 27, 591-594.
- Jameson, P.E. & Morris, R.O. (1989) Zeatin-like cytokinins in yeast: detection by immunological methods. *Journal of Plant Physiology*, 135, 385-390.
- Kelly, B.J., Wilson, J.B. & Mark, A.F. (1989) Causes of the species-area relation: a study of islands in Lake Manapouri, New Zealand. *Journal of Ecology*, 77, 1021-1028.
- Mark, A.F. & Chapin III, F.S. (1989) Seasonal control over allocation to reproduction in a tussock-forming and a rhizomatous species of *Eriophorum* in central Alaska. *Oecologia*, 78, 27-34.
- Mark, A.F. & Dickinson, K.J.M. (1989) Forest succession on landslides in the Fiord Ecological Region, southwestern New Zealand. *New Zealand Journal of Botany*, 27, 369-390.



Mark, A.F., Dickinson, K.J.M., Patrick, B.H., Barratt, B.I.P., Loh, G., McSweeney, G.D., Meurk, C.D., Timmins, S.M., Simpson, N.C. & Wilson, J.B. (1989) An ecological survey of the central part of the Eyre Ecological District, northern Southland, New Zealand. *Journal of the Royal Society of New Zealand*, 19, 349-384.

Partridge, T.R. & Wilson, J.B. (1989) Methods for investigating vegetation/environment relations - a test using the salt marsh vegetation of Otago, New Zealand. *New Zealand Journal of Botany*, 27, 35-47.

Sykes, M.T. & Wilson, J.B. (1989) The effect of salinity on the growth of some New Zealand sand dune species. *Acta Botanica Neerlandica*, 38, 173-182.

Tangney, R.S. (1989) Moss biogeography in the Tasman Sea region. *New Zealand Journal of Botany*, 16, 665-678.

Wilson, J.B. & Lee, W.G. (1989) Infiltration invasion. *Functional Ecology*, 3, 379-382.

Wilson, J.B. (1989) A null model of guild proportionality, applied to stratification of a New Zealand temperate rain forest. *Oecologia*, 80, 263-267.

Wilson, J.B. (1989) Relations between native and exotic plant guilds in the Upper Clutha, New Zealand. *Journal of Ecology*, 77, 223-235.

Wilson, J.B. (1989) Root competition between three upland grasses. *Functional Ecology*, 3, 447-451.

Wilson, J.B., Williams, P.A. & Lee, W.G. (1989) Vegetation composition and segregation in relation to the environment at low altitudes in the Upper Clutha Basin, New Zealand. *New Zealand Journal of Ecology*, 12, 103-116.

## 1988

---

Dickinson, K.J.M. & Mark, A.F. (1988) The New Zealand Protected Natural Areas Programme - a progress report. *Proceedings of the ANZAAS Centenary Congress Sydney, May 1988*, 1-20.

Frazer, A.W.J., Brown, M.T. & Bannister, P. (1988) The frost resistance of some littoral and sub-littoral algae from southern New Zealand. *Botanica Marina*, 31, 461-464.

Hubbard, J.C.E. & Wilson, J.B. (1988) A survey of the lowland vegetation of the Upper Clutha District of Otago, New Zealand. *New Zealand Journal of Botany*, 26, 21-35.

Jameson, P.E., Trought, M.C.T., Harman, J.E., Greer, D.H., Whitehead, D., Connor, T.J., Horgan, K. & Porter, N. (1988) Topical plant physiology research in New Zealand. 114-121.

Lee, W.G., Wilson, J.B. & Johnston, P.N. (1988) Fruit colour in relation to the ecology and habit of *Coprosma* (Rubiaceae) species in New Zealand. *Oikos*, 53, 325-331.

Mark, A.F. (1988) Manapouri-Te Anau: case study of its hydro-electric development from conflict to resolution. Proceedings of "Ecopolitics III" Conference, September 1988, 126-129.

Mark, A.F. (1988) Political and public conscience-raising for reservation of New Zealand's tussock grasslands: an historical perspective. Proceedings of "Ecopolitics III" Conference, September, 130-133.

Mark, A.F. (1988) Responses of indigenous vegetation to contrasting trends in utilization by red deer in two southwestern New Zealand National Parks. *New Zealand Journal of Ecology*, 12, 103-114.

Mark, A.F., Grealish, G., Ward, C.M. & Wilson, J.B. (1988) Ecological studies of a marine terrace sequence in the Waitutu Ecological District of southern New Zealand. Part 1: The vegetation and soil patterns. *Journal of the Royal Society of New Zealand*, 18, 29-58.

Partridge, T.R. & Wilson, J.B. (1988) The use of field transplants in determining environmental tolerance in salt marshes of Otago, New Zealand. *New Zealand Journal of Botany*, 26, 183-192.

Partridge, T.R. & Wilson, J.B. (1988) Vegetation patterns in salt marshes of Otago, New Zealand. *New Zealand Journal of Botany*, 26, 497-510.

Rapson, G.L. & Wilson, J.B. (1988) Non-adaptation in *Agrostis capillaris* L. (Poaceae). *Functional Ecology*, 2, 479-490.

Roxburgh, S.H., Wilson, J.B. & Mark, A.F. (1988) Succession after disturbance of a New Zealand high-alpine cushionfield. *Arctic and Alpine Research*, 20, 230-236.

Singh, S., Letham, D.S., Jameson, P.E., Zhang, R., Parker, C.W., Bandenoch-Jones, J. & Noodén, L.D. (1988) Cytokinin biochemistry in relation to leaf senescence. IV. Cytokinin metabolism in soybean explants. *Plant Physiology*, 88, 788-794.

Stewart, G.H., Johnson, P.N. & Mark, A.F. (1988) Monitoring terrestrial vegetation for biological conservation. Proceedings of a Symposium on Environmental Monitoring in New Zealand (ed. B. Craig), pp. 199-208. Department of Conservation, Wellington, NZ.

Sykes, M.T. & Wilson, J.B. (1988) An experimental investigation into the response of some New Zealand sand dune species to salt spray. *Annals of Botany*, 62, 159-166.

Tangney, R.S. (1988) Ecological studies of a marine terrace sequence in the Waitutu Ecological District of southern New Zealand. Part 2: The bryophyte communities. *Journal of the Royal Society of New Zealand*, 18, 59-78.

Wilson, J.B. & Lee, W.G. (1988) the  $-3/2$  law applied to some gorse communities, with consideration of line fitting. *New Zealand Journal of Botany*, 26, 193-196.

Wilson, J.B. & Sykes, M.T. (1988) Some tests for niche limitation by examination of species diversity in the Dunedin area, New Zealand. *New Zealand Journal of Botany*, 26, 237-244.

Wilson, J.B. (1988) A review of evidence on the control of shoot:root ratio, in relation to models. *Annals of Botany*, 61, 433-449.

Wilson, J.B. (1988) Community structure in the flora of islands in Lake Manapouri, New Zealand. *Journal of Ecology*, 76, 1030-1042.

Wilson, J.B. (1988) Effects of root pruning of wheat at different nitrogen levels. *Plant and Soil*, 109, 128-130.

Wilson, J.B. (1988) Shoot competition and root competition. *Journal of Applied Ecology*, 25, 279-296.

Wilson, J.B. (1988) The application of cladistic taxonomy to plants. *Taxon*, 37, 387-395.

Wilson, J.B. (1988) The cost of heavy-metal tolerance: an example. *Evolution*, 42, 408-413.

Wilson, J.B. (1988) The effect of initial advantage on the course of plant competition. *Oikos*, 51, 19-24.

Wilson, J.B., Hubbard, J.C.E. & Rapson, G.L. (1988) A comparison of realised niche relations of species in New Zealand and Britain. *Oecologia*, 76, 106-110.

## 1987

---

Brown, M.T. (1987) Effects of desiccation on photosynthesis of intertidal algae from a southern New Zealand shore. *Botanica Marina*, 30, 121-127.

Dickinson, K.J.M. & Kirkpatrick, J.B. (1987) The short-term effects of clearfelling and slash-burning on the richness, diversity and relative abundance of higher plant species in two types of eucalypt forest on dolerite in Tasmania. *Australian Journal of Botany*, 35, 601-616.

- Dickinson, K.J.M. (1987) Fuel dynamics, fire risk and economic productivity in Tasmanian dry eucalypt forests on dolerite. *Journal of Environmental Management*, 25, 197-214.
- Jameson, P.E., Letham, D.S., Zhang, R., Parker, C.W. & Badenoch-Jones, J. (1987) Cytokinin translocation and metabolism in Lupin species. I. Zeatin riboside introduced into the xylem at the base of *Lupinus angustifolius* stems. *Australian Journal of Plant Physiology*, 14, 695-718.
- Kirkpatrick, J.B., Bowman, D.M.J.S., Wilson, B.A. & Dickinson, K.J.M. (1987) A transect study of the Eucalyptus forests and woodlands of a dissected sandstone and laterite plateau near Darwin, Northern Territory. *Australian Journal of Ecology*, 12, 339-359.
- Kissel, R.M., Wilson, J.B., Bannister, P. & Mark, A.F. (1987) Water relations of some native and exotic shrubs of New Zealand. *New Phytologist*, 107, 29-37.
- Lange, O.L., Ullmann, I., Tenhunen, J.D. & Bannister, P. (1987) Stomatal conductance and transpiration of the two faces of *Acacia phyllodes*. *Trees*, 1, 110-122.
- Lough, T.J., Wilson, J.B., Mark, A.F. & Evans, A.C. (1987) Succession in a New Zealand alpine cushion community: a Markovian model. *Vegetatio*, 71, 129-138.
- Mark, A.F. & Kirk, R.M. (1987) Lake levels and lakeshore erosion. *Lake Managers Handbook. A guide to undertaking and understanding investigations into lake ecosystems, so as to assess management options for lakes* (ed. W.N. Vant), pp. 215-224. Water Quality Centre Ministry of Works and Development, Hamilton, NZ.
- Mark, A.F. (1987) Lake level control. *Aquatic Biology and Hydroelectric Power Development in New Zealand* (ed. P.R. Henriques), pp. 113-123. Oxford University Press, Auckland, NZ.
- Partridge, T.R. & Wilson, J.B. (1987) Germination in relation to salinity in some plants of salt marshes in Otago, New Zealand. *New Zealand Journal of Botany*, 25, 255-261.
- Partridge, T.R. & Wilson, J.B. (1987) Salt tolerance of salt marsh plants of Otago, New Zealand. *New Zealand Journal of Botany*, 25, 559-566.
- Quinn, S.L., Wilson, J.B. & Mark, A.F. (1987) The island biogeography of Lake Manapouri, New Zealand. *Journal of Biogeography*, 14, 569-581.

Sanderson, K.J., Jameson, P.E. & Zabkiewicz, J.A. (1987) Auxin in a seaweed extract: identification and quantitation of Indole-3-acetic acid by gas chromatography-mass spectrometry. *Journal of Plant Physiology*, 129, 363-367.

Sykes, M.T. & Wilson, J.B. (1987) The vegetation of a New Zealand dune slack. *Vegetatio*, 71, 13-19.

Weir, D.A. & Wilson, J.B. (1987) Micro-pattern in an area of New Zealand alpine vegetation. *Vegetatio*, 73, 81-88.

Wilson, J.B. & Newman, E.I. (1987) Competition between upland grasses: root and shoot competition between *Deschampsia flexuosa* and *Festuca ovina*. *Acta Oecologica*, 8, 501-509.

Wilson, J.B. (1987) Group selection in plant populations. *Theoretical and Applied Genetics*, 74, 493-502.

Wilson, J.B. (1987) Methods for detecting non-randomness in species co-occurrences: a contribution. *Oecologia*, 73, 579-582.

Wilson, J.B., Gitay, H. & Agnew, A.D.Q. (1987) Does niche limitation exist? *Functional Ecology*, 1, 391-397.

## 1986

---

Bannister, P. & Kissel, R.M. (1986) The daily course of water potential and leaf conductance in some New Zealand plants. *Flora*, 178, 329-342.

Bannister, P. (1986) Drought resistance, water potential and water content in some New Zealand plants. *Flora*, 178, 23-40.

Bannister, P. (1986) Observations on water potential and drought resistance of trees and shrubs after a period of summer drought around Dunedin, New Zealand. *New Zealand Journal of Botany*, 24, 387-392.

Bannister, P. (1986) Water Relations and Stress. *Methods in Plant Ecology* 2nd ed. (eds. P.E. Moore & S.B. Chapman), pp. 73-143. Blackwell Scientific Publications, Oxford.

Bannister, P. (1986) Winter frost resistance of leaves of some plants growing in Dunedin, New Zealand, in winter 1985. *New Zealand Journal of Botany*, 24, 505-507.

Brown, M.T. & Wilkins, D.A. (1986) The effects of zinc on germination, survival and growth of *Betula* seed. *Environmental Pollution*, 41, 53-61.

Dickinson, K.J.M. & Kirkpatrick, J.B. (1986) The impact of grazing pressure in clearfelled, burned and undisturbed eucalypt forest. *Vegetatio*, 66, 133-136.

Dickinson, K.J.M., Wall, L.E. & Wilson, R.I. (1986) Birds in a partly clearfelled dry eucalypt forest on dolerite in southeastern Tasmania. *Papers and Proceedings of the Royal Society of Tasmania*, 120, 39-49.

Kirkpatrick, J.B. & Dickinson, K.J.M. (1986) Achievements, concepts and conflicts in Australian small-scale vegetation mapping. *Australian Geographical Studies*, 24, 222-234.

Körner, C., Bannister, P. & Mark, A.F. (1986) Altitudinal variation in stomatal conductance, nitrogen content and leaf anatomy in different plant life forms in New Zealand. *Oecologia*, 69, 577-588.

Mark, A.F. (1986) Water yield or grazing - conflicts in the management of mountain snow tussock grasslands of the South Island, New Zealand. *Proceedings of the Second International Rangeland Congress, May 1985*, 553-554.

Payton, I.J., Lee, W.G., Dolby, R. & Mark, A.F. (1986) Nutrient concentrations in narrow-leaved snow tussock (*Chionochloa rigida*) after spring burning. *New Zealand Journal of Botany*, 24, 529-537.

Sanderson, K.J. & Jameson, P.E. (1986) The cytokinins in a liquid seaweed extract: could they be the active ingredients? *Acta Horticulturae*, 179, 113-116.

Wilson, J.B. & Cullen, C. (1986) Coastal cliff vegetation of the Catlins region Otago, South Island, New Zealand. *New Zealand Journal of Botany*, 24, 567-574.

Wilson, J.B. & Levin, D.A. (1986) Some genetic consequences of skewed fecundity distributions in plants. *Theoretical and Applied Genetics*, 73, 113-121.

Wilson, J.B. & Partridge, T.R. (1986) Interactive plant identification. *Taxon* 35, 1-12.

## 1985

---

Bannister, P. (1985) Notes on frost damage to plants after a severe frost in Dunedin, New Zealand. *New Zealand Journal of Botany*, 23, 341-342.

Brown, M.T. & Wilkins, D.A. (1985) Zinc tolerance in *Betula*. *New Phytologist*, 99, 91-100.

Brown, M.T. & Wilkins, D.A. (1985) Zinc tolerance of *Amanita* and *Paxillus*. *Transactions of the British Mycological Society*, 84, 367-370.

Brown, M.T. & Wilkins, D.A. (1985) Zinc tolerance of mycorrhizal *Betula*. *New Phytologist*, 99, 101-106.

Clayton-Greene, K.A. & Wilson, J.B. (1985) The vegetation of Mt Kariori, North Island, New Zealand. *New Zealand Journal of Botany*, 23, 533-548.

Heads, M. (1985) Biogeographic analysis of *Nothofagus* (Fagaceae). *Taxon*, 34, 474-492.

Jameson, P.E., McWha, J.A. & Haslemore, R.M. (1985) Changes in cytokinins during initiation and development of potato tubers. *Physiologia Plantarum*, 63, 53-57.

Körner, C. & Bannister, P. (1985) Stomatal responses to humidity in *Nothofagus menziesii*. *New Zealand Journal of Botany*, 23, 425-429.

Mark, A.F. & Johnson, P.N. (1985) Ecologically derived guidelines for managing two New Zealand lakes. *Environmental Management*, 9, 355-363.

Mark, A.F. & Lee, W.G. (1985) Ecology of hard beech (*Nothofagus truncata*) in southern outlier stands in the Haast Ecological District, South Westland, New Zealand. *New Zealand Journal of Ecology*, 8, 97-121.

Mark, A.F. (1985) The botanical component of conservation in New Zealand. *New Zealand Journal of Botany*, 23, 789-810.

Mark, A.F., Fetcher, N., Shaver, G.R. & Chapin III, F.S. (1985) Estimated ages of mature tussocks of *Eriophorum vaginatum* along a latitudinal gradient in Central Alaska, USA. *Arctic and Alpine Research*, 17, 1-5.

McWha, J.A. & Jameson, P.E. (1985) Are cytokinins implicated in tuberisation in potato (*Solanum tuberosum* L.)? *Acta Universitatis Agriculturae*, 33, 457-470.

## 1984

---

Bannister, P. (1984) The seasonal course of frost resistance in some New Zealand pteridophytes. *New Zealand Journal of Botany*, 22, 557-563.

Bannister, P. (1984) Winter frost resistance of leaves of some plants from the Three Kings Islands, grown outdoors in Dunedin, New Zealand. *New Zealand Journal of Botany*, 22, 303-306.

Greer, D.H. (1984) Seasonal changes in photosynthetic activity of snow tussocks (*Chionochloa* spp.) along an altitudinal gradient in Otago, New Zealand. *Oecologia*, 63, 271-274.

Heads, M. & Craw, R.C. (1984) Bibliography of the Scientific Work of Leon Croizat, 1932-1982. *Tuatara*, 27, 67-75.

Heads, M. (1984) *Principa Botanica: Croizat's contribution to Botany*. *Tuatara*, 27, 26-48.

Lee, W.G., Weatherall, I.L. & Wilson, J.B. (1984) Fruit conspicuousness in some New Zealand Coprosma (Rubiaceae) species. *Oikos*, 69, 87-94.

Mark, A.F. (1984) Effects of introduced mammals on natural ecosystem values in New Zealand. *Protection and parks. Essays in the preservation of natural values in protected areas* (ed. P.R. Dingwall), pp. 7-14. Department of Lands and Survey, Wellington.

Probert, P.K. & Wilson, J.B. (1984) Continental shelf benthos off Otago Peninsula, New Zealand. *Estuarine Coastal and Shelf Science*, 19, 373-391.

Ronghua, Y., Mark, A.F. & Wilson, J.B. (1984) Aspects of the ecology of the indigenous shrub *Leptospermum scoparium* (Myrtaceae) in New Zealand. *New Zealand Journal of Botany*, 22, 483-507.

Wright, A.E. (1984) New Zealand herbarium resources. *New Zealand Journal of Botany*, 22, 323-335.

## 1983

---

Bannister, P. & Smith, P.J.M. (1983) The heat resistance of some New Zealand plants. *Flora*, 173, 399-414.

James, S.H., Wylie, A.P., Johnson, M.S., Carstairs, S.A. & Simpson, G.A. (1983) Complex hybridity in *Isotoma petraea*, V. Allozyme variation and the pursuit of hybridity. *Heredity*, 51, 653-663.

Lee, W.G., Mark, A.F. & Wilson, J.B. (1983) Ecotypic differentiation in the ultramafic flora of the South Island, New Zealand. *New Zealand Journal of Botany*, 21, 141-156.

Mark, A.F. (1983) The need to reserve lowland indigenous forests. *Lowland Forests in New Zealand. Proceedings of a symposium held at the University of Waikato* (eds. K. Thompson, A.P.H. Hodder & A.S. Edmonds), pp. 189-205. Centre for Continuing Education and Environmental Studies Unit, Hamilton.

## 1982

---

Bannister, P. & Wildish, K.L. (1982) Light compensation points and specific leaf areas in some New Zealand ferns. *New Zealand Journal of Botany*, 20, 421-424.



Jameson, P.E., McWha, J.A. & Wright, G.J. (1982) Cytokinins and changes in their activity during the development of grains of wheat (*Triticum aestivum* L.). *Zeitschrift für Pflanzenphysiologie*, 106, 27-36.

Mark, A.F. & Baylis, G.T.S. (1982) Further studies on the impact of deer on Secretary Island, Fiordland, New Zealand. *New Zealand Journal of Ecology*, 5, 67-75.

Meurk, C.D. (1982) Regeneration of subantarctic plants on Campbell Island following exclusion of sheep. *New Zealand Journal of Ecology*, 5, 51-58.

Meurk, C.D. (1982) Supplementary notes on plant distributions of the subantarctic Auckland Islands. *New Zealand Journal of Botany*, 20, 373-380.

Sommerville, P., Mark, A.F. & Wilson, J.B. (1982) Plant succession on moraines of the upper Dart Valley, southern South Island, New Zealand. *New Zealand Journal of Botany*, 20, 227-244.

## 1981

---

Bannister, P. & Ward, G. (1981) Changes in non-structural carbohydrate contents of *Chionochloa rigida* and *C. macra* during winter. *New Zealand Journal of Botany*, 19, 233-239.

Bannister, P. (1981) Carbohydrate concentration of heath plants of different geographical origin. *Journal of Ecology*, 69, 769-780.

Mark, A.F. (1981) New Zealand. Handbook of contemporary developments in world ecology (eds. E.J. Kormondy & J.F. McCormick), pp. 417-444. Greenwood Press, Westport, CT, USA.

## 1980

---

Bannister, P. (1980) Phenology and carbohydrate content of heathers of southern origin grown in Scotland. *Transactions of the Botanical Society of Edinburgh*, 43, 271-279.

Bannister, P. (1980) The non-structural carbohydrate contents of ercaceous shrubs from Scotland and Austria. *Acta Oecologia*, 1, 275-292.

Cook, J.M., Mark, A.F. & Shore, B.F. (1980) Responses of *Leptospermum scoparium* and *L. ericoides* (Myrtaceae) to waterlogging. *New Zealand Journal of Botany*, 18, 233-246.

Mark, A.F. (1980) Ecological principles in land use allocation. *The land our future: Essays on land use and conservation in New Zealand* (ed. A.G. Anderson), pp. 17-30. Longman Paul, Auckland.

Mark, A.F. (1980) Progress in tussock grasslands research since Cockayne's day. Proceedings of the Royal Society of New Zealand, 108, 122-142.

Mark, A.F., Rowley, J. & Holdsworth, D.K. (1980) Water yield from high-altitude snow tussock grassland in Central Otago. Tussock Grasslands and Mountain Lands Institute Review, 38, 21-33.

Mills, J.A., Lee, W.G., Mark, A.F. & Lavers, R.B. (1980) Winter use by takahe (*Notornis mantelli*) of the summer-green fern (*Hypolepis millefolium*) in relation to its annual cycle of carbohydrates and minerals. New Zealand Journal of Ecology, 3, 131-137.

Pankhurst, N.W., Boyden, C.R. & Wilson, J.B. (1980) The effect of a fluoride effluent on marine organisms. Environmental Pollution, 23, 299-312.

## 1979

---

Finlay, B., Bannister, P. & Stewart, J. (1979) Temporal variation in benthic ciliates and the application of association analysis. Freshwater Biology, 9, 45-53.

Greer, D.H. (1979) Effects of long-term preconditioning on growth and flowering of some snow tussock (*Chionochloa* spp.) populations in Otago, New Zealand. Australian Journal of Botany, 27, 617-630.

Lee, D.E. & Wilson, J.B. (1979) Cenozoic and recent rhynchonellide brachiopods of New Zealand: systematics and variation in the Genus *Notosaria*. Journal of the Royal Society of New Zealand, 9, 437-463.

Mark, A.F. & Holdsworth, D.K. (1979) Yield and macronutrient content of water in relation to plant cover from the snow tussock grassland zone of eastern and Central Otago, New Zealand. Progress in Water Technology, 11, 449-462.

Mark, A.F. (1979) Environmental issues and New Zealand scientists. Proceedings of the General Symposium 'Social Responsibility in Science' held at the 49th Congress of the Australian and New Zealand Association for the Advancement of Science, Auckland,, 191-202.

Mark, A.F. (1979) Guardians - the concept and their achievements with Lakes Manapouri and Te Anau. Environment 77 Proceedings 6: Preservation of Natural Areas and Ecosystems, 6, 60-63.

Mark, A.F. (1979) Proceedings of the Professor GTS Baylis Retirement Seminar. Royal New Zealand Institute of Horticulture, 7, 111-147.

Mark, A.F. (1979) South Island alpine plant communities. Prospects for New Zealand Biosphere Reserves, 2, 51-58.

Mark, A.F., Rawson, G. & Wilson, J.B. (1979) Vegetation pattern of a lowland raised mire in eastern Fiordland, New Zealand. *New Zealand Journal of Ecology*, 2, 1-10.

Marrs, R.H. & Bannister, P. (1979) Comparative autecological studies of several members of the Ericaceae using multiple regression studies of field data. *Journal of Biogeography*, 6, 85-92.

Meidner, H. & Bannister, P. (1979) Pressure and solute potentials in stomata cells of *Tradescantia virginiana*. *Journal of Experimental Botany*, 30, 255-265.

Payton, I.J. & Mark, A.F. (1979) Long-term effects of burning on growth, flowering, and carbohydrate reserves in narrow-leaved snow tussock (*Chionochloa rigida*). *New Zealand Journal of Botany*, 17, 43-54.

Probert, P.K., Batham, E.J. & Wilson, J.B. (1979) Epibenthic macrofauna off southeastern New Zealand and mid-shelf bryozoan dominance. *New Zealand Journal of Marine and Freshwater Research*, 13, 379-392.

## 1978

---

Baylis, G.T.S. (1978) Endomycorrhizas in our native flora. *Annual Journal of Royal New Zealand Institute of Horticulture*, 6, 63-69.

Hayman, D.S. (1978) Mycorrhizal populations of sown pastures and native vegetation in Otago, New Zealand. *New Zealand Journal of Agricultural Research*, 21, 271-276.

Levin, D.A. & Wilson, J.B. (1978) The genetic implications of ecological adaptations in plants. Structure and functioning of plant populations. *Structure and Functioning of Plant Populations* (eds. Freyden, A.H.J. & Woldendorp, J.W.), pp 75-100. North-Holland, Amsterdam, NL.

Mark, A.F. (1978) Continuing saga of Clutha Valley development. *Soil and Water (Wellington)*, 14 (2), 3-5.

Mark, A.F. (1978) Mount Aspiring National Park vegetation survey. Permanent photographic points for following vegetation changes. *Tussock Grasslands and Mountain Lands Review*, 37, 38-45.

Marrs, R.H. & Bannister, P. (1978) Response of several members of the Ericaceae to soils of contrasting pH and base-status. *Journal of Ecology*, 66, 829-834.

Marrs, R.H. & Bannister, P. (1978) The adaptation of *Calluna vulgaris* (L.) Hull to contrasting soil types. *New Phytologist*, 81, 753-761.

Meurk, C.D. (1978) Alpine phytomass and primary productivity in Central Otago, New Zealand. *New Zealand Journal of Ecology*, 1, 27-50.

Payton, I.J. & Brasch, D.J. (1978) Growth and nonstructural carbohydrate reserves in *Chionochloa rigida* and *C. macra*, and their short-term response to fire. *New Zealand Journal of Botany*, 16, 435-460.

Robertson, D.A., Roberts, P.E. & Wilson, J.B. (1978) Mesopelagic faunal transition across the subtropical convergence east of New Zealand. *New Zealand Journal of Marine and Freshwater Research*, 12, 295-312.

Shore, B.F. (1978) Breeding systems in *Carpodetus serratus* J.R. et G. Forst. *New Zealand Journal of Botany*, 16, 179-184.

Wardle, P. & McKellar, M.H. (1978) *Nothofagus menziesii* leaves dated at 7 490 yr BP in till-like sediments at Milford Sound, New Zealand. *New Zealand Journal of Botany*, 16, 153-157.

## 1977

---

Baylis, G.T.S. (1977) *Pennantia baylisiana* (Oliver) comb. nov. *New Zealand Journal of Botany*, 15, 511-512.

Cooper, K.M. (1977) *Asplenium bulbiferum* is non-mycorrhizal. *New Zealand Journal of Botany*, 15, 645-647.

Cooper, K.M. (1977) Endomycorrhizas affect growth of *Dryopteris filix-mas*. *Transactions of the British Mycological Society*, 69, 161-164.

Hall, I.R. (1977) Effect of applied nutrients and endomycorrhizas on *Metrosideros umbellata* and *Leptospermum scoparium*. *New Zealand Journal of Botany*, 15, 481-484.

Johnson, P.N. (1977) Mycorrhizal Endogonaceae in a New Zealand forest. *New Phytologist*, 78, 161-170.

Johnson, P.N., Mark, A.F. & Baylis, G.T.S. (1977) Vegetation at Ajax Hill, south-east Otago, New Zealand. *New Zealand Journal of Botany*, 15, 209-220.

Mark, A.F. (1977) Vegetation of Mount Aspiring National Park New Zealand. National Parks Authority, Wellington.

Mark, A.F., Johnson, P.N. & Wilson, J.B. (1977) Factors involved in the recent mortality of plants from forest and scrub along the Lake Te Anau shoreline, Fiordland. *Proceedings of the New Zealand Ecological Society*, 24, 34-42.

Meurk, C.D. (1977) Alien plants in Campbell Island's changing vegetation. *Mauri Ora*, 5, 93-118.

Mills, J.A. & Mark, A.F. (1977) Food preferences of takahe in Fiordland National Park, New Zealand, and the effect of competition from introduced red deer. *Journal of Animal Ecology*, 46, 939-958.

## 1976

---

Baylis, G.T.S. (1976) *The magnolioid mycorrhiza and mycotrophy in root systems derived from it* (1st edn). Academic Press, London.

Cooper, K.M. (1976) A field survey of mycorrhizas in New Zealand ferns. *New Zealand Journal of Botany*, 14, 169-181.

Hall, I.R. (1976) Response of *Coprosma robusta* to different forms of endomycorrhizal inoculum. *Transactions of the British Mycological Society*, 67, 409-411.

Hall, I.R. (1976) Vesicular mycorrhizas in the orchid *Corybas macranthus*. *Transactions of the British Mycological Society*, 66, 160.

Johnson, P.N. (1976) Effects of soil phosphate level and shade on plant growth and mycorrhizas. *New Zealand Journal of Botany*, 14, 333-340.

Mark, A.F. & Rowley, J. (1976) Water yield of low-alpine snow tussock grassland in Central Otago. *Journal of Hydrology*, 15, 59-79.

Wylie, A.P. (1976) Why the caninae roses are different. *New Zealand Rose Annual*, 1976, 67-79.

## 1975

---

Mark, A.F. & Baylis, G.T.S. (1975) Impact of deer on Secretary Island, Fiordland, New Zealand. *Proceedings of the New Zealand Ecological Society*, 22, 19-24.

Mark, A.F. & Smith, P.M.F. (1975) A lowland vegetation sequence in south Westland; pakihi bog to mixed beech-podocarp forest Part 1: the principal strata. *Proceedings of the New Zealand Ecological Society*, 22, 76-92.

Mark, A.F. (1975) Man and the environment - the New Zealand situation. *Otago Law Review*, 3, 390-397.

Mark, A.F. (1975) Second New Zealand energy conference an ecologist's viewpoint. *New Zealand Energy Journal*, October, 220-221.

Mark, A.F. (1975) Soil and water implications of the Clutha Valley project. *Soil and Water (Wellington)*, 12 (2), 9-10 & 31.

Meurk, C.D. (1975) Contributions to the flora and plant ecology of Campbell Island. *New Zealand Journal of Botany*, 13, 721-742.

Powell, C.L. (1975) Potassium uptake by endotrophic mycorrhizas. *Endomycorrhizas* (ed. B. Mosse, & F.E. Sanders), pp. 460–468. Academic Press, London.

Powell, C.L. (1975) Rushes and sedges are non-mycotrophic. *Plant and Soil*, 42, 418-484.

Scott, G.A.M. & Rowley, J.A. (1975) A lowland vegetation sequence in South Westland: pakihi bog to mixed beech-podocarp forest. Part 2: ground and epiphytic vegetation. *Proceedings of the New Zealand Ecological Society*, 22, 93-108.

Wilson, J.B. (1975) Teddybear - a statistical system. *New Zealand Statistician*, 10, 36-42.

## 1974

---

Baylis, G.T.S. (1974) The evolutionary significance of phycomycetous mycorrhizas. *Mechanisms of regulation of plant growth*, 12, 191-193.

Bliss, L.C. & Mark, A.F. (1974) High-alpine environments and primary production on the Rock and Pillar Range, Central Otago, New Zealand. *New Zealand Journal of Botany*, 12, 445-483.

Hall, I.R. (1974) Endomycorrhizas of *Metrosideros umbellata* and *Weinmannia racemosa*. *New Zealand Journal of Botany*, 13, 463-472.

Mark, A.F. (1974) Photosynthesis and dark respiration in three alpine snow tussocks (*Chionochloa* spp.) under controlled environments. *New Zealand Journal of Botany*, 13, 93-122.

Powell, C. (1974) The need for mycorrhizas for cocksfoot growth at high altitude: a note. *New Zealand Journal of Agricultural Research*, 18, 95.

Powell, C.L. (1974) Effect of P fertilizer on root morphology and P uptake of *Carex coriacea*. *Plant and Soil*, 41, 661-667.

## 1973

---

Bulloch, B.T. (1973) A low altitude snow tussock reserve at Black Rock, Eastern Otago. *Proceedings of the New Zealand Ecological Society*, 20, 41-47.

Crush, J.R. (1973) Significance of endomycorrhizas in tussock grassland in Otago, New Zealand. *New Zealand Journal of Botany*, 11, 645-660.

Crush, J.R. (1973) The effect of *Rhizophagus tenuis* mycorrhizas on ryegrass, cocksfoot and sweet vernal. *New Phytologist*, 72, 965-973.

Mark, A.F. & Adam, N.M. (1973) *New Zealand Alpine Plants* (edn 1). AH and AW Reed, Wellington.

McKellar, M.H. (1973) Dispersal of *Nothofagus* pollen in eastern Otago South Island, New Zealand. *New Zealand Journal of Botany*, 11, 305-310.

Meurk, C.D. (1973) Shoreline forests of Lake Te Anau, Fiordland. *Proceedings of the New Zealand Ecological Society*, 20, 96-102.

Wardle, P., Mark, A.F. & Baylis, G.T.S. (1973) Vegetation and landscape of the West Cape District, Fiordland, New Zealand. *New Zealand Journal of Botany*, 11, 599-626.

## 1972

---

Baylis, G.T.S. (1972) Fungi, phosphorus and the evolution of root systems. *Search*, 3, 257-258.

Baylis, G.T.S. (1972) Minimum levels of available phosphorus for non-mycorrhizal plants. *Plant and Soil*, 36, 223-234.

Holdsworth, M. (1972) Phytochrome and seed germination. *New Phytologist*, 71, 105-110.

Mark, A.F. & Baylis, G.T.S. (1972) A permanent quadrat in wind-thrown red beech forest Eglinton Valley, Fiordland. *New Zealand Journal of Botany*, 10, 202.

Mark, A.F. (1972) Applied ecological studies of shoreline vegetation at Lakes Manapouri and Te Anau, Fiordland. *Proceedings of the New Zealand Ecological Society*, 19, 100-157.

Wells, J.A. (1972) Ecology of *Podocarpus hallii* in Central Otago, New Zealand. *New Zealand Journal of Botany*, 10, 399-426.

## 1971

---

Baylis, G.T.S. (1971) Endogonaceous mycorrhizas synthesised in *Leptospermum* (Myrtaceae). *New Zealand Journal of Botany*, 9, 293-296.

Holdsworth, M. (1971) Carbon dioxide uptake by succulents. *Canadian Journal of Botany*, 49, 1520-1522.

Scott, G.A.M. (1971) A bibliography of New Zealand bryology. *New Zealand Journal of Botany*, 9, 750-771.

Scott, G.A.M. (1971) New Zealand Bryology; past, present and future. *New Zealand Journal of Botany*, 9, 739-743.

Scott, G.A.M. (1971) Some problems in the quantitative ecology of bryophytes. *New Zealand Journal of Botany*, 9, 744-749.

Slade, B.F. (1971) Stellar evolution in vascular plants. *New Phytologist*, 70, 879-884.

## 1970

---

Baylis, G.T.S. (1970) Root hairs and phycomycetous mycorrhizas in phosphorus-deficient soil. *Plant and Soil*, 33, 713-716.

Mark, A.F. & Bliss, L.C. (1970) The high-alpine vegetation of Central Otago, New Zealand. *New Zealand Journal of Botany*, 8, 381-451.

Mark, A.F. & Esler, A.E. (1970) An assessment of the pint-centred quarter method of plotless sampling in some New Zealand forests. *Proceedings of the New Zealand Ecological Society*, 17, 106-110.

Mark, A.F. (1970) Floral initiation and development in New Zealand alpine plants. *New Zealand Journal of Botany*, 8, 67-75.

Rowley, J. (1970) Effects of burning and clipping on temperature, growth, and flowering of narrow-leaved snow tussock. *New Zealand Journal of Botany*, 8, 264-282.

Rowley, J. (1970) Lysimeter and interception studies in narrow-leaved snow tussock grassland. *New Zealand Journal of Botany*, 8, 478-493.

Scott, G.A.M. (1970) Vegetation studies on Secretary Island, Fiordland. Part 11. Epiphytic and ground cryptogamic vegetation on the northern slopes. *New Zealand Journal of Botany*, 8, 30-50.

Slade, B.F. (1970) The effect of cell elongation on leaf anatomy of *Poa alpina*. *Botanical Gazette*, 131, 83-95.



Smith, P.M.F. & Scott, G.A.M. (1970) A simple chemical light-meter for use in forests. *Proceedings of the New Zealand Ecological Society*, 17, 139-142.

Wardle, P. & Mark, A.F. (1970) Vegetation studies on Secretary Island, Fiordland Part 10; Vascular plants recorded from Secretary Island. *New Zealand Journal of Botany*, 8, 22-29.

Wardle, P. (1970) Vegetation studies on Secretary Island, Fiordland Part 9: additions to parts 1, 2, 4 and 6. *New Zealand Journal of Botany*, 8, 3-21.

## 1969

---

Baylis, G.T.S. (1969) Host treatment and spore production by endogone. *New Zealand Journal of Botany*, 7, 173-174.

Baylis, G.T.S. (1969) Mycorrhizal nodules and growth of Podocarpus in nitrogen-poor soil. *Nature*, 223, 1385-1386.

Baylis, G.T.S. (1969) Synthesis of mycorrhizas in Podocarpus and Agathis with endogone spores. *Nature*, 221, 1267-1268.

Mark, A.F. & Rowley, J. (1969) Hydrological effects in the first two years following modification of snow tussock grassland. *The Proceedings of a Symposium on Watershed Management*, 8, 188-202.

Mark, A.F. (1969) Ecology of snow tussocks in the mountain grasslands of New Zealand. *Vegetatio*, 18, 289-306.

Schuster, R.M. & Scott, G.A.M. (1969) A study of the family Treubiaceae (Hepaticae: Metzgeriales). *Journal of the Hattori Botanical Laboratory*, 32, 219-268.

Scott, G.A.M. (1969) A technique for writing field notes in wet weather. *Proceedings of the New Zealand Ecological Society*, 16, 80.

Scott, G.A.M. (1969) The New Zealand species of Zoopsis (Hepaticae). *Records of the Dominion Museum*, 6, 159-174.

Scott, G.A.M. (1969) The teaching of quantitative ecology. *Proceedings of the New Zealand Ecological Society*, 16, 73-75.

Shore, B.F. (1969) Dioecism in New Zealand escalloniaceae. *New Zealand Journal of Botany*, 7, 113-124.

## 1968

---

Baylis, G.T.S. (1968) Day length and flowering in the *Solanum aviculare* group. *New Zealand Journal of Botany*, 6, 221-225.

Bussell, W.T. (1968) The growth of some New Zealand trees. 1. Growth in Natural conditions. *New Zealand Journal of Botany*, 6, 63-75.

Bussell, W.T. (1968) The growth of some New Zealand trees. 2. Effects of photoperiod and temperature. *New Zealand Journal of Botany*, 6, 76-85.

Mark, A.F. (1968) Factors controlling irregular flowering in four alpine species of *Chionochloa*. *Proceedings of the New Zealand Ecological Society*, 15, 55-60.

Westerskov, K. & Mark, A.F. (1968) Beech forests of the upper Routeburn Valley, Part I. Permanent quadrats and plotless sampling in the three major communities. *Science Record (Dunedin)*, 18, 16-52.

Wylie, A.P., Veale, A.M.O. & Sands, V.E. (1968) The chromosomes of the tuatara. *Proceedings of the University of Otago Medical School*, 46, 22-23.

## 1967

---

Baylis, G.T.S. (1967) Experiments on the ecological significance of phycomycetous mycorrhizas. *New Phytologist*, 66, 231-243.

Daly, G.T. (1967) A note on ligule length in *Poa colensoi*. *New Zealand Journal of Botany*, 5, 303-305.

Daly, G.T. (1967) Ordination of grassland and related communities in Otago. *Proceedings of the New Zealand Ecological Society*, 14, 63-70.

Holdsworth, M. & Baylis, G.T.S. (1967) Vegetation of Great Island, Three Kings Group in 1963. *Records of the Auckland Institute and Museum*, 6, 175-184.

Mark, A.F. (1967) What do we know about snow tussock? *Soil and Water (Wellington)*, 4 (2), 14-19.

Wells, J.A., Rowley, J.A. & Mark, A.F. (1967) Some observations on the vegetation in the Harrison Valley, Milford Sound. *Science Record (Dunedin)*, 17, 12-14.

Wells, J.A., Rowley, J.A. & Mark, A.F. (1967) Some observations on the vegetation in the Harrison Valley, Milford Sound. *Science Record (Dunedin)*, 17, 12-14.

## 1966

---

Baylis, G.T.S. (1966) *Solanum aviculare* and *S. laciniatum*. *Herba Hungarica*, 5, 283-287.

Holdsworth, M. (1966) The cleistogamy of *Viola cunninghamii*. *Transactions of the Royal Society of New Zealand*, 3, 169-174.

Mark, A.F. & Burrell, J. (1966) Vegetation studies on the Humboldt Mountains Fiordland Part 1: the alpine tussock grasslands. *Proceedings of the New Zealand Ecological Society*, 13, 12-18.

Mark, A.F. (1966) The narrow-leaved snow tussock. *Tussock Grasslands and Mountain Lands Institute Review*, March 1966, 1-13.

Scott, G.A.M. & Armstrong, J.M. (1966) The altitudinal sequence of climax vegetation on Mt Anglem, Stewart Island. *New Zealand Journal of Botany*, 4, 283-299.

Scott, G.A.M. (1966) The quantitative description of New Zealand bryophyte communities. *Proceedings of the New Zealand Ecological Society*, 13, 8-11.

Wells, J.A. & Mark, A.F. (1966) The altitudinal sequence of climax vegetation on Mt Anglem, Stewart Island. Part 1. The principal strata. *New Zealand Journal of Botany*, 4, 267-282.

## 1965

---

Armstrong, J.M. & Wylie, A.P. (1965) A new basic chromosome number in the family Fagaceae. *Nature*, 205, 1340-1341.

Burrell, J. (1965) Ecology of *Leptospermum* in Otago. *New Zealand Journal of Botany*, 3, 3-16.

Mark, A.F. & Scott, G.A.M. (1965) Quantitative data on forest composition. *New Zealand Journal of Botany*, 3, 168-169.

Mark, A.F. (1965) Central Otago: vegetation and mountain climate. In: *Central Otago; a symposium to mark the centenary of the "Golden decade" of the 1860s in central Otago* [New Zealand Geographical Society, Miscellaneous Series, 5], pp. 69-91. New Zealand Geographical Society, Dunedin, NZ.

Mark, A.F. (1965) Ecotypic differentiation in Otago populations of narrow-leaved snow tussock *Chionochloa rigida*. *New Zealand Journal of Botany*, 3, 277-299.

Mark, A.F. (1965) Effects of management practices on narrow-leaved snow tussock, *Chionochloa rigida*. New Zealand Journal of Botany, 3, 300-319.

Mark, A.F. (1965) Flowering behaviour of a New Zealand mountain grass. Naturwissenschaften, 52, 167.

Mark, A.F. (1965) Flowering, seeding, and seedling establishment of narrow-leaved snow tussock, *Chionochloa rigida*. New Zealand Journal of Botany, 3, 180-193.

Mark, A.F. (1965) The environment and growth rate of narrow-leaved snow tussock, *Chionochloa rigida*, in Otago. New Zealand Journal of Botany, 3, 73-103.

Scott, G.A.M. (1965) The shingle succession at Dungeness. Journal of Ecology, 53, 21-31.

## 1964

---

Mark, A.F., Scott, G.A.M., Sanderson, F.R. & James, P.W. (1964) Forest succession on landslides above Lake Thomson, Fiordland. New Zealand Journal of Botany, 2, 60-89.

Scott, G.A.M., Mark, A.F. & Sanderson, F.R. (1964) Altitudinal variation in forest composition near Lake Hankinson, Fiordland. New Zealand Journal of Botany, 2, 310-323.

Slade, B.F. (1964) Gametophytes of *Equisetum fluviatile* L. in agar culture. Phytomorphology, 14, 315-319.

## 1963

---

Baylis, G.T.S. & Mark, A.F. (1963) Vegetation studies on Secretary Island, Fiordland. Part 4: composition of the Beech-podocarp forest. New Zealand Journal of Botany, 1, 203-207.

Baylis, G.T.S. (1963) A cytogenetical study of the *Solanum aviculare* species complex. Australian Journal of Botany, 11, 168-177.

Baylis, G.T.S., McNabb, R.F.R. & Morrison, T.M. (1963) The mycorrhizal nodules of podocarps. Transactions of the British Mycological Society, 46, 378-384.

Baylis, G.T.S., Wardle, P. & Mark, A.F. (1963) Vegetation studies on Secretary Island, Fiordland. Part I: General Introduction. New Zealand Journal of Botany, 1, 167-170.

Baylis, G.T.S., Wardle, P. & Mark, A.F. (1963) Vegetation studies on Secretary Island, Fiordland Part 8: Vascular plants recorded from Secretary Island. New Zealand Journal of Botany, 1, 236-242.

Greenall, J.M. (1963) The mycorrhizal endophytes of *Griselinia littoralis* (Cornaceae). *New Zealand Journal of Botany*, 1, 389-400.

Holdsworth, M. (1963) Intermittent growth of the mango tree. *Journal of the West African Science Association*, 7, 163-171.

Mark, A.F. & Baylis, G.T.S. (1963) Vegetation studies on Secretary Island, Fiordland Part 6: The subalpine vegetation. *New Zealand Journal of Botany*, 1, 215-220.

Mark, A.F. (1963) Vegetation studies on Secretary Island, Fiordland. Part 3: The altitudinal gradient in forest composition, structure and regeneration. *New Zealand Journal of Botany*, 1, 188-202.

Murray, J. (1963) Lichens from Cape Hallett, Area, Antarctica. *Transactions of the Royal Society of New Zealand*, 2, 59-72.

Murray, J. (1963) Vegetation studies on Secretary Island, Fiordland. Part 7: Bryophytes and lichens. *New Zealand Journal of Botany*, 1, 221-35.

Sanderson, F.R. (1963) An ecological study of Pasm disease (*Mycosphaerella linorum*) on linseed in Canterbury and Otago. *New Zealand Journal of Agricultural Research*, 6, 432-439.

Scott, D. (1963) Erosional effects of recent and past cloudbursts in the Godley Valley, Lake Tekapo. *Proceedings of the New Zealand Ecological Society*, 10, 19-20.

Scott, G.A.M. (1963) Biological flora of the British Isles, No. 89. *Mertensia maritima* (L.) S.F.Gray. *Journal of Ecology*, 51, 733-742.

Scott, G.A.M. (1963) Biological flora of the British Isles. No. 90 *Glaucium flavum* Crantz. *Journal of Ecology*, 51, 743-754.

Scott, G.A.M. (1963) Suppression of gemma-cups in *Marchantia* by high humidity. *Nature*, 200, 1123.

Scott, G.A.M. (1963) The ecology of shingle beach plants. *Journal of Ecology*, 51, 517-527.

Wylie, A.P. (1963) Material for practical cytology. *Teaching Genetics* (eds. C.D. Darlington & A.D. Bradshaw), pp. 59-63. Oliver and Boyd, Edinburgh.

---

1962

Baylis, G.T.S. (1962) Rhizophagus. The Catholic symbiont. Australian Journal of Science, 25, 195-200.

Mark, A.F. & Sanderson, F.R. (1962) The altitudinal gradient in forest composition, structure and regeneration in the Hollyford Valley, Fiordland. Proceedings of the New Zealand Ecological Society, 9, 17-26.

Mark, A.F. & Smith, P.M.F. (1962) A frost-tolerant porous-pot evaporimeter. Proceedings of the New Zealand Ecological Society, 9, 13-14.

Mark, A.F. (1962) Zonation of vegetation and climate on the Old Man Range, Central Otago. Science Record (Dunedin), 12, 5-8.

Morrison, T.M. (1962) Absorption of phosphorus from soils by mycorrhizal plants. New Phytologist, 61, 10-20.

Morrison, T.M. (1962) Uptake of sulphur by mycorrhizal plants. New Phytologist, 61, 21-27.

## 1961

---

Baylis, G.T.S. (1961) Effect of vesicular-arbuscular mycorrhizas on growth of *Griselinia littoralis* (Cornaceae). Recent Advances in Botany, 1732-1735.

Baylis, G.T.S. (1961) The significance of mycorrhizas and root nodules in New Zealand vegetation. Proceedings of the Royal Society of New Zealand, 89, 45-50.

Billings, W.D. & Mark, A.F. (1961) Interactions between alpine tundra vegetation and patterned ground in the mountains of southern New Zealand. Ecology, 42, 18-31.

Holdsworth, M. (1961) The flowering of rain flowers. Journal of the West African Science Association, 7, 28-37.

McNabb, R.F.R. (1961) Mycorrhiza in the New Zealand Ericales. Australian Journal of Botany, 9, 57-61.

Morrison, T.M. (1961) Fixation of nitrogen-15 by excised nodules of *Discaria toumatou*. Nature, 189, 945.

Scott, D. (1961) Influence of tussock grasses on zonation of accompanying smaller species. New Zealand Journal of Science, 4, 116-122.

## 1960

---

Morrison, T.M. (1960) Mycorrhizas. Tuatara, 8, 77-85.

Scott, D. (1960) Seasonal behaviour of some montane plant species. *New Zealand Journal of Science*, 3, 694-699.

## 1959

---

Baylis, G.T.S. (1959) An example of winter injury to silver beech at moderate altitude. *Proceedings of the New Zealand Ecological Society*, 6, 21-22.

Baylis, G.T.S. (1959) Effect of vesicular-arbuscular mycorrhizas on growth of *Griselinia littoralis* (Cornaceae). *New Phytologist*, 58, 274-280.

Harris, G.P. (1959) Amino acids as nitrogen sources for the growth of excised roots of red clover. *New Phytologist*, 58, 330-344.

Holdsworth, M. (1959) The production of female-sterile flowers by hermaphrodite plants of *Fuchsia procumbens*. *Transactions of the Royal Society of New Zealand*, 86, 105-111.

Morrison, T.M. & Harris, G.P. (1959) Root nodules in non-leguminous plants in New Zealand. *Proceedings of the New Zealand Ecological Society*, 6, 23-24.

Slade, B.F. (1959) The mode of origin of vein-endings in the leaf of *Liriodendron tulipifera* L. *New Phytologist*, 58, 299-305.

## 1958

---

Baylis, G.T.S. (1958) A botanical survey of the small islands of the Three Kings Group. *Records of the Auckland Institute and Museum*, 5, 1-12.

Baylis, G.T.S. (1958) A cytogenetical study of New Zealand forms of *Solanum nigrum* L., *S. nodiflorum* Jacq. and *S. gracile* Otto. *Transactions of the Royal Society of New Zealand*, 85, 379-385.

Harris, G.P. & Morrison, T.M. (1958) Fixation of nitrogen-15 by excised nodules of *Coriaria arborea* Lindsay. *Nature*, 182, 1812.

Morrison, T.M. & Harris, G.P. (1958) Root nodules in *Discaria toumatou* Raoul Choix. *Nature*, 182, 1746-1747.

## 1957

---

Baylis, G.T.S. (1957) An attempt to measure local variations in climate with improvised apparatus. *Proceedings of the New Zealand Ecological Society*, 4, 41-42.

Morrison, T.M. (1957) Host-endophyte relationships in mycorrhizas of *Pernettya macrostigma*. *New Phytologist*, 56, 247-257.

Slade, B.F. (1957) Leaf development in relation to venation as shown in *Cercis siliquastrum* L., *Prunus serrulata* Lindl. and *Acer pseudoplatanus* L. *New Phytologist*, 56, 281-300.

Soper, K. (1957) Comparative morphology of the NZ species of *Pseudopanax* and *Nothopanax*. *Transactions of the Royal Society of New Zealand*, 84, 749-755.

## 1956

---

Harris, G.P. (1956) Amino acids as sources of nitrogen for the growth of isolated oat embryos. *New Phytologist*, 55, 253-268.

Holdsworth, M. (1956) The concept of minimum leaf number. *Journal of Experimental Botany*, 7, 395-409.

Morrison, T.M. (1956) Mycorrhiza of silver beech. *New Zealand Journal of Forestry*, 7, 47-60.

Naylor, M. (1956) A note on the life history of *Scytothamnus australis* H. et H. *New Phytologist*, 55, 289-388.

Wardle, P. & Mark, A.F. (1956) Vegetation and climate in the Dunedin District. *Transactions of the Royal Society of New Zealand*, 84, 33-44.

## 1955

---

Mark, A.F. (1955) Grassland and shrubland on Maungatua, Otago. *New Zealand Journal of Science and Technology*, 37, 349-366.

Naylor, M. (1955) The life history of *Adenocystis utricularis* (Bory) H. et H. *Transactions of the Royal Society of New Zealand*, 83, 295-301.

## 1954

---

Baylis, G.T.S. (1954) Chromosome number and distribution of *Solanum aviculare* Forst. and *S. laciniatum* Ait. *Transactions of the Royal Society of New Zealand*, 82, 639-643.

Baylis, G.T.S. (1954) Rust fungi on New Zealand *Clematis*. *Transactions of the Royal Society of New Zealand*, 82, 633-637.



Fisher, F.J.F. (1954) Use of an iris diaphragm for simplifying emasulation technique in *Ranunculus*. *New Phytologist*, 53, 541.

Morrison, T.M. (1954) Uptake of Phosphorus-32 by mycorrhizal plants. *Nature*, 174, 606.

Moss, B. & Naylor, M. (1954) The chemical composition of the two New Zealand species of *Durvillea*. *Transactions of the Royal Society of New Zealand*, 81, 473-478.

Naylor, M. (1954) A check list of the marine algae of the Dunedin District. *Transactions of the Royal Society of New Zealand*, 82, 645-663.

Naylor, M. (1954) A note on *Xiphophora chondrophylla* var. *Maxima* J. Ag. *New Phytologist*, 53, 155-159.

Naylor, M. (1954) The female conceptacle and young sporeling of the four New Zealand species of *Carpophyllum*. *Transactions of the Royal Society of New Zealand*, 82, 1-6.

## 1953

---

Baylis, G.T.S. (1953) Regeneration of the vegetation of Great King Island. *Proceedings of the 7th Pacific Science Congress*, 4, 706-708.

Fisher, F.J.F. (1953) A humidity-control system for air-conditioned cabinets. *New Zealand Journal of Science and Technology*, 35, 279-283.

Morrison, T.M. (1953) Comparative histology of secondary xylem in buried and exposed roots of dicotyledonous trees. *Phytomorphology*, 3, 427-430.

Naylor, M. (1953) The life-history of *Marginariella urvilliana* (Ach. Rich.) Tandy. *Annals of Botany*, 17, 495-511.

Naylor, M. (1953) The New Zealand species of *Durvillea*. *Transactions of the Royal Society of New Zealand*, 80, 277-297.

Rapson, L.J. (1953) Vegetative anatomy in *Donatia*, *Phyllachne*, *Forstera* and *Oreostylidium* and its taxonomic significance. *Transactions of the Royal Society of New Zealand*, 80, 399-402.

## 1952

---

Brook, P.J. (1952) Mycorrhiza of *Pernettya macrostigma*. *New Phytologist*, 51, 388-397.

Slade, B.F. (1952) Cladode anatomy and leaf trace systems in New Zealand brooms. Transactions of the Royal Society of New Zealand, 80, 81-96.

Slade, B.F. (1952) Somatic chromosome number of the New Zealand broom genera and a discussion of their relationship. Transactions of the Royal Society of New Zealand, 81, 1-9.

Smart, C. (1952) The life history of *Tupeia* Cham. et Schl. (Loranthaceae). Transactions of the Royal Society of New Zealand, 79, 459-466.

## 1951

---

Baylis, G.T.S. (1951) *Elingamita* (Myrsinaceae) a new monotypic genus from West Island, Three Kings Incipient forest regeneration on Great Island, Three Kings Group. Records of the Auckland Institute and Museum, 4, 99-109.

Holdsworth, M. (1951) Effect of goats on Great Island, Three Kings: the permanent quadrats resurveyed. Records of the Auckland Institute and Museum, 4, 113-131.

Naylor, M. (1951) The structure and development of *Himantalia lorea* (L.) Lyngb. Annals of Botany, 15, 501-533.

## 1950

---

Baylis, G.T.S. (1950) Root system of the New Zealand mangrove. Transactions of the Royal Society of New Zealand, 78, 509-514.

Brook, P.J. (1950) Vegetative anatomy of *Carpodetus serratus* Forst. Transactions of the Royal Society of New Zealand, 79, 276-285.

Finlayson, M.K. (1950) Some aspects of the life history of the liverwort *Symphyogyna hymenophyllum* (Hook.) M. et N. Transactions of the Royal Society of New Zealand, 78, 280-290.

## 1948

---

Baylis, G.T.S. (1948) The vegetation of Great Island, Three Kings. Records of the Auckland Institute and Museum, 3, 239-252.

## 1944

---

Holloway, J.E. (1944) The gametophyte, embryo and developing sporophyte of *Cardiomanes reniforme* (Forst.) Presl. Transactions of the Royal Society of New Zealand, 74, 196-206.

## 1943

---

Batham, E.J. (1943) Vascular anatomy of New Zealand species of *Gunnera*. Transactions of the Royal Society of New Zealand, 73, 209-216.

## 1939

---

Burr, I.L. (1939) The development of the Antheridium, Archegonium, and Sporogonium of *Cyathophorum bulbosum* (Hedw.) C.M. Transactions of the Royal Society of New Zealand, 68, 437-456.

Holloway, J.E. (1939) The gametophyte, embryo, and young rhizome of *Psilotum triquetrum* Swartz. Annals of Botany, 3, 313-336.

## 1938

---

Holloway, J.E. (1938) The embryo and gametophyte of *Psilotum triquetrum*. A preliminary note. Annals of Botany, 2, 807-809.

## 1937

---

Holloway, J.T. (1937) Ovule anatomy and development and embryogeny in *Phyllocladus alpinus* (Hook.) and in *P. glaucus* (Carr). Transactions of the Royal Society of New Zealand, 67, 149-165.

## 1936

---

Campbell, E.O. (1936) The embryo and stelar development of *Histiopteris incisa*. Transactions of the Royal Society of New Zealand, 66, 1-11.

Russell, R.S. (1936) The mechanism of leaf-fall in certain New Zealand trees. Transactions of the Royal Society of New Zealand, 65, 407-421.

## 1935

---

Holloway, J.E. (1935) The gametophyte of *Phylloglossum drummondii*. Annals of Botany, 49, 513-519.

## 1934

---

Logan, M.C. & Holloway, J.E. (1934) Plant succession on the Oreti River sand dunes. Transactions of the Royal Society of New Zealand, 64, 122-139.

Stevenson, G.B. (1934) The life history of the New Zealand species of the parasitic genus *Korthalsella*. Transactions of the New Zealand Institute, 61, 175-190.

1932

---

McIndoe, K.G. (1932) Ecological study of the vegetation of the Cromwell District, with special reference to root habit. Transactions of the New Zealand Institute, 62, 230-266.

1930

---

Holloway, J.E. (1930) The experimental cultivation of the gametophytes of *Hymenophyllum pulcherrimum* col. and of *Trichomanes reniforme* Forst. f. Annals of Botany, 44, 269-284.