

1990

- Alterio, N., K. Brown, L. Bruce, L. Duggan, S. Dymond, J. Fraser, S. Hamilton, R. Lander, J. McMaster, and J. Showers. 1990. Assessing abundance of New Zealand fur seals (*Arctocephalus forsteri*). Wildlife Management Report: **10**. University of Otago: Dunedin
- Buchanan, W. 1990. Benthic macrofauna and avifauna of Papanui Inlet, Otago. Wildlife Management Report: **1**. University of Otago: Dunedin
- Evans, B. 1990. Woody debris and its effect on brown trout in a small Otago stream. Wildlife Management Report: **2**. University of Otago: Dunedin
- Fechney, T. 1990. A wildlife study of Hoopers Inlet, Otago, New Zealand. Wildlife Management Report: **3**. University of Otago: Dunedin
- Finlay, S. 1990. Starling control in the Octagon, Dunedin. Wildlife Management Report: **4**. University of Otago: Dunedin
- McQueen, S. 1990. Foraging and fasting patterns of crested penguins (*Eudyptes* spp.) during breeding. Wildlife Management Report: **5**. University of Otago: Dunedin
- Meenken, D. 1990. Computer-aided learning in schools: Principles of game management. Wildlife Management Report: **6**. University of Otago: Dunedin
- Shorten, R. 1990. An educational booklet about Hector's dolphins *Cephalorhynchus hectori*. Wildlife Management Report: **7**. University of Otago: Dunedin
- Stark, K. 1990. Boulder Block management development plan. Wildlife Management Report: **8**. University of Otago: Dunedin
- Tisdall, C. 1990. A review of predator management techniques for yellow-eyed penguin conservation. Wildlife Management Report: **9**. University of Otago: Dunedin

1991

- Alterio, N. 1991. Feral cat (*Felis catus*) use of vegetation buffer zones surrounding yellow-eyed penguin (*Megadyptes antipodes*) breeding areas in winter. Wildlife Management Report: **11**. University of Otago: Dunedin
- Brown, K. 1991. Control of New Zealand animal pests. Wildlife Management Report: **12**. University of Otago: Dunedin
- Bruce, L. 1991. Lagomorph abundance and distribution around yellow-eyed penguin (*Megadyptes antipodes*) breeding colonies on the Otago coast of New Zealand. Wildlife Management Report: **13**. University of Otago: Dunedin
- Duggan, L. 1991. Emergence behaviour of *Naultinus gemmeus*, the jewelled gecko, on Otago Peninsula. Wildlife Management Report: **14**. University of Otago: Dunedin
- Dymond, S. 1991. Winter use by ferrets (*Mustela furo*) of vegetation buffer zones surrounding yellow-eyed penguin (*Megadyptes antipodes*) breeding areas. Wildlife Management Report: **15**. University of Otago: Dunedin
- Fraser, J. 1991. Distribution, abundance and selection of refuge sites by the alpine weta, *Hemideina maori*, on the Rock and Pillar Range. Wildlife Management Report: **16**. University of Otago: Dunedin
- Hamilton, S. 1991. The role of sex ratio, spatial distribution, and head size in the mating

- system of the Rock and Pillar weta *Hemideina maori*. Wildlife Management Report: **17**. University of Otago: Dunedin
- McMaster, J. 1991. Concepts, conflicts and opportunities in open sanctuaries. Wildlife Management Report: **18**. University of Otago: Dunedin
- Moller, H., D. Wharton, and C. Tyrrell. 1991. Pheromermis nematodes as biological control agents for the reduction of wasp abundance in New Zealand. Wildlife Management Report: **21**. University of Otago: Dunedin
- Price, S. 1991. The use of artificial insemination for the propagation of threatened or endangered species. Wildlife Management Report: **19**. University of Otago: Dunedin
- Showers, J. 1991. The effect of 1080 poisoned jam baits on rodents and mustelids. Wildlife Management Report: **20**. University of Otago: Dunedin

1992

- Barlow, N., H. Moller, and J. R. Beggs. 1992. A preliminary model for the impact of *Sphēcophaga vesparum vesparum*. Wildlife Management Report: **22**. University of Otago: Dunedin
- Bennett, K. 1992. Prey species of New Zealand fur seals based at Otago Peninsula, New Zealand. Wildlife Management Report: **26**. University of Otago: Dunedin
- Brennan, M. 1992. Improving the cost effectiveness and monitoring of goat control operations. Wildlife Management Report: **27**. University of Otago: Dunedin
- Childerhouse, S. 1992. Individual photographic identification and population size estimates for sperm whales at Kaikoura, New Zealand. Wildlife Management Report: **31**. University of Otago: Dunedin
- Cree, A. 1992. Report on a field trip to Stephens Island, February 2-8 1992. Wildlife Management Report: **23**. University of Otago: Dunedin
- Crowther, E., and A. McGlinchy. 1992. Ecology and conservation in New Zealand. Wildlife Management Report: **28**. University of Otago: Dunedin
- Eason, D. 1992. Takahe, *Notornis mantelli*: Artificial incubation of eggs and methods to determine sex. Wildlife Management Report: **29**. University of Otago: Dunedin
- Evans, A. 1992. The density and fate of spent lead gunshot in Otago wetlands. Wildlife Management Report: **30**. University of Otago: Dunedin
- McQueen, S. 1992. Effects of bleeding on the breeding success of Fiordland crested penguins (*Eudyptes pachyrhynchus*) at Jackson Head, South Westland, 1991. Wildlife Management Report: **24**. University of Otago: Dunedin
- Ragg, J. 1992. A review of the theory of invasion ecology, and ecological predictors of establishment and success of introduced animals in New Zealand. Wildlife Management Report: **32**. University of Otago: Dunedin
- Ratz, H., H. Moller, N. Alterio, S. Dymond, T. Fechney, and R. Waas. 1992. Protection of yellow-eyed penguins from predation: first year research report. Wildlife Management Report: **25**. University of Otago: Dunedin

1993

- Arbuckle, C., R. Bell, D. McCutcheon, A. Ranum, and C. Rufaut. 1993. The use of aerial surveys to quantify the distribution of fur seals (*Arctocephalus forsteri*). Wildlife Management Report: **34**. University of Otago: Dunedin
- Barr, K. 1993. The impact of the introduced common wasp (*Vespula vulgaris*) on the foraging behaviour of the South Island robin (*Petroica australis australis*). Wildlife Management Report: **38**. University of Otago: Dunedin
- Barr, K., S. Clearwater, C. McCuthen, S. Millington, and N. Parker. 1993. Development of national policy for marine reserves. Wildlife Management Report: **49**. University of Otago: Dunedin
- Bell, R. 1993. Foraging by tui and bellbirds in relation to honeydew standing crop in a beech forest of the South Island, New Zealand. Wildlife Management Report: **39**. University of Otago: Dunedin
- Bennett, K., J. Ragg, and S. Childerhouse. 1993. Construction of a database for toe-clipped tuatara (*Sphenodon punctatus*) on Stephens Island. Wildlife Management Report: **33**. University of Otago: Dunedin
- Clearwater, S. 1993. Review of human activity on spatial distribution and abundance of five seabirds at Tairua Head (Pukekura). Wildlife Management Report: **40**. University of Otago: Dunedin
- Cole, R. 1993. Denning behaviour of female brushtail possums (*Trichosurus vulpecula*) at Pigeon Flat, Otago. Wildlife Management Report: **41**. University of Otago: Dunedin
- Evans, B., and R. Soulsby. 1993. The impact of sodium monofluoroacetate (1080) rabbit poisoning operations on California quail populations. Wildlife Management Report: **37**. University of Otago: Dunedin
- Fechney, T., N. Alterio, H. Ratz, and H. Moller. 1993. Protection of yellow-eyed penguins from predation: Second year research report. Wildlife Management Report: **35**. University of Otago: Dunedin
- Hamilton, S. 1993. Breeding colonies of titi, *Puffinus griseus*, on the Otago coast in 1992/93. Wildlife Management Report: **36**. University of Otago: Dunedin
- Hunt, D. 1993. Increasing public awareness and attitudes to conservation issues: A role for natural history television. Wildlife Management Report: **42**. University of Otago: Dunedin
- McCutcheon, D. 1993. Comparison of PCB and DDT levels found in Hector's dolphin (*Cephalorhynchus hectori*) with an international literature review of organochlorines in marine mammals. Wildlife Management Report: **43**. University of Otago: Dunedin
- Parker, N. 1993. Evaluation of the accuracy of radio-tracking by triangulation with special reference to predator movements in the Mackenzie Basin. Wildlife Management Report: **44**. University of Otago: Dunedin
- Priambudi, A. 1993. Design of a radio-tracking study of movements of possums (*Trichosurus vulpecula*). Wildlife Management Report: **45**. University of Otago: Dunedin
- Ranum, A. 1993. Parasites of the alimentary tract of the yellow-eyed penguin,

Megadyptes antipodes, and their effects. Wildlife Management Report: **46**.
University of Otago: Dunedin

Rebergen, A. L. 1993. Factors influencing the predation of eggs and young of the banded dotterel (*Charadrius bicinctus*) on some braided rivers in the Mackenzie Basin. Wildlife Management Report: **47**. University of Otago: Dunedin

Rufaut, C. 1993. Potential threats to *Painoa isolata*, the Waikaia Forest spider, Southland. Wildlife Management Report: **48**. University of Otago: Dunedin

1994

Boyle, K. 1994. Responses of the male moth *Planotortrix octo* to different blends of the female sex pheromone. Wildlife Management Report: **53**. University of Otago: Dunedin

Butz-Huryn, V., H. Moller, and R. Bell. 1994. Does beekeeping reduce or enhance the conservation value of protected natural areas? Wildlife Management Report: **51**. University of Otago: Dunedin

Hartley, L. 1994. Heterozygosity and fitness: Applications to conservation. Wildlife Management Report: **54**. University of Otago: Dunedin

Hartley, L., L. Honnor, T. Shaw, R. Sinclair, and C. Smuts Kennedy. 1994. Review of the 1989-1994 Kakapo Recovery Plan and recommendations for 1995-1999. Wildlife Management Report: **52**. University of Otago: Dunedin

Honor, L. 1994. The Antarctic Encounter exhibit at Kelly Tarton's Underwater World: The educational value of models and displays at tourist exhibits. Wildlife Management Report: **55**. University of Otago: Dunedin

Shaw, T. 1994. Population size, distribution, home range and translocation of the jewelled gecko *Naultinus gemmeus*, at the Every Scientific Reserve, Otago Peninsula. Wildlife Management Report: **56**. University of Otago: Dunedin

Smith, G. 1994. Ferret (*Mustela furo*) diet in relation to prey abundance and Tb infection in pastoral habitats of Otago. Wildlife Management Report: **57**. University of Otago: Dunedin

Thompson, K. H. 1994. Opportunities to improve animal welfare, education and conservation at Auckland Zoological Park. Wildlife Management Report: **66**. University of Otago: Dunedin

Thomson, K. 1994. Is captive management a help or hindrance to conservation in New Zealand? Wildlife Management Report: **58**. University of Otago: Dunedin

Valerio, F. 1994. Upland game management strategy development for California quail. Wildlife Management Report: **59**. University of Otago: Dunedin

1995

Aikman, H. 1995. Reintroduction of New Zealand shore plover (*Thinornis novaeseelandiae*): A release strategy. Wildlife Management Report: **68**. University of Otago: Dunedin

Arbuckle, C. 1995. Applications of remote sensing and Geographical Information

- Systems to wetlands inventory: Problems of data acquisition, accuracy and application. Wildlife Management Report: **69**. University of Otago: Dunedin
- Barrie, A. N. 1995. New Zealand bats: (1) A summary of historical records and a survey of their current distribution; (2) An educational package for secondary schools. Wildlife Management Report: **70**. University of Otago: Dunedin
- Fletcher, D., H. Moller, B. K. Clapperton, T. Fechny, and D. Meenken. 1995. Spotlight counts for assessing rabbit abundance. Wildlife Management Report: **61**. University of Otago: Dunedin
- Goonan, J. 1995. The future of the Blue Mountains (Otago) as a recreational hunting area. Wildlife Management Report: **71**. University of Otago: Dunedin
- Jansma, F. 1995. Past and present distribution of freshwater crayfish (*Paraneohpops zealandicus*) in Eastern Otago, New Zealand, and its relationship with land use. Wildlife Management Report: **72**. University of Otago: Dunedin
- Joyce, L. J. 1995. A review of the ecology and a Population Viability Analysis of the Okarito brown kiwi. Wildlife Management Report: **73**. University of Otago: Dunedin
- Keedwell, R. 1995. A preliminary population viability analysis of kereru populations (*Hemiphaga novaeseelandiae*) and implications for customary use. Wildlife Management Report: **74**. University of Otago: Dunedin
- Moller, H., N. Alterio, and H. Ratz. 1995. Critiques of research on vegetation buffers to protect hoiho from predators. Wildlife Management Report: **64**. University of Otago: Dunedin
- Moller, H., H. Ratz, and N. Alterio. 1995. Protection of yellow-eyed penguins (*Megadyptes antipodes*) from predators. Wildlife Management Report: **65**. University of Otago: Dunedin
- Ratz, H., and H. Moller. 1995. Identification of predators of Royal albatross chicks at Taiaroa Head in February 1994. Wildlife Management Report: **50**. University of Otago: Dunedin
- Smith, G. 1995. The use of Tiritiri Matangi Island by recreational boaters and commercial ferry passengers. Wildlife Management Report: **67**. University of Otago: Dunedin
- Toft, R. 1995. Predation of orb-web spiders (*Araneidae*) by introduced common wasps (*Vespula vulgaris*) in a New Zealand beech forest. Wildlife Management Report: **75**. University of Otago: Dunedin
- Vial, C. 1995. The effect of boat disturbance on the distribution and breeding success of African skimmers (*Rynchops flavirostris*) in the Okavango Delta, Botswana. Wildlife Management Report: **76**. University of Otago: Dunedin

1996

- Beasley, I., M. Charteris, B. McKinlay, S. Moore, and M. K. Whiting. 1996. A review of the harvest and ecology of New Zealand freshwater eels, with recommendations for research and management. Wildlife Management Report: **86**. University of Otago: Dunedin

- Christmas, E., E. Coddington, and A. Cree. 1996. A database for toe-clipped tuatara (*Sphenodon punctatus*) on Stephens Island (Takapourewa). Wildlife Management Report: **77**. University of Otago: Dunedin
- Hamilton, S., H. Moller, M. Charteris, and W. Cooper. 1996. Breeding colonies of sooty shearwater (*Puffinus griseus*) on Whenua Hou, Codfish Island. Wildlife Management Report: **63**. University of Otago: Dunedin
- Jordan, B. 1996. Improvement of paste baits for brushtail possum (*Trichosurus vulpecula*) control. Wildlife Management Report: **79**. University of Otago: Dunedin
- Moore, S. 1996. Spawning site selection by two species of non-migratory galaxiid, *Galaxias anomalus* and *G. depressiceps*. Wildlife Management Report: **80**. University of Otago: Dunedin
- Sinclair, R. 1996. The conservation and biology of two species of megapodes in the Tangkoko-Dua Saudara Nature Reserve, North Sulawesi, Indonesia. Wildlife Management Report: **82**. University of Otago: Dunedin
- Trafford, S. 1996. A harvest survey and pilot study for recruitment for mallard ducks (*Anas platyrhynchos*). Wildlife Management Report: **83**. University of Otago: Dunedin
- Whiting, M. K. 1996. Diet of Australian magpies (*Gymnorhina tibicen*) at Macraes Flat, Otago, and implications for management. Wildlife Management Report: **84**. University of Otago: Dunedin

1997

- Beasley, I. 1997. Marine mammal tourism: Educational implications and legislation. Wildlife Management Report: **78**. University of Otago: Dunedin
- Bevers, C., B. Lawrence, and B. McKinlay. 1997. The wetlands monitoring manual. Wildlife Management Report: **89**. University of Otago: Dunedin
- de Cruz, J., S. Hamilton, C. Hunter, J. Kitson, and H. Moller. 1997. Harvests of titi by Rakiura Maori, 1996/97 Season Report. Wildlife Management Report: **87**. University of Otago: Dunedin
- Hamilton, S., J. de Cruz, D. Fletcher, C. Hunter, and H. Moller. 1997. Reliability of an infra-red scope for assessing sooty shearwater burrow occupancy: A pilot study. Wildlife Management Report: **88**. University of Otago: Dunedin
- Jones, C., H. Moller, and M. Ellison. 1997. Te whakarauora o ka titi: Te Waka a Aoraki. Wildlife Management Report: **100**. University of Otago: Dunedin
- Lawrence, B. 1997. A review of the relationship between beechmast (*Nothofagus* species), stoats (*Mustelia erminea*), and mohua (*Mohoua ochrocephala*). Wildlife Management Report: **91**. University of Otago: Dunedin
- Lyver, P., S. Hamilton, M. McKenzie, I. Dickson, M. Doohar, T. Broad, and H. Moller. 1997. Construction and reliability of an infra-red camera for examining nests in burrows. Wildlife Management Report: **90**. University of Otago: Dunedin
- McKinlay, B. 1997. The conservation of yellow-eyed penguins (*Megadyptes antipodes*): Use of a PVA model to guide policy development for future conservation management direction. Wildlife Management Report: **97**. University of Otago:

Dunedin

- Moller, H., and P. Lyver. 1997. Possible sign of a stoat (*Mustela erminea*) on Solomon Island. Wildlife Management Report: **62**. University of Otago: Dunedin
- Numata, M. 1997. Effects of philopatry on the outcome of translocating endangered birds. Wildlife Management Report: **92**. University of Otago: Dunedin
- Randle, D. 1997. New Zealand Wetlands: An educational resource package. Wildlife Management Report: **81**. University of Otago: Dunedin
- Williams, D. 1997. Evaluation of bait stations and management options for control of dama wallabies (*Macropus eugenii*) in the Bay of Plenty, New Zealand. Wildlife Management Report: **85**. University of Otago: Dunedin

1998

- Bettany, S. 1998. Towards more effective predator control to restore mainland sooty shearwater colonies: Targeting where, when and which species to control. Wildlife Management Report: **93**. University of Otago: Dunedin
- Beyers, C. 1998. Investigating the effects of radio transmitters on domestic chicken chicks (*Gallus domesticus*), an experimental surrogate for takahe chicks (*Porphyrio mantelli*). Wildlife Management Report: **94**. University of Otago: Dunedin
- Cross, M. 1998. Bovine Tuberculosis in wild ferrets (*Mustela furo*): Investigating immune responses as potential disease management tools. Wildlife Management Report: **95**. University of Otago: Dunedin
- Cruz, J., H. Moller, and D. Fletcher. 1998. Testing the accuracy of an infra-red camera burrowscope: Towards a reliable assessment of sooty shearwater burrow occupancy. Wildlife Management Report: **103**. University of Otago: Dunedin
- Jul, A. 1998. Marram grass (*Ammophila arenaria*) invasion of Mason Bay, Rakiura (Stewart Island). Wildlife Management Report: **104**. University of Otago: Dunedin
- Lettink, M. 1998. Conservation genetics of island takahe (*Porphyrio mantelli*). Wildlife Management Report: **96**. University of Otago: Dunedin
- Nelson, D. 1998. Management and retention of pingao (*Desmoschoenus spiralis*) in stable back dune sites. Wildlife Management Report: **98**. University of Otago: Dunedin
- Russel, D., and J. Gaw. 1998. Transcripts from the Western Star concerning titi ecology and harvests. Wildlife Management Report: **102**. University of Otago: Dunedin
- Sinclair. 1998. [Missing from collection]. Wildlife Management Report
- Smale, A. 1998. Ecological evaluation of native terrestrial communities to conserve biological diversity. Wildlife Management Report: **99**. University of Otago: Dunedin

1999

- Ashwell, H. 1999. Te Reo Maori me ka Pepeha o t'iwi Rakiura ma Wai Urua i te Heke Hao Kai Titi i ka Ra Kua Pahure: Maori words and sayings as spoken by the

- people of Rakiura and Foveaux Strait. Wildlife Management Report: **116**.
University of Otago: Dunedin
- Borkin, K. 1999. Diet of feral cats (*Felis catus*) in pastoral habitats in Canterbury, Otago and Southland: Functional and numerical responses to rabbit availability. Wildlife Management Report: **105**. University of Otago: Dunedin
- Fitzgerald, R. 1999. The effects of grazing by black swans (*Cygnus atratus* Latham) in non-patch macrophyte dynamics in a shallow eutrophic lake. Wildlife Management Report: **106**. University of Otago: Dunedin
- Goodman, A. 1999. Tara taranaki, New Zealand's giant terrestrial amphipod: Habitat, distribution and a test of mammalian predation. Wildlife Management Report: **107**. University of Otago: Dunedin
- Griffiths, K. 1999. Stoat control in New Zealand: A review. Wildlife Management Report: **108**. University of Otago: Dunedin
- Kater, C. 1999. Evaluation of mortality and density changes of the Codfish Island fernbird (*Bowdleria punctata wilsoni*) resulting from aerial and ground-baited Talon. Wildlife Management Report: **109**. University of Otago: Dunedin
- Mayhew, K. 1999. Contrariness to detection in the bush canary: Variation in the detectability of mohua (*Mohoua ochrocephala*) relating to nesting phase. different populations and time of day. Wildlife Management Report: **110**. University of Otago: Dunedin
- Shrubshall, C. 1999. Use of 1080 baits by invertebrates in the forest sub-canopy, Lenz Reserve, Catlins. Wildlife Management Report: **111**. University of Otago: Dunedin
- Smith, E. 1999. The efficiency of Talon poisoning in eradicating kiore (*Rattus exulans*) from Codfish Island (Whenua Hou). Wildlife Management Report: **112**. University of Otago: Dunedin
- Smuts Kennedy, C. 1999. The conservation potential of Great Mercury Island. Wildlife Management Report: **115**. University of Otago: Dunedin
- Swale, E. 1999. An evaluation of trap type for potential use in a ferret (*Mustela furo*)/bovine tuberculosis vaccination programme. Wildlife Management Report: **113** University of Otago: Dunedin
- Uren, S. 1999. Automated recording of chick provisioning by sooty shearwaters (*Puffinus griseus*). Wildlife Management Report: **114**. University of Otago: Dunedin

2000

- Bayliss, M. 2000. Achieving additional conservation work through volunteer involvement. Wildlife Management Report: **118**. University of Otago: Dunedin
- Goldsmith, R. 2000. The response of fish populations in Southland streams to the disturbance of macrophyte removal. Wildlife Management Report: **119**. University of Otago: Dunedin
- Greer, L. 2000. Stewart Island robin (*Petroica australis rakiura*) past and present: Are they caught in a corner by predators? Wildlife Management Report: **120**.

University of Otago: Dunedin

Lynn, V. C. P. 2000. Salinity tolerance of the New Zealand freshwater mussel (*Hyridella menziesi*) with reference to its potential for eutrophication control, and population age structure in Lake Waipori. Wildlife Management Report: **121**. University of Otago: Dunedin

Moughton, T. 2000. Impact of possum control operations of mice populations in the Catlins Conservation Park. Wildlife Management Report: **117**. University of Otago: Dunedin

Murdoch, T. 2000. Monitoring population levels of the Cook Strait click beetle (*Amychus granulatus*) on Maud Island, Marlborough Sounds. Wildlife Management Report: **122**. University of Otago: Dunedin

O'Callaghan, T. M. 2000. Crude birthrate, pod composition, and habitat use of humpback whales in Vava'u 1994-1999. Wildlife Management Report: **123**. University of Otago: Dunedin

Sohle, I. 2000. Telemetry reduces colony attendance by sooty shearwaters (*Puffinus griseus*). Wildlife Management Report: **124**. University of Otago: Dunedin

2001

Barach, T., R. Paterson, and R. Peach. 2001. Captive rearing kaki: a comparative assessment. Wildlife Management Report **135**. University of Otago: Dunedin

Cameron, B., E. Green, and E. Sibbald. 2001. What are the primary causes of kaki chick mortality? Wildlife Management Report: **134**. University of Otago: Dunedin

Carter, J., M. Pryde, and D. Kissling. 2001. What are the causes of adult mortality? Proposal for a kaki monitoring program. Wildlife Management Report: **136**. University of Otago: Dunedin

Curtis, K., and D. Shanahan. 2001. Do releases of captive-bred black stilts compromise the survival of wild stilts by introducing disease? Wildlife Management Report: **133**. University of Otago: Dunedin

Edmonds, H. 2001. Trial of suitable monitoring methods for green skinks (*Oligosoma chloronton*) on the Tiwai Peninsula, Southland. Wildlife Management Report: **140**. University of Otago: Dunedin

Edmonds, H., G. Greaves, and K. Steffens. 2001. Does predator control increase the breeding success of kaki? Wildlife Management Report: **132**. University of Otago: Dunedin

Jacobsen, C. 2001. Meeting end user needs: extension and evaluation of the Tussock Grasslands Management Information System. Wildlife Management Report: **139**. University of Otago: Dunedin

Pryde, M. 2001. Incubation patterns of Haast Tokoeka (*Apteryx australis* 'Haast') on the Haast Range, South Westland, New Zealand. Wildlife Management Report: **138**. University of Otago: Dunedin

Seddon, P., and Y. van Heezik. 2001. Estimation of fur seal (*Arctocephalus forsteri*) pup numbers at Sandymount and Victory Beach, Otago Peninsula, 2001. Wildlife Management Report: **131**. University of Otago: Dunedin

- Seddon, P., and Y. van Heezik. 2001. Restoration of kaki *Himantopus novaezelandiae* populations: research and management planning. Wildlife Management Report: **137**. University of Otago: Dunedin
- Tyrrell, C. 2001. Completion of research on reproductive ecology of tuatara on northern islands, including Aorangi, Taranga and the Marotere Islands. Wildlife Management Report: **141**. University of Otago: Dunedin

2002

- Cameron, B. 2002. Analysis of environmental data of predator traps for the Kaki (Black Stilt) Recovery Programme, Twizel. Wildlife Management Report: **142**. University of Otago: Dunedin
- Carter, J. 2002. Providing live food for kaki (black stilt, *Himantopus novaezelandiae*) in captivity. Wildlife Management Report: **145**. University of Otago: Dunedin
- Curtis, R. 2002. Mark re-sighting population estimates of black robin on Mangere Island and Rangatira Island: accuracy of estimate versus actual population. Wildlife Management Report: **149**. University of Otago: Dunedin
- Greaves, G. 2002. Survey of endemic lizard fauna, Nelson Lakes National Park. Wildlife Management Report: **148**. University of Otago: Dunedin
- Kissling, W. D. 2002. Ornithological survey of the Sinclair Wetlands 2001/2002. Wildlife Management Report: **144**. University of Otago: Dunedin
- Laas, F. 2002. Lead poisoning in New Zealand upland game: A preliminary investigation. Wildlife Management Report: **146**. University of Otago.: Dunedin
- Moller, H., J. Newman, D. Scott, and D. Fletcher. 2002. A survey of Titi abundance and harvest intensity on the Bragg Manu, Tia Island, 2000. Wildlife Management Report: **153**. University of Otago: Dunedin
- Moller, H., J. Newman, D. Scott, and D. Fletcher. 2002. A survey of Titi abundance and harvest intensity on the Campbell Manu, Ernest Island, 2000. Wildlife Management Report: **162**. University of Otago: Dunedin
- Newman, J., H. Moller, D. Scott, and D. Fletcher. 2002. A survey of Titi abundance and harvest intensity on the Young Manu, Tia Island, 2000. Wildlife Management Report **152**. University of Otago: Dunedin
- Newman, J., D. Russel, D. Scott, D. Fletcher, K. Charleton, and H. Moller. 2002. A survey of Titi abundance and harvest in tensity on Maaka Horomanupatu, Murderer's Cove, Taukihepa, 1999 and 2001. Wildlife Management Report: **155**. University of Otago: Dunedin
- Newman, J., D. Scott, H. Moller, and D. Fletcher. 2002. A survey of Titi abundance and harvest intensity on Pukeweka Island, 2002. Wildlife Management Report: **161**. University of Otago: Dunedin
- Newman, J., D. Scott, I. Sohle, H. Moller, and D. Fletcher. 2002. A survey of Titi abundance and harvest intensity on Pikomamakunui Island, 2001. Wildlife Management Report: **157**. University of Otago: Dunedin
- Newman, J., D. Scott, S. Uhlmann, D. Fletcher, and H. Moller. 2002. A survey of Titi abundance and harvest intensity on Manuroto Manu, Murderer's Cove,

- Taukihepa, 2000. Wildlife Management Report: **154**. University of Otago: Dunedin
- Paterson, R. 2002. Abundance, diversity and habitat use of wildlife at the Redcliff Wetland Reserve. Wildlife Management Report: **151**. University of Otago: Dunedin
- Peach, R. 2002. Testing the effectiveness of long-term predator-proof fencing in red tussock grassland, with implication for captive management of Takehe. Wildlife Management Report: **150**. University of Otago: Dunedin
- Scott, D., J. Newman, D. Fletcher, K. Charleton, and H. Moller. 2002. A survey of Titi abundance and harvest intensity on the Parata Manu, Murderer's Cove, Taukihepa, 2001. Wildlife Management Report: **156**. University of Otago: Dunedin
- Scott, D., J. Newman, D. Fletcher, K. Charleton, and H. Moller. 2002. A survey of Titi abundance and harvest intensity on Pohowaitai Island, 2001. Wildlife Management Report: **158**. University of Otago: Dunedin
- Scott, D., J. Newman, S. Uhlmann, D. Fletcher, and H. Moller. 2002. A survey of Titi abundance and harvest intensity on the Waitakua Manu, Taukihepa, 2000 & 2002. Wildlife Management Report: **159**. University of Otago: Dunedin
- Scott, D., J. Newman, S. Uhlmann, D. Fletcher, and H. Moller. 2002. A survey of Titi abundance and harvest intensity on Betsy Island, 2002. Wildlife Management Report: **160**. University of Otago: Dunedin
- Seddon, P., and Y. van Heezik. 2002. Estimation of fur seal pup numbers at Sandymount and Victory Beach, Otago Peninsula, 2002. Wildlife Management Report: **130**. University of Otago: Dunedin
- Sibbald, E. 2002. Diet of Brushtail Possums: Can diet quality predict body weight? Wildlife Management Report: **147**. University of Otago: Dunedin
- Steffens, K. 2002. Which net to use? Effective techniques for the capture of introduced fish species in South Island, NZ. Wildlife Management Report: **143**. University of Otago: Dunedin

2003

- Byars, S. 2003. Effects of the poison alphachloralose on predators of river breeding birds in the MacKenzie Basin, South Island. Wildlife Management Report: **169**. University of Otago: Dunedin
- Connolly, J., K. Nakagawa, and M. Rutherford. 2003. A management strategy for dark hybrids of kaki? Wildlife Management Report: **164**. University of Otago: Dunedin
- Coutts, S. 2003. Parental feeding patterns and incubation of Hihi (*Notiomystis cincta*) on Tiritiri Matangi Island. Wildlife Management Report: **167**. University of Otago: Dunedin
- Craig, E. 2003. Translocation of Titipounamu from Whenua Hou to Ulva Island: Post-release survival and dispersal. Wildlife Management Report: **168**. University of Otago: Dunedin
- Cunninghame, F., J. Grant, and D. Mitchell. 2003. Preliminary proposal for predator &

- habitat management for birds of the braided rivers in the upper Mackenzie Basin. Wildlife Management Report: **163**. University of Otago: Dunedin
- Ehrlacher, J. 2003. Investigating kaki habitat choice by measuring different variables. Wildlife Management Report: **170**. University of Otago: Dunedin
- Ehrlacher, J., P. McDowell, and L. Suvalko. 2003. Should \$20,000 be used to build soft aviary cages, or to study wild adult kaki mortality? Wildlife Management Report: **165**. University of Otago: Dunedin
- Lurling, J. 2003. The effect of alphachloralose predator control on black-fronted tern hatching success in the Mackenzie Basin, South Island, New Zealand. Wildlife Management Report: **171**. University of Otago: Dunedin
- Mitchell, D. 2003. Population status and sustainability of titpounamu (*Acanthisitta chloris chloris*) on Ulva Island, 10 months after translocation. Wildlife Management Report: **173**. University of Otago: Dunedin
- Pingram, M. 2003. Habitat use by the exotic fish species, mosquitofish, and a native fish species, common bully, in the Kai Iwi Lakes, Northland, New Zealand. Wildlife Management Report: **172**. University of Otago: Dunedin
- Pingram, M., A. Smyth, and S. Spalding. 2003. Is disturbance by humans having an impact on kaki breeding success? Wildlife Management Report: **166**. University of Otago: Dunedin
- Pope, P. 2003. Pikao (*Desmoschoenus spiralis*) monitoring: Using GPS and photographic monitoring techniques for Dunedin City Council coastal reserves. Wildlife Management Report: **186**. University of Otago: Dunedin
- Seddon, P., A. Smith, E. Dunlop, and R. Mathieu. 2003. Assessing the impact of unregulated nature-based tourism in coastal Otago: Pilot study to quantify visitor numbers, attitudes and activities at the Sandfly Bay Wildlife Refuge, Otago Peninsula. Wildlife Management Report: **185**. University of Otago: Dunedin

2004

- Bragg, C. 2004. Burrow density and occupancy of titi in *Olearia* forests on North East Island. Wildlife Management Report: **183**. University of Otago: Dunedin
- Cunningham, F. 2004. Critical analysis of the merit related to measuring and weighing of Otago skinks and grand skinks at Macraes Flat. Wildlife Management Report: **181**. University of Otago: Dunedin
- Dearlove, T., I. Dickson, and F. Maguire. 2004. Proposal for long-term control of predators in the Tasman River Valley, Upper Waitaki Basin: a critique. Wildlife Management Report: **176**. University of Otago: Dunedin
- Grant, J. 2004. The effects of capture and handling, breeding experience and year, on the laying dates and breeding success of South Island saddlebacks. Wildlife Management Report: **178**. University of Otago: Dunedin
- Grant, J. 2004. Monitoring Stewart Island robins and South Island saddlebacks. Wildlife Management Report: **179**. University of Otago: Dunedin
- Green, M., A. Lal, and J. Smith. 2004. The costs and benefits of monitoring kaki (*Himantopus novaezelandiae*) over winter. Wildlife Management Report: **174**.

University of Otago: Dunedin

- Leech, T., and A. Smith. 2004. Does kaki management benefit riverbed communities? Wildlife Management Report: **175**. University of Otago: Dunedin
- McDowell, P. 2004. GIS analysis of the nesting habitats of banded dotterels and black-fronted terns in the lower Ohau River, Mackenzie Basin. Wildlife Management Report: **180**. University of Otago: Dunedin
- McKechnie, S. 2004. Decline of sooty shearwaters at Taiaroa Head, South Island, New Zealand. Wildlife Management Report: **184**. University of Otago: Dunedin
- O'Neil, E., J. Wallace, and R. Struthers. 2004. The provision of supplementary food to released kaki: a cost-benefit analysis and research proposal. Wildlife Management: **177**. University of Otago: Dunedin
- Spalding, S. 2004. Rodent control survey of residents in the village of St Arnaud, Nelson Lakes Park Region. Wildlife Management Report: **182**. University of Otago: Dunedin

2005

- Leech, T. 2005. Post-translocation monitoring of Titipounamu/rifleman (*Acanthisitta chloris*) on Ulva Island: Survival and dispersal of founders and first offspring. Wildlife Management Report: **187**. University of Otago: Dunedin
- Maguire, F. 2005. The role of tracking in defining the effectiveness of predator control for shorebirds at Waipu Wildlife Refuge. Wildlife Management Report: **188**. University of Otago: Dunedin
- O'Neill, E. 2005. Biodiversity conservation on private farmland in New Zealand. Wildlife Management Report: **219**. University of Otago: Dunedin
- Seddon, P., and Y. van Heezik. 2005. Restoration of Kaki populations: Research and management planning. Wildlife Management Report: **191**. University of Otago: Dunedin
- Smith, A. 2005. Distribution and abundance of Mohua (*Mohoua ochrocephala*) within the Blue Mountains of New Zealand's South Island. Wildlife Management Report: **189**. University of Otago: Dunedin
- Struthers, R. 2005. A pilot study of thermal microhabitat opportunities under vegetation for grand skinks (*Oligosoma grande*): a case for habitat restoration, Macraes Flat, Otago, New Zealand. Wildlife Management Report: **190**. University of Otago: Dunedin
- Wallace, J. 2005. Long-tailed bat monitoring in Pureora Forest Park 1999-2005: Determining trends in activity using line transects. Wildlife Management Report: **192**. University of Otago: Dunedin

2006

- Browne, T. 2006. Staging kaki (*Himantopus novaezelandiae*) embryos using embryonic morphological features. Wildlife Management report: **242**. University of Otago: Dunedin

- Clark, R. 2006. The effectiveness of sampling lizard populations with artificial cover objects at Macraes Flat. Wildlife Management Report: **243**. University of Otago: Dunedin
- Gansell, O. 2006. Coal Island/Te Puke Hereka mustellid eradication. Wildlife Management Report: **211**. University of Otago: Dunedin
- Green, M. 2006. Interspecific interaction and habitat use by Australian magpies (*Gymnorhina tibicen*) on sheep and beef farms, South Island, New Zealand. Wildlife Management Report: **194**. University of Otago: Dunedin
- Hegg, D. 2006. Evaluating the effectiveness of the Murchison Mountains stoat trapping programme. Wildlife Management Report: **196**. University of Otago: Dunedin
- Henderson, M. 2006. Abundance of banded dotterels (*Charadrius bicinctus*) in the Upper Ahuriri River - a comparison of methods. Wildlife Management Report: **195**. University of Otago: Dunedin
- Judd, L. 2006. Effects of predator demographics and abundance at Macraes Flat, Otago, New Zealand. Wildlife Management Report: **199**. University of Otago: Dunedin
- Ledington, J. 2006. Black-backed gull (*Larus dominicanus*) control on Tihaka and Rarotoka Islands: Review of the 2005 control operation and recommendations for future control. Wildlife Management Report: **198**. University of Otago: Dunedin
- McIntyre, B. 2006. Monitoring the Stewart Island robin (*Petroica australis rakiura*) after translocation to Acker's Point and Iona Island. Wildlife Management Report: **200**. University of Otago: Dunedin
- Nakagawa, K. 2006. Supplementary feeding of kakapo (*Strigops habroptilus*) on Codfish Island in the 2003/04 season. Wildlife Management Report: **197**. University of Otago: Dunedin
- Smith, J. 2006. Freshwater sports fish regulations in Otago, New Zealand: Angler perspectives and implications for future fisheries management. Wildlife Management Report: **245**. University of Otago: Dunedin
- Smith, V. 2006. Nesting success of braided river birds in the Ahuriri River, 2005. Wildlife Management Report: **201**. University of Otago: Dunedin
- Smyth, A. 2006. A new technique for catching endangered captive kaki (black stilt, *Himantopus novaezelandiae*). Wildlife Management Report: **202**. University of Otago: Dunedin
- Whitwell, S., Roughton, C. 2006. Occupancy and detectability of *Oligosoma grande* in relation to rock characteristics. Wildlife Management Report: **193**. University of Otago: Dunedin

2007

- Anon. 2007. Titi Report (copy available on request). Wildlife Management Report: **207**. University of Otago: Dunedin
- Gabrielsson, R., Turner, M. 2007. Ecological impact of *Didymosphenia germinata* on river birds in the Upper Waitaki Basin, New Zealand. Wildlife Management Report: **205**. University of Otago: Dunedin

- Metsers, L. 2007. Analysis of trap catch data in relation to environmental variables in the Dart, Routeburn and Caples valleys, Mt Aspiring National Park. Wildlife Management Report: **217**. University of Otago: Dunedin
- Newham, R., Quirin C. 2007. Enhancing the Conservation Value of the Birchwood Wetland. Wildlife Management Report: **203**. University of Otago: Dunedin
- Quirin, C. 2007. Crop raiding by wild vertebrates in the Illubabor Zone, Ethiopia. Wildlife Management Report: **206**. University of Otago: Dunedin
- Soeder-Hunua, S. 2007. Nest and egg success findings of the Tasman Valley Control Project outcome monitoring for the 2006-07 breeding season for banded dotterels and wrybills. Wildlife Management Report **230**. University of Otago: Dunedin.
- Turner, M. 2007. Identification of regionally significant seabird and shorebird environments in the Auckland region. Wildlife Management Report: **204**. University of Otago: Dunedin
- Underwood, C. 2007. Territory map of Mohua (*Mohoua ochrocephala*) at the Routeburn Road End. Wildlife Management Report: **244**. University of Otago: Dunedin

2008

- Amey, J. 2008. Satellite tracking Light Mantaed Sooty Albatross breeding on Macquarie Island. Wildlife Management Report: **214**. University of Otago: Dunedin
- Bregg, C., Downs, T., Moller, H. 2008. Kaitiakitanga o ka Titi II: A survey of a mutton birding in the 2006 season. Wildlife Management Report: **218**. University of Otago: Dunedin
- Coleman, G. 2008. Nest site selection of the New Zealand fantail on South Island production land. Wildlife Management Report: **208**. University of Otago: Dunedin
- Futter, J. 2008. Baseline fish community surveys of the Rakatu Wetlands. Wildlife Management Report: **216**. University of Otago: Dunedin
- Gebauer, K. 2008. Site survey and evaluation of trapping and identification for small-scaled skinks (*Oligosoma microlepis*). Wildlife Management Report: **212**. University of Otago: Dunedin
- Green, G. 2008. The effect of recreational scallop dredging on horse mussel populations in Tauranga Harbour. Wildlife Management Report: **209**. University of Otago: Dunedin
- Harris, J. 2008. A review of the Nevis Valley and its values: In response to potential hydro-electric development. Wildlife Management Report: **210**. University of Otago: Dunedin
- Lal, A. 2008. A preliminary evaluation of mammalian predator trapping efficiency at Macraes Flat, Otago. Wildlife Management Report: **213**. University of Otago: Dunedin
- Preston, S. 2008. A pilot study: Using Distance Sampling to estimate the abundance of kaka in the Mt Bruce Reserve. Wildlife Management Report: **215**. University of Otago: Dunedin
- Unassigned. 2008.

2009

- Anker, A., Hanson, T., Leutner, B. and Robertson, K. 2009. Kaki (Black Stilt) Cost-benefit analysis: When should egg-pulling cease? Wildlife Management Report: **228**. University of Otago: Dunedin
- Beer, K., Caldwell, P., Gordon, F., and Hunter, B. 2009. High Country Tenure Review: Implications for the conservation of braided river systems. Wildlife Management Report: **227**. University of Otago: Dunedin
- Bulling, P. 2009. Mark-recapture analysis: Is this a useful tool for three threatened braided river bird species? Wildlife Management Report: **224**. University of Otago: Dunedin
- Egeter, B. 2009. Assessment of habitat suitability at Orokonui Ecosanctuary for the translocation of Maud Island frogs and/or Hochstetter's frogs. Wildlife Management Report: **222**. University of Otago: Dunedin
- Khan, N. 2009. The effect of temperature on the hatching success of the endangered Takahe. Wildlife Management Report: **226**. University of Otago: Dunedin
- Knox, C. 2009. Determining the impact of the proposed manipulations at the NGL reserve on the abundance and distribution of jewelled geckos and introduced mammals. Wildlife Management Report: **221**. University of Otago: Dunedin
- Muckle, F. 2009. The utility of a GIS-generated environment envelope for directing survey effort for a poorly known invertebrate - Hemiandrus "Waimakariri". Wildlife Management Report: **223**. University of Otago: Dunedin
- Taylor, M. 2009. Assessment and conservation options for forest bird communities in the Independent State of Samoa. Wildlife Management Report: **220**. University of Otago: Dunedin
- Young, M. 2009. Beach behaviour of yellow-eyed penguins on Enderby Island, Auckland Island Group, New Zealand. Wildlife Management Report: **225**. University of Otago: Dunedin